

Bibliography

Human Health Research Program

(1999-2005)

Long-Term Goal 1

Use of Mechanistic Information in Risk Assessment

Abernathy, CO, Thomas, DJ and Calderon, RL. Health effects and risk assessment of arsenic. **Journal of Nutrition** 133:1536-1538, 2003.

Abbott, BD, Buckalew, AR, Diliberto, JJ, Wood, CR, Held, G, Pitt, JA and Schmid, JE. AhR, ARNT, and Cyp1A1 mRNA quantitation in cultured human embryonic palates exposed to TCDD and comparison with mouse palate in vivo and in culture. **Toxicological Sciences** 47: 62-75, 1999.

Abbott, BD Schmid, JE, Pitt, JA, Buckalew, AR, Wood, CR, Held, GA and Diliberto, JJ. Adverse reproductive outcomes in the transgenic Ah receptor-deficient mouse. **Toxicology and Applied Pharmacology** 155:62-70, 1999.

Abbott BD, Buckalew AR, DeVito MJ, Ross D, Bryant PL and Schmid JE. EGF and TGF- α expression influence the developmental toxicity of TCDD: dose response and AhR phenotype in EGF, TGF- α , and EGF + TGF- α knockout mice. **Toxicological Sciences** 71:84-95, 2003.

Aleman, M, Riehl, J, Aldridge, BM, Lecouteur, RA, Stott, JL, and Pessah, IN, Association of a mutation in the ryanodine receptor 1 gene with equine malignant hyperthermia. **Muscle Nerve** 30:356 – 365, 2004 (NCER).

Alfaro MF, Putney L, Tarkington BK, Hatch GE, Hyde DM, and Schelegle ES. Effect of rapid shallow breathing on the distribution of ^{18}O -labeled ozone reaction product in the respiratory tract of the rat. **Inhalation Toxicology** 16:77-85, 2004.

Allen, J.W., Collins, B, Afshari, A and Fuscoe, J. Dibenzo[a,l]pyrene induction of Erythrocyte micronuclei in A/J and p53-deficient mice. **Polycyclic Aromatic Compounds** 16:51-60, 1999.

Allen, J.W., Collins, B, Lori, A, Afshari, A, George, M, DeAngelo, A and Fuscoe, J. Erythrocyte and spermatid micronucleus analyses in mice chronically exposed to potassium bromate in drinking water. **Environmental and Molecular Mutagenesis** 36:250-253, 2000.

Allio, T, Donner, E and Preston, RJ. A comparison of the roles of p53 mutation and AraC inhibition in the enhancement of Bleomycin-induced chromatid aberrations in mouse and human cells. **Mutation Research** 447:227-237, 2000.

Allio, T and Preston, RJ. Increased sensitivity to chromatid aberration induction by Bleomycin and Neocarzinostatin results from alterations in a DNA damage response pathway. **Mutation Research** 453:5-15, 2000.

Andersen, ME and Barton, HA. Biological regulation of receptor-hormone complex concentrations in relation to dose response assessments for endocrine active compounds. **Toxicological Sciences** 48: 38-50, 1999.

Andersen, ME and Jarabek, A. Nasal tissue dosimetry — Issues and approaches for "Category 1" gases: A report on a meeting held in Research Triangle Park, NC, 11–12 February, 1998. **Inhalation Toxicology** 13:415–436, 2001.

Baird, JS S, Slob, W and Jarabek, AM. Probabilistic noncancer risk estimates. **Communications in Toxicology** 7: 541–574, 2001.

Balchak, SK, Hedge, JM, Murr, AS, Mole, ML and Goldman, JM. Influence of the drinking water disinfection by-product dibromoacetic acid on rat estrous cyclicity and ovarian follicular steroid release in vitro. **Reproductive Toxicology** 14:533-539, 2000.

Balu, N, Padgett, W, Lambert, G, Swank, A, Richard, A and Nesnow, S. Identification and characterization of novel stable deoxyguanosine and doxyadenosine adducts of benzo[a]pyrene-7,8-quinone from reactions at physiological pH. **Chemical Research in Toxicology** 17:827-838, 2003.

Banasiewicz, M, Nelson, G, Swank, A, Grubor, N, Ross, J, Nesnow, S, Köfeler, H, Small, G and Jankowiak, R. Identification and quantitation of benzo[a]pyrene derived DNA adducts formed at low adduction level in lung tissue of male A/J strain mice. **Analytical Biochemistry** 334:390-400, 2004.

Bao W, Schmid, J, Goetz, A, Ren, H and Dix, D. A database for tracking toxicogenomic samples and procedures. **Reproductive Toxicology**, in press.

Barnes, J.A., Dix, D, Collins, B, Luft B and Allen, J. Expression of inducible Hsp70 enhances the proliferation of MCF-70 breast cancer cells and protects against the cytotoxic effects of hyperthermia. **Cell Stress and Chaperones** 6:316-325, 2001.

Barnes, JA, Collins, B, Dix D and Allen, JW. Effects of heat shock protein 70 (Hsp70) on arsenite induced genotoxicity. **Environmental and Molecular Mutagenesis** 40:236-242, 2002

Barone, S, Kodavanti, PRS and Mundy, WR. Effects of toxicants on neural differentiation. In: *In Vitro Neurotoxicology: Principles and Challenges*, ed. E. Tiffany-Castiglioni, Humana Press, Totowa, NJ. pp187-215, 2003.

Barton, HA. Computational pharmacokinetics during developmental windows of susceptibility. **Journal of Toxicology and Environmental Health**, in press.

Barton, HA, Bull, R, Schultz, I and Andersen, ME. Dichloroacetate (DCA) dosimetry: Interpreting DCA-induced liver cancer dose response and the potential for DCA to contribute to

trichloroethylene-induced liver cancer. **Toxicology Letters** 106: 9-21, 1999.

Barton, HA and Clewell, HJ, III. Evaluating Noncancer Effects of Trichloroethylene: Dosimetry, Mode of Action and Risk Assessment. **Environmental Health Perspectives** 108(Suppl 2):335-342, 2000.

Barton, HA. Endocrine Active Substances and Dose-Response for Individuals and Populations. **Pure and Applied Chemistry** 75, 2159-2166, 2003.

Becker S, Soukup J, and Gallagher, J. Differential particulate air pollution induced oxidant stress in human granulocytes, monocytes and alveolar macrophages. **In Vitro Toxicology** 16:209-218, 2002.

Bemis, JC and Seegal, RF. Polychlorinated biphenyls and methylmercury act synergistically to reduce rat brain dopamine content in vitro. **Environmental Health Perspectives** 107:879-885, 1999 (NCER).

Bemis, JC and Seegal, RF. Polychlorinated biphenyls and methylmercury alter intracellular calcium concentrations in rat cerebellar granule cells. **Neurotoxicology** 21:1123-1134, 2000 (NCER).

Bemis ,JC and Seegal, RF. PCB-induced inhibition of the vesicular monoamine transporter predicts reductions in synaptosomal dopamine content., **Toxicological Science** 80: 288- 295, 2004 (NCER).

Bennett, WD, Zeman, KL and Jarabek, AM. Nasal contribution to breathing with exercise: Effect of race and gender. **Journal of Applied Physiology** 95: 497-503, 2003.

Bielmeier, SR, Best, DS and Nartosky, MG. Serum hormone characterization and exogenous hormone rescue of bromodichloromethane-induced pregnancy loss in the F344 rat. **Toxicological Sciences** 77:101-108, 2004.

Birnbaum, L and Tuomisto, J. Non-carcinogenic effects of TCDD in animals. **Food Additives and Contaminants** 17:275-288, 2000

Birnbaum, LS and Cummings, AM. Dioxins and endometriosis: a plausible hypothesis. **Environmental Health Perspectives** 110:15-21, 2002.

Birnbaum, LS and Fenton, SE. Cancer and developmental exposure to endocrine disruptors. **Environmental Health Perspectives** 111:389-394, 2003.

Birnbaum, LB, Staskal, D and Diliberto, JJ. Health effects of polybrominated dibenzo-*p*-dioxins (PBDDs) and dibenzofurans (PBDFs). **Environment International** 29:855-860, 2003.

Block, ML, Wu, Z, Pei, G, Li, T, Wang, L, Qin, B, Wilson, J, Yang, JS, Hong, J and Veronesi, B. Diesel exhaust particles cause microglia-mediated dopaminergic toxicity in culture. **FASEB Journal** 18:1618-20, 2004.

Bogdanffy MS, Daston G, Faustman EM, Kimmel CA, Kimmel GL, Seed J and Vu V. Harmonization of cancer and noncancer risk assessment: proceedings of a consensus-building workshop. **Toxicological Sciences** 61:18-31, 2001.

Bordelon ,NR, Donnelly, KC, King ,LC, Wolf, DC, Reeves,W and George SE. Bioavailability of the genotoxic components in coal tar contaminated soils in Fischer 344 rats. **Toxicological Sciences** 56:37-48, 2000.

Brandt-Rauf, PW, Luo, JC, Cheng, TJ, Du, CL, Wang, JD, Rosal, R, Do, T and Marion, MJ. Molecular biomarkers and epidemiologic risk assessment. **Human and Ecological Risk Assessment** 8:1295-1301, 2000 (NCER).

Brenz Verca, MS, Bahi, A, Boyer, F, Wagner, GC and Dreyer, JL. Distribution of alpha- and gamma-synucleins in the adult rat brain and their modification by high-dose cocaine treatment. **European Journal of Neuroscience** 18:1923-1938, 2003 (NCER).

Brown DJ, Overmieire IV, Goeyens, L, Denison MS, DeVito, MJ and Clark, GC. Analysis of Ah receptor pathway activation by brominated flame retardants. **Chemosphere** 55:1509-1511, 2004.

Burgin, DE, Diliberto, JJ, Derr-Yellin, EC, Kannan, N, Kodavanti, PRS, and Birnbaum, LS. Differential effects of two lots of Aroclor 1254: hepatic enzyme induction, thyroid hormones, and oxidative stress. **Environmental Health Perspectives** 109:1163-1168, 2001.

Bushnell, PJ, Moser, VC, MacPhail, RC, Oshiro, WM, Derr-Yellin, EC, Phillips, PM and Kodavanti, PRS. Neurobehavioral assessments of rats exposed perinatally to a commercial mixture of polychlorinated biphenyls. **Toxicological Sciences** 68:109-120, 2002.

Calderon, RL, Abernathy, CO and Thomas, DJ. Consequences of acute and chronic arsenic exposure. **Pediatric Annals** 33:461-466, 2004.

Campen, MJ, Norwood, J McKee, JL, Mebane, R, Hatch, GE and Watkinson, WP. Ozone-induced hypothermia and bradycardia in rats and guinea pigs in nose-only or whole-body inhalation systems. **Journal of Thermal Biology** 25:81-89, 2000.

Campen, MJ, Nolan, J, Schladweiler, M, Kodavanti, U, Evansky, P, Costa, D and Watkinson, W P. Cardiovascular and thermoregulatory effects of inhaled PM-associated transition metals: A potential interaction between nickel and vanadium. **Toxicological Sciences** 64:243-252, 2001

Charnley, G and Putzrath, RM. Children's Health, Susceptibility, and Regulatory Approaches to Reducing Risks from Chemical Carcinogens. **Environmental Health Perspectives** 109:187-192, 2001.

Chauhan, K. R., Kodavanti, P. R. S. and McKinney, J. D.: Assessing the role of *ortho*-substitution on polychlorinated biphenyl binding (PCB) to transthyretin, a thyroxine transport protein. **Toxicology and Applied Pharmacology** 162, 10-21, 2000.

Cherednichenko, G, Zima, AV, Feng, W, Schaefer, S, Blatter, LA and Pessah IN. NADH oxidase activity of rat cardiac sarcoplasmic reticulum regulates calcium-induced calcium release. **Circulation Research** 94:478-486, 2004 (NCER).

Cherednichenko, G, Hurne, AM, Fessenden, JD, Lee, EH, Allen, PD, Beam, KG and Pessah, IN. Conformational activation of Ca^{2+} entry by depolarization of skeletal myotubes. **Proceedings of the National Academy of Sciences U S A**. 101:15793-15798, 2004 (NCER).

Chen, C-Y, Hamm, JT, Hass, JR, Albro, P and Birnbaum, LS. A mixture of polychlorinated dibenzo-*p*-dioxins (PCDDs), dibenzofurans (PCDFS), and non-ortho polychlorinated biphenyls (PCBS) changed the lipid content of pregnant Long Evans rats. **Chemosphere** 46:1501-1504, 2002.

Chen, JM. Common conformational effects in the p53 protein of vinyl chloride-induced mutations. **Journal of Protein Chemistry** 18:467-472, 1999 (NCER).

Chen, JM, Rosal, R, Smith, S, Pincus, MR and Brandt-Rauf, PW. Common conformational effects of p53 mutations. **Journal of Protein Chemistry** 20:101-105, 2001 (NCER).

Chen, ZY, Sun, C, Reuhl, K, Bergemann, A, Henkemeyer, M and Zhou, R. Abnormal hippocampal axon bundling in EphB receptor mutant mice. **Journal of Neuroscience** 24:2366-2374, 2004 (NCER).

Clark, KB, Perantie, D, Yin, X, Lee, WR and Wilson, VL. Germline molecular mutation assay in *Drosophila melanogaster*. **Environmental and Molecular Mutagenesis** 35:18, 2000 (NCER).

Clark, LH, Setzer, RW and Barton, HA. Framework for Evaluation of Physiologically-Based Pharmacokinetic Models for Use in Safety or Risk Assessment. **Risk Analysis**, in press.

Clewell, HJ III, Andersen ME and Barton HA. A consistent approach for the application of pharmacokinetic mModeling in cancer and noncancer risk assessment. **Environmental Health Perspectives** 110, 85-93, 2002.

Coleman, C, Blakely, W, Fike, J, Macvittie, Metting, N, Mitchell, J, Moulder, J, Preston, J, Seed, T, Stone, J, Tofilon, P and Wong, R. Molecular and cellular biology of moderate-dose (1-10Gy) radiation and potential mechanisms of radiation protection: Report of a workshop at Bethesda, Maryland, December 17-18, 2001. **Radiation Research** 159:812-834, 2003.

Conolly, RB, Kimbell, JS, Janszen, D, Schlosser, PM, Kalisak, D, Preston, RJ and Miller, F. Human respiratory tract cancer risk of inhaled formaldehyde: Dose-response predictions derived from biologically-motivated computational modeling of a combined rodent and human dataset. **Toxicological Sciences** 82: 279-296, 2004.

Conolly, R, Kimbell, J, Janszen, D, Schlosser, P, Kalisak, D, Preston, J and Miller, F. Biologically motivated computational modeling of formaldehyde carcinogenicity in the F344 rat. **Toxicological Sciences** 75:432-447, 2003.

Cooper, RL In: P. Hoyer (Ed.), Ovarian Toxicology. (Target Organ Toxicology Series). CRC Press: Boca Raton, FL, pp. 195-201, 2004.

Cooper, RL, Goldman, JM and Stoker, TE. Neuroendocrine and reproductive effects of contemporary use pesticides. **Toxicology and Industrial Health** 15: 26-36, 1999.

Cooper, RL, Stoker, TE, Tyrey, L, Goldman, JM and McElroy, WK. Atrazine disrupts the hypothalamic control of pituitary-ovarian function. **Toxicological Sciences** 53:297-307, 2000.

Cooper, RL and Kavlock, RJ. Endocrine Disrupting Chemicals (EDCs): Session Overview. **International Journal of Human and Ecological Risk Assessment**. 7:971-978, 2001.

Costa, LG, Cole, TB and Jarvik, GP. Functional genomics of the PON1 polymorphisms: Effects on pesticide sensitivity, cardiovascular disease, and drug metabolism. **Annual Reviews of Medicine** 54:371-392, 2003 (NCER).

Costa, LG, Cole, TB and Furlong CE. Polymorphisms of paraoxonase (PON1) and their significance in clinical toxicology of organophosphates. **Journal of Clinical Toxicology** 41:37-45, 2003 (NCER).

Costa, LG, Richter, RJ and Li, WF. Paraoxonase (PON1) as a biomarker of susceptibility for organophosphate toxicity. **Biomarkers** 8:1- 12, 2003 (NCER).

Craft E, DeVito, MJ and Crofton, KM. Comparative responsiveness of hepatic enzyme induction and hypothyroxenemia in long-evans rats versus c57bl/6j mice exposed to TCDD-like and phenobarbital-like polychlorinated biphenyl (PCB) congeners. **Toxicological Sciences** 68:372-80, 2002.

Crosby, LM, Morgan, KT, Gaskill, B, Wolf, DC, and DeAngelo, AB. Origin and distribution of potassium bromate-induced testicular and peritoneal mesotheliomas. **Toxicologic Pathology** 28:253-266, 2000.

Cummings, AM, Rhodes, BE and Cooper, RL. Effect of atrazine on implantation and early pregnancy in four strains of rats. **Toxicological Sciences** 58:135-143, 2000.

Das, KP, Chao, SL, White, LD, Haines, WT, Harry, GJ, Tilson, HA and Barone, S. Differential patterns of nerve growth factor, brain-derived neurotrophic factor and neurotrophin-3 mRNA and protein levels in developing regions of rat brain. **Neuroscience** 103: 739-761, 2001.

Das, PC, McElroy, WK and Cooper, RL. Differential modulation of catecholamines by chlorotriazine herbicides in pheochromocytoma (PC12) cells *in vitro*. **Toxicological Sciences** 56: 324-331, 2000.

Das, PC, McElroy, WK and Cooper, R.. Alteration of catecholamines in pheochromocytoma (PC12) cells *in vitro* by the metabolites of chlorotriazine herbicide. **Toxicological Sciences** 59: 127-137, 2001.

Das, PC, McElroy, WK and Cooper, RL. Potential mechanisms responsible for chlorotriazine-induced changes in catecholamine metabolism in pheochromocytoma cells. **Life Sciences** 73: 3123-3138, 2003.

Davis, C, Desai, D, Amin S and Nesnow S. Comparison of the Morphological Transforming Activities of Fjord-region PAHs with Dibenzo[*a,e*]pyrene and Benzo[*a*]pyrene. **Polycyclic Aromatic Compounds** 14/15:151-160, 1999.

deGrauw, TJ, Cecil, KM, Byars, AW, Salomons, GS, Ball, WS and Jakobs, C. The clinical syndrome of creatine transporter deficiency. **Molecular and Cell Biochemistry** 244:45-48, 2003 (NCER).

Del Razo, LM, Styblo, M, Cullen, WR and Thomas, DJ. Determination of trivalent methylated arsenicals in biological matrices. **Toxicology and Applied Pharmacology** 174: 282-293, 2001.

Desai, D, Sharma, A, Pimentel, M, Lin, J, El-Bayoumy, J, Nesnow, S and Amin, S. Synthesis, *in vitro* metabolism, mutagenicity, and DNA-adduction of naphtho[*1,2-e*]pyrene. **Polycyclic Aromatic Compounds** 23: 267-276, 2002.

Desai, D, Sharma, A, Lin, J, Krzeminski, J, El-Bayoumy, K, Pimentel, M, Nesnow, S and Amin, S. Synthesis, *in vitro* metabolism, cell transformation, mutagenicity, and DNA adduction of benzo[*c,mno*]chrysene. **Chemical Research in Toxicology** 15:964-971, 2002.

Devesa, V, Del Razo, LM, Adair B, Drobná, Z, Waters SB, Hughes, MF, Stýblo, M and Thomas, DJ. Comprehensive analysis of arsenic metabolites by pH-specific hydride generation atomic absorption spectrometry. **Journal of Analytical Atomic Spectrometry** 19:1460-1467, 2004

DeVito, MJ. Screening methods for chemicals that alter thyroid hormone action, function and homeostasis. **Environmental Health Perspectives** 107:407-414, 1999.

DeVito, MJ, Diliberto, JJ, Ross, DG, Menache, MG and Birnbaum, LS. Dose-response relationships for polychlorinated biphenyls following subchronic treatment in mice: CYP1A1 and CYP1A2 enzyme activity in liver, lung and skin. **Toxicology and Applied Pharmacology** 167:157-72, 2000.

DeVito, MJ, Menache, M, Diliberto, JJ, Ross, DG and Birnbaum, LS. Dose-response relationships for induction of CYP1A1 and CYP1A2 enzyme activity in liver, lung, and skin in female mice following subchronic exposure to polychlorinated biphenyls. **Toxicology and Applied Pharmacology** 167:157-172, 2000.

DeVito, MJ and Schecter A. Estimates of TCDD exposure through the use of tampons and diapers. **Environmental Health Perspectives** 110:23-28, 2002.

DeVito, MJ, Kim, A, Walker, N, Parham, F and Portier, CJ. Dose-response relationships for dioxins. In *Dioxins and Health* (ed T. Gasiewicz and A Schecter), Wiley-Interscience, 2002.

Dietert, RR, Etzel, RA, Chen, D, Halonen, M, Holladay, SD, Jarabek, AM, Landreth, K, Peden, DB, Pinkerton, K, Smialowicz, RJ and Zoetis, T. Windows of vulnerability for the immune and respiratory systems. **Environmental Health Perspectives** 108: 483–490, 2000.

Diliberto, JJ, Burgin, D and Birnbaum, LS. Effects of CYP1A2 on disposition of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin, 2,3,4,7,8-pentachlorodibenzofuran, and 2,2',4,4',5,5'-hexachlorobiphenyl in CYP1A2 knockout and parental (C57BL/6N and 129/Sv) strains of mice. **Toxicology and Applied Pharmacology** 159:52-64, 1999.

Diliberto, JJ, DeVito, MJ, Ross, DG and Birnbaum, LS. Subchronic exposure of [³H]2,3,7,8-tetrachlorodibenzo-*p*-dioxin (TCDD) in female B6C3F1 mice: Relationship of steady-state levels to disposition and metabolism. **Toxicological Sciences** 61: 241-255, 2001.

Dix, DJ. Gene Expression Profiling to Identify Mechanisms of Male Reproductive Toxicity. In Inoue and Pennie (eds): *Toxicogenomics*, Springer-Verlag, Tokyo, 2002.

Driscoll, KE, Costa, DL, Hatch, GE, Henderson, R, Oberdorster, G, Salem, H and Schlesinger, RB. Intratracheal instillation as an exposure technique for the evaluation of respiratory tract toxicity: Uses and limitations. **Toxicological Sciences** 55: 24-35, 2000.

Driver, AS, Kodavanti, PRS and Mundy, WR. Age-related changes in reactive oxygen species production in rat brain homogenates. **Neurotoxicology and Teratology** 22:175-181, 2000.

Dye, JA, Adler, KB, Richards, JH and Dreher, KL. Role of soluble metals in oil fly ash-induced airway epithelial injury and cytokine gene expression. **American Journal of Physiology** 277: L498-510, 1999.

Drobná, Z, Jaspers, I, Thomas, DJ and Stýblo, M. Differential activation of AP-1 in human bladder epithelial cells by inorganic and methylated arsenicals. **FASEB Journal** 17:67-69, 2003.

Drobná, Z, Waters, SB, Walton, FS, LeCluyse, EL, Thomas, DJ and Stýblo, M. Interindividual variation in the metabolism of arsenic in cultured primary human hepatocytes. **Toxicology and Applied Pharmacology** 201:166-177, 2004.

DuTeaux, SB, Newman, JW, Morisseau, C, Fairbairn, EA, Jelks, K, Hammock, BD and Miller, MG. Epoxide hydrolases in the rat epididymis: possible roles in xenobiotic and endogenous Fatty Acid metabolism. **Toxicological Sciences** 78:187-195, 2004 (NCER).

Easterling, MR, Evans, MV, and Kenyon, EM. Comparative analysis of software for physiologically based pharmacokinetic modeling: simulation, optimization and sensitivity analysis. **Toxicology Methods** 10:203-229, 2000.

Easterling, MR, Styblo, M, Evans, MV and Kenyon, EM. Pharmacokinetic modeling of arsenite uptake and metabolism in hepatocytes – mechanistic insights and implications for further experiments. **Journal of Pharmacokinetics and Pharmacodynamics** 29:207-34, 2002.

Ehrich, M and Veronesi, B. *In Vitro* Neurotoxicology . Nervous System Toxicology, pp 32-51. In: Neurotoxicology (2nd edition) edited by Tilson, HA and Harry, J., Taylor and Francis, Philadelphia, 1999.

Emond C, Birnbaum LS and DeVito MJ. Physiologically-Based Pharmacokinetic Model for Developmental Exposures to TCDD in the Rat. **Toxicological Sciences**. 80:115-33, 2004.

Evans, MJ, Fanucchi, MV, Van, W, Baker, GL, Murphy, AE, Nishio, SJ, Sannes, PL and Plopper, CG. Fibroblast growth factor-2 during postnatal development of the tracheal basement membrane zone. **American Journal of Physiology-Lung Cellular and Molecular Physiology** 283:L1263-L1270, 2001 (NCER).

Evans, ME, Van, W, Fanucchi, MV and Plopper, CG. Cellular and molecular characteristics of basal cells in airway epithelium. **Experimental Lung Research** 27:401-415, 2001 (NCER).

Everitt, J and Preston, RJ. Carcinogenicity and Genotoxicity of Inhaled Substances. In: Toxicology of the Lung, 3rd Edition (Eds. D.E. Gardner, J.D. Crapo and R.O. McClellan), Taylor and Francis, Philadelphia, pp. 269-288, 1999.

Fanucchi, MV, Hinds, D, Cuellar, JM and Plopper, CG. Species-specific susceptibility of neonatal mice and rats to naphthalene and 1-nitronaphthalene. **American Journal of Respiratory and Critical Care Medicine** 161:A172, 2000 (NCER).

Fanucchi, MV, Buckpitt, AR, Murphy, ME, Storms, DH, Hammock, BD and Plopper, CG. Development of phase II xenobiotic metabolizing enzymes in differentiating murine Clara cells. **Toxicology and Applied Pharmacology** 168:253-267, 2000 (NCER).

Fenton, SE and Davis, CC. Atrazine exposure in utero increases dimethylbenz[a]anthracene-induced mammary tumor incidence in Long-Evans offspring. **Toxicological Sciences** 66:195, 2002.

Fenton, SE, Hamm, J, Birnbaum, LS and Youngblood, GL. Persistent abnormalities in the rat mammary gland following gestational and lactational exposure to 2,3,7,8- tetrachlorodibenzo-p-dioxin (TCDD). **Toxicological Sciences** 67: 63-74, 2002.

Fessenden, JD, Feng, W, Pessah, IN and Allen, PD. Mutational analysis of putative calcium binding motifs within the skeletal ryanodine receptor isoform, RyR1. **Journal of Biological Chemistry** 17: 53028-53035, 2004 (NCER).

Flowers, L, Rieth, S, Coglian, V, Foureman, G, Hertzberg, G, Hofmann, E, Murphy, D, Nesnow, S, and Schoeny, R. Workshop on approaches to assessing the health risk of PAH mixtures. **Polycyclic Aromatic Compounds** 23:811-821, 2002.

Fry, R, Hagen, U, Kummermehr, J and Preston, RJ. Radiation. In: Toxicology, (Eds. Marquardt, H. Schafer, S.G. McClellan, R.O., and Welsch. F.) Academic Press, New York, pp. 937-958, 1999.

Furlong, CE, Rieder MJ and Carlson, CS. New polymorphisms in the human paraoxonase (PON1) gene. **Toxicological Sciences** 72:100-110, 2003 (NCER).

Gafni, J, Wong, PW and Pessah, IN. Non-coplanar 2,2',3,5',6-pentachlorobiphenyl (PCB 95) amplifies ionotropic glutamate receptor signaling in embryonic cerebellar granule neurons by a mechanism involving ryanodine receptors. **Toxicological Sciences** 77:72-82, 2004 (NCER).

Gallagher, EP and Sheehy, KM. Effect of phenytoin on gene expression, oxidative damage and cell viability of cultured human fetal liver slices. **Toxicological Sciences** 59:118-126, 2001 (NCER).

Gallagher J, R Sams II, J Inmon, R Gelein, A Elder, G Oberdorster and A K Prahalad. Formation of 8-oxo-dG in rat lung following subchronic inhalation of carbon black. **Toxicology and Applied Pharmacology** 190:224-31, 2003.

Gellar, SC, Gregg, JP, Hegermann, P and Rocke DM. Transformation and normalization of oligonucleotide microarray data. **Bioinformatics** 19:1817-1823, 2003 (NCER).

Geller, AM, Oshiro, W, Haykal-Coates, N, Kodavanti, PRS and Bushnell, PJ. Gender-dependent behavioral and sensory effects of a commercial mixture of polychlorinated biphenyls (Aroclor 1254) in rats. **Toxicological Sciences** 59: 268-277, 2001.

George, SE, Brooks, LR, Bailey, KC, Hooth, MJ, Wolf, DC and Nelson, GM. Changes in Cecal Microbial Metabolism of Rats Induced by Individual and a Mixture of Drinking Water Disinfection By-Products. **Cancer Letters** 204:15-21, 2004.

Ghio AJ, Suliman HB, Carter JD, Abushamaa AM and Folz RJ. Overexpression of extracellular superoxide dismutase decreases lung injury after exposure to oil fly ash. **American Journal of Physiology, Lung Cellular and Molecular Physiology** 283:L211-L218, 2002.

Ghio, AJ, Richards, JH, Carter, JD and Madden, MC. Accumulation of iron in the rat lung after intratracheal instillation of diesel particles. **Toxicologic Pathology** 28:619-627, 2000.

Ghio AJ, Stoneheurner J, Dailey LA and Carter JD. Metals associated with both the water-soluble and insoluble fractions of an ambient air pollution particle catalyze an oxidative stress. **Inhalation Toxicology** 11:37-49, 1999.

Gilmour, PS, Schladweiler, MC, Ledbetter, AD, Samet, JM and Kodavanti, UP. The hypertensive rats are susceptible to TLR-4-mediated signaling following exposure to combustion particulate matter (PM). **Inhalation Toxicology** 16 (Suppl 1):5-18, 2004.

Goldman, JM and Murr, AS. Dibromoacetic acid-induced elevations in circulating estradiol: Effects in both cycling and ovariectomized/steroid-primed female rats. **Reproductive Toxicology** 17: 585-592, 2003.

Goldman, JM, Laws, SC, Balchak, SK, Cooper, RL and Kavlock, RJ. Endocrine disrupting chemicals: Prepubertal exposures and effects on sexual maturation and thyroid activity in the female rat. A review of the EDSTAC recommendations. **Critical Reviews in Toxicology** 30: 135-196, 2000.

Goldman, JM and Murr, AS. Alterations in ovarian follicular progesterone secretion by elevated exposures to the drinking water disinfection by-product dibromoacetic acid: Examination of the potential sites(s) of impact along the steroidogenic pathway. **Toxicology** 171:83-93, 2002.

Goldman, JM, Murr, AS, Buckalew, AR, Schmid, JE and Abbott, BD. Methoxychlor-induced alterations in the histological expression of angiogenic factors in pituitary and uterus. **Journal of Molecular Histology** 35:363-375, 2004.

Goldman, JM, Laws, SC and Cooper, RL. Assessment of toxicant-induced alterations in ovarian steroidogenesis: A methodological overview. In: P. Hoyer (Ed.), Ovarian Toxicology. (Target Organ Toxicology Series). CRC Press: Boca Raton, FL, pp. 202-222, 2004.

Gallagher, J, Sams II, R, Inmon, J, Gelein, R, Elder, A, Oberdorster, G and Prahalad, AK. Formation of 8-oxo-2'-deoxyguanosine, an oxidative adduct in the lung DNA of rats following sub-chronic inhalation of carbon black. **Toxicology and Applied Pharmacology** 190:224-31, 2003.

Goldman, JM, Murr, AS and Cooper, RL. Evaluations of rodent vaginal cytology in toxicological studies of female reproductive biology. In: R. Chapin, B. Davis (Eds.), Female Reproductive Toxicology: Principles and Methods. ILSI Press: Washington, in press.

Gunnison, AF and Hatch, GE. Ozone induced inflammation in pre-pregnant, pregnant, and lactating rats correlates with ozone dose estimated by oxygen-18. **American Journal of Physiology** 20: L332-L340, 1999.

Halladay, AK, Kusnecov, A, Michna, L, Kita, T, Hara, C and Wagner, GC. Relationship between methamphetamine-induced dopamine release, hyperthermia, self-injurious behaviour and long term dopamine depletion in BALB/c and C57BL/6 mice. **Pharmacology and Toxicology** 93:33 – 44, 2003 (NCER).

Halladay, AK, Tessarollo, L, Zhou, R and Wagner, GC. Neurochemical and behavioral deficits consequent to expression of a dominant negative EphA5 receptor. **Brain Research and Molecular Brain Research** 123:104-111, 2004 (NCER).

Hamm, J.T., Sparrow, B.R., Wolf, D., and Birnbaum, L.S. *In Utero* and lactational exposure to 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin alters postnatal development of seminal vesicle epithelium. **Toxicological Sciences** 54: 424-430, 2000.

Hamm, JT, Chen, C-Y and Birnbaum, LS. A Mixture of Dioxins, Furans and Non-Ortho PCBs Based Upon Consensus Toxic Equivalency Factors Produces Dioxin-like Reproductive Effects. **Toxicological Sciences** 74:182-191, 2003.

Hanna, LM, Lou, S.-R, Su, S and Jarabek, AM. Mass Transport Analysis: Inhalation RfC Methods Framework for Interspecies Dosimetric Adjustment. **Inhalation Toxicology** 13:437–463, 2001.

Hard, GC, Boorman, GA and Wolf ,DC. Re-evaluation of the chloroform 2-year drinking water bioassay in Osborne-Mendel rats supports renal tubule injury as the mode of action underlying the renal tumor response. **Toxicological Sciences** 53:237-244, 2000.

Harder, V, Gilmour, PS, Lentner, B, Karg, E, Takanaka, S, Ziesenis, A, Stampfl, A, Kodavanti, UP, Heyder, J and Schulz, H. Cardiovascular responses in unrestrained WKY-rats to inhaled ultrafine carbon particles. **Inhalation Toxicology**, in press.

Harry, GJ, Tyler, K, Lefebvre d’Hellencourt, C, Tilson, HA and Maier, WE. Morphological alterations and elevations in tumor necrosis factor- α , interleukin (IL)-1 α , and IL-6 in mixed glia cultures following exposure to trimethyltin: Modulation by proinflammatory cytokine recombinant proteins and neutralizing antibodies. **Toxicology and Applied Pharmacology** 180: 205-218, 2002.

Hatch, G.E., Kodavanti, U., Crissman, K., Slade, R., and Costa, D. An “injury-time integral” model for extrapolating from acute to chronic effects of phosgene. **Toxicology and Industrial Health** 17:285-293, 2001.

Hatch, GE, Kodavanti, U, Costa, D, Dreher, K and Slade, R. An “injury- time integral ” model for extrapolating from acute to chronic effects of phosgene. **Toxicology and Industrial Health** 17: 285-293, 2001.

Herr, DW, Graff, JE, Derr-Yellin, EC, Crofton, KM and Kodavanti, P. R. S. Flash-, somatosensory-, and peripheral nerve-evoked potentials in rats perinatally exposed to Aroclor 1254. **Neurotoxicology and Teratology** 23: 591-601, 2001.

Hester, SD, Benavides, G, Sarto, M, Yoon ,L, Wolf ,DC and Morgan, KT. Normal gene expression in male F344 rat nasal transitional and respiratory epithelium. **Gene** 285:301-310, 2002.

Hester, SD, Benavides, GB, Yoon, L, Morgan, KT, Zou, F, Barry ,W and Wolf DC. Formaldehyde-induced gene expression in F344 rat nasal respiratory epithelium. **Toxicology** 187:13-24, 2003.

Hester, SD, Zou, F, Barry, W and Wolf DC. Use of gene profiling to differentiate a carcinogenic from a noncarcinogenic aldehyde in the rat nose. **Toxicologic Pathology**, in press.

Himmelstein, MW, Carpenter, SC, Evans, MV, Hinderliter, PM and Kenyon, E.M. Kinetic Modeling of b-chloroprene metabolism: II. The application of physiologically based modeling for cancer dose response analysis. **Toxicological Sciences** 79:28-37, 2003

Holland, N, Smith, MT, Eskenazi, B and Bastaki, M. Biological sample collection and processing for molecular epidemiological studies. **Reviews In Mutation Research** 543:217-234, 2003 (NCER).

Hooth, MJ, DeAngelo, AB, George, MH, Boorman, GA and Wolf, DC. Sodium chlorate treatment results in a dose-dependent increase in rat thyroid follicular cell hyperplasia following subchronic exposure in drinking water. In: Microbial Pathogens and Disinfection By-products in Drinking Water. Gunther F. Craun, Fred S. Hauchman, and Denise E. Robinson. Eds, ILSI Press, Washington, DC, pp.581-585, 2001.

Hooth, MJ, DeAngelo, AB, George, MH, Gaillard, ET, Boorman, G and Wolf, DC. Sodium chlorate results in a concentration-dependent increase in rat thyroid follicular cell hyperplasia following subchronic exposure in drinking water. **Toxicologic Pathology** 29:250-259, 2001.

Hooth, MJ, McDorman, KS, Hester, SD, George, MH, Brooks, LR, Swank, AE and Wolf, DC. The carcinogenic response of Tsc2 mutant Long-Evans (Eker) rats to a mixture of drinking water disinfection by-products was less than additive. **Toxicological Sciences** 69: 322-331, 2002.

Howard, PC, Sams II, RL, Bucher, JR and Allaben, WT. Phototoxicology and photocarcinogenesis at the U.S. Food and Drug Administration's National Center for Toxicological Research. **Journal of Food and Drug Analysis** 10:252-257, 2002.

Howard, P.C., Sams II, R.L., Dennis, D.A., and Wamer, W.G. Alpha-hydroxy acids: consideration of the biological effects and possible role in photocarcinogenesis. **Journal of Food and Drug Analysis** 10:258-261, 2002.

Hu, Z, Yue, X, Shi, G, Yue, Y, Crockett, DP, Blair-Flynn, J, Reuhl, K, Tessarollo, L and Zhou, R. Corpus callosum deficiency in transgenic mice expressing a truncated ephrin-A receptor. **Journal of Neuroscience** 23:10963-10970, 2003 (NCER).

Huang YC, Wu W, Ghio AJ, Carter JD, Silbajoris R, Devlin RB and Samet JM. Activation of EGF receptors mediates pulmonary vasoconstriction induced by residual oil fly ash. **Experimental Lung Research** 28:19-38, 2002.

Huang, P, Farkas, T, Marionneau, S, Zhong, W, Ruvoen Clouet, N, Morrow, AL, Altaye, M, Pickering, LK, Newburg, DS, LePend, J and Jiang, X. Noroviruses bind to human ABO, Lewis, and secretor histological blood group antigens identification of 4 distinct strain specific patterns. **Journal of Infectious Diseases** 188:19-31, 2003 (NCER).

Huang YC, Soukup J, Harder S and Becker S. Mitochondrial oxidant production by a pollutant dust and NO-mediated apoptosis in human alveolar macrophage. **American Journal of Physiology Cell Physiology** 284:C24-32, 2003.

Huang YC, Ghio AJ, Stonehuerner J, McGee J, Carter JD, Grambow SC and Devlin RB. The role of soluble components in ambient fine particles-induced changes in human lungs and blood. **Inhalation Toxicology** 15:327-42, 2003.

Hughes, MF, Kenyon, EM, Edwards, BC, Mitchell, CT and Thomas, DJ. Strain-dependent disposition of inorganic arsenic in the mouse. **Toxicology** 137:95-108, 1999.

Hughes, MF, Del Razo, LM and Kenyon, EM. Dose-dependent effects on tissue and subcellular distribution of dimethylarsinic acid in the mouse after intravenous administration. **Toxicology** 143:155-156, 2000.

Hughes, MF, Kenyon, EM, Edwards, BC, Mitchell, CT, Del Razo, LM and Thomas, DJ. Accumulation and metabolism of arsenic in mice after repeated oral administration of arsenate. **Toxicology and Applied Pharmacology** 191:202-210, 2003.

Hurst HH, DeVito MJ, Setzer RW and Birnbaum, LS. Acute administration of 2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD) in pregnant Long Evans rats: Association of measured tissue concentrations with developmental effects. **Toxicological Sciences** 53:411-20, 2000.

Hurst, CH, DeVito, MJ and Birnbaum, LS. Tissue disposition of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) in maternal and developing long evans ras following subchronic exposure. **Toxicological Sciences** 57:275-83, 2000.

Hurst, C, Abbott, BD, Schmid, JE and Birnbaum, LS. 2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD) disrupts early morphogenetic events that form the lower reproductive tract in female rat fetuses. **Toxicological Sciences** 65, 87-98, 2002.

ILSI Risk Science Institute Workshop Participants. The relevance of the rat lung response to particle overload for human risk assessment: A workshop consensus report. **Inhalation Toxicology** 12:1-17, 2000.

Jarvik, GP, Jampsa, R and Richter, RJ. Novel paraoxonase (PON1) nonsense and missense mutations predicted by functional genomic assay of PON1 status. **Pharmacogenetics** 13:291 – 295, 2003 (NCER).

Jiang N, Dreher KL, Dye JA, Li Y, Richards JH, Martin LD, and Adler KB. Residual oil fly ash induces cytotoxicity and mucin secretion by guinea pig epithelial cells via an oxidant-mediated mechanism. **Toxicology and Applied Pharmacology** 163:221-230, 2000.

Judd, NL, Griffith, WC and Kalman, DA. Assessment of PCB congener analytical methods: Do they meet risk assessment needs?. **Archives of Environment and Contamination Toxicology** 44:132-139, 2003 (NCER).

Kadiiska, MB, Gladen, BC, Baird, DD, Dikalova, AN, Sohol, RS, Hatch, GE, Jones, DP, Mason, RP and Barrett, JC. Biomarkers of oxidative Stress Study: Are plasma antioxidants markers of CCl4 poisoning? **Free Radical Biology and Medicine** 28: 838-845, 2000.

Kadiiska MB, Ghio AJ and Mason RP. ESR investigation of the oxidative damage in lungs caused by asbestos and air pollution particles. **Spectrochim Acta A Molecular Biomolecular Spectroscopy** 60:1371-7, 2004.

Kavlock ,R, Ankley, GT, Collette, T, Francis, E, Hammerstrom, K, Fowle, J, Tilson H, Toth, G, Schmieder, P, Veith,GD, Weber, E, Wolf ,DC and Young, D: Computational Toxicology: Framework, Partnerships, and Program Development: A Workshop Report. **Reproductive Toxicology**, in press.

Kenyon, EM. Chapter 6. Pharmacokinetics and Metabolism. In: Environmental Health Criteria No. 224 Arsenic (2nd ed.). International Programme on Chemical Safety, World Health Organization, 2001.

Kenyon, EM and Hughes, MF. A concise review of the toxicity and carcinogenicity of dimethylarsinic acid. **Toxicology** 160:227-236, 2001.

Kenyon, EM. Hughes, MF, Del Razo, LM, Edwards, BC, Mitchell, CT and Levander, OA. Influence of dietary selenium on the disposition of arsenate and arsenite in the female B6C3F1 mouse. **Environmental and Nutritional Interactions** 3:95-113, 1999.

Kenyon, EM, Fea, M, Styblo, M and Evans, MV. Application of modeling techniques to the planning of in vitro arsenic pharmacokinetic studies. **Alternatives to Laboratory Animals** (ATLA) 29:15-33, 2001.

Kenyon, EM, Hughes, MF, Del Razo, LM and Levander, O.A. The impact of selenium status on metabolism and disposition of arsenic and its implications for epidemiologic investigations. In: *Arsenic Exposure and Health Effects IV*, pp. 315-323. W.R. Chappell, C.O. Abernathy and R.L. Calderon (eds), Elsevier Science Ltd, Amsterdam, 2001.

Kenyon, E, Del Razo, LM, Hughes, MF and Kitchin, KT. An integrated pharmacokinetic and pharmacodynamic study of arsenite action. 2. Heme oxygenase induction in mice. **Toxicology** 206: 389-401, 2005.

Kim, AL. Conformational and molecular basis for induction of apoptosis by a p53 C-terminal peptide in human cancer cells. **Journal of Biological Chemistry** 274:924-931, 1999 (NCER).

King, L, Kohan, M, Brooks, L, Nelson, G, Ross, J, Allison, J, Adams, L, Desai, D, Amin, S, Padgett, W, Lambert, G and Nesnow, S. An evaluation of the mutagenicity, metabolic activation, and DNA adduct formation of 5-nitrobenzo[*b*]naphtho[2,1-*d*]thiophene. **Chemical Research in Toxicology** 14:661-671, 2001.

Kita, T, Wagne,r GC and Nakashima, T. Current Research on methamphetamine-induced neurotoxicity: animal models of monoamine disruption. **Journal of Pharmacological Sciences** 92:178-195, 2003 (NCER).

Kitchin, KT, Del Razo, LM, Brown, JL, Anderson, WL, Kenyon, EM and Thomas, DJ. An integrated pharmacokinetic and pharmacodynamic model of arsenite action. 1. Heme oxygenase induction in rats. **Teratogenesis, Carcinogenesis and Mutagenesis** 19:385-402, 1999.

Kleeberger, SR, Jedlicka, AE, Reddy, SPM, Walters, D, Clarke, RW and Zhang, LY. Genetic mechanisms of susceptibility to ROFA-induced lung injury. **American Journal of Respiratory and Critical Care Medicine** 161:A912, 2000 (NCER).

Kligerman, A.D., Doerr, C, Tennant, A, Harrington-Brock, K, Allen, J, Winkfield, E, Poorman-Allen, P, Kundu, B, Funasaka, K, Roop, B, Mass, M and DeMarini, D. Methylated trivalent arsenicals as candidate ultimate genotoxic forms of arsenic: induction of chromosomal mutations but not gene mutations. **Environmental and Molecular Mutagenesis** 42:192-205, 2003.

Klinefelter, GR, Strader, LF, Suarez, JD, Roberts, NL, Goldman, JM and Murr, AS. Continuous exposure to dibromoacetic acid delays pubertal development and compromises sperm quality in the rat. **Toxicological Sciences** 8: 419-429, 2004.

Kodavanti, PRS. Reactive Oxygen Species and Antioxidants in Neurotoxicology. In *Target Organ Toxicity Series (Neurotoxicology)*, ed. H.A. Tilson and G.J. Harry, Taylor and Francis, NY, 157-178, 1999.

Kodavanti, PRS and Tilson, H.A. Neurochemical effects of environmental chemicals: in vitro and in vivo correlations on second messenger pathways. **Annals of the New York Academy of Science** 919:97-105, 2000.

Kodavanti, PRS and Derr-Yellin, EC. Differential effects of polybrominated diphenyl ethers and polychlorinated biphenyls on [³H]arachidonic acid release in rat cerebellar granule neurons. **Toxicological Sciences** 68: 451-457, 2002.

Kodavanti, PRS, Kannan, N, Yamashita, N, Derr-Yellin, EC, Ward, TR, Burgin, DE, Tilson, H A and Birnbaum, LS. Differential effects of two lots of Aroclor 1254: congener-specific analysis and neurochemical end points. **Environmental Health Perspectives** 109: 1152-1161, 2001.

Kodavanti, PRS, Ward, TR, Derr-Yellin, EC, McKinney, JD and Tilson, H. A.: Increased [³H]phorbol ester binding in rat cerebellar granule cells and inhibition of ⁴⁵Ca²⁺ buffering in rat cerebellum by hydroxylated polychlorinated biphenyls. **NeuroToxicology** 24:187-198, 2003.

Kodavanti, UP and Costa, DL. Animal Models to Study for Pollutant Effects. *Air Pollution and Health*. Eds. S.T. Holgate, J. M. Samet, H. L. Koren, R. L. Maynard. Academic Press, NY, 1999.

Kodavanti, UP, Schladweiler, MC, Ledgeter, A, Watkinson, WP, Campen, MJ, Winsett, DW, Richards, JR, Crissman, KM, Hatch, GE and Costa, DL. The spontaneously hypertensive rat as a model of human cardiovascular disease: Evidence of exacerbated cardiopulmonary injury and oxidative stress from inhaled emission particulate matter. **Toxicology and Applied Pharmacology** 164: 250-263, 2000.

Kodavanti, UP, Jackson, MC, Ledbetter, AD, Starcher, B, Evansky, PA, Harewood, A, Winsett, DW and Costa, D.L. The combination of elastase and sulfur dioxide exposure causes COPD-like lesions in the rat. **Chest** 117: 299S-302S, 2000.

Kodavanti, UP, Mebane, R, Ledbetter, A, Krantz, T, McGee, J, Jackson, M, Walsh, L, Hilliard, H, Chen B-Y, Richard, JR, and Costa, DL. Variable pulmonary responses from exposure to concentrated ambient air particles in a rat model of bronchitis. **Toxicological Sciences** 54: 441-451, 2000.

Kodavanti, UP, Schladweiler, MCJ, Ledbetter, A, Watkinson, WP, Campen, MJ, Winsett, DW, Richards, JR, Crissman, K., Hatch, GE and Costa, D. L. The spontaneously hypertensive rat as a model of human cardiovascular disease: Evidence of exacerbated cardiopulmonary injury and oxidative stress from inhaled emission particulate matter. **Toxicology and Applied Pharmacology** 164: 250-263, 2000.

Kodavanti, U, Schladweiler, MCJ, Richards, JR and Costa, DL. Acute lung injury from intratracheal exposure to fugitive residual oil fly ash and its constituent metals in normo- and spontaneously hypertensive rats. **Inhalation Toxicology** 13:37-54, 2001.

Kodavanti, UP, Schladweiler, M, Ledbetter, A, Hauser, R, Christiani, DC, McGee, J, Richards, JR and Costa, D.L. Temporal association between pulmonary and systemic effects of particulate matter in healthy and cardiovascular compromised rats. **Journal of Toxicology and Environmental Health** 65:101-125, 2002.

Kodavanti, UP, Schladweiler, MC, Ledbetter, AD, Hauser, R, Christiani, DC, Samet, J, McGee, J, Richards, JR and Costa, DL. Pulmonary and systemic effects of zinc-containing emission particles in three rat strains: multiple exposure scenarios. **Toxicological Sciences** 70: 73-85, 2002.

Kodavanti, UP, Moyer, C, Ledbetter, A, Schladweiler, M, Costa, D, Hauser, R, Christiani, D and Nyska, A. Inhaled environmental combustion particles cause myocardial injury in the Wistar Kyoto rat. **Toxicological Sciences** 71: 237-245, 2003.

Kodavanti, UP and Watkinson, WP. Bio-availability of particle-associated air pollutants and relationship to cardiopulmonary injury. Chapter 3. In: *Air pollutants and Respiratory Tract*. Eds. Foster, W.M. and Costa, D.L., (Lung Biology in Health and Disease series, Ed. Claude Lenfant) Marcel Dekker, Inc. in press.

Kongerud, J, Crissman, K, Hatch, GE and Alexis, N. Ascorbic acid is decreased in induced sputum of mild asthmatics. **Respiratory Research** 15:101-109, 2003.

Lambert, G, Padgett, W, George, M, Kitchin K and Nesnow, S. Quantitative Analysis of Alachlor Protein Adducts by Gas Chromatography-Mass Spectrometry. **Analytical Biochemistry** 268: 289-296, 1999.

Laws, SC, Ferrell, JM, Stoker, TE, Schmid, J and Cooper, RL. The effect of atrazine on puberty in female Wistar rats: An evaluation in the protocol for the assessment of pubertal development and thyroid function. **Toxicological Sciences** 58: 366-376, 2000.

Laws, SC, Carey, SA, Ferrell, JM, Bodman, G and Cooper, RL. Estrogenic activity of octylphenol, nonylphenol, bisphenol A and methoxychlor in rats. **Toxicological Sciences** 54: 154-166, 2000.

Laws, SC, Ferrell, JM, Stoker, TE and Cooper, RL. Pubertal development in female Wistar rats following exposure to propazine and atrazine biotransformation by-products, diamino-s-chlorotriazine and hydroxyatrazine. **Toxicological Sciences** 76: 190-200, 2003.

Leavens, TL, Sparrow, BR and DeVito, MJ. Antiandrogenic effects and disposition of 2,2-bis-(4-chlorophenyl)-1,1-dichloroethylene (p,p'-DDE) in adult male rats. **Toxicology** 174:69-78, 2002.

Lee, WR, Clark, KB, Guillot, DA and Wilson, VL. Detection of mutations in the germ line of *Drosophila melanogaster*. **Environmental and Molecular Mutagenesis** 33:39, 1999 (NCER).

Lee, WR, Perantie, DC, Clark, KB, Guillot, DA and Wilson, VL. Effect of mutagen induced cell lethality on the dose response of germline mutations. **Environmental and Molecular Mutagenesis** 37:340-344, 2001 (NCER).

Lin, S, Del Razo, LM, Styblo, M, Wang, C, Cullen, WR and Thomas, DJ. Arsenicals inhibit thioredoxin reductase in cultured rat hepatocytes. **Chemical Research in Toxicology** 14: 305-311, 2001.

Lin, S, Shi, Q, Nix, FB, Styblo, M, Beck, MA, Herbin-Davis, KM, Hall, LL, Simeonsson, JB and Thomas, D.J. A novel *S*-adenosyl-L-methionine: arsenic(III) methyltransferase from rat liver cytosol. **Journal of Biological Chemistry** 277:10795-10803, 2002.

Liu, J, Wang, G and Pope, C. Differential effects of organophosphates on acetylcholine release and muscarinic autoreceptors. **Toxicological Sciences** 60:242, 2001 (NCER).

Lopez, JR, Linares, N, Pessah, IN, Allen, PD and Links, S. Enhanced response to caffeine and 4-cmc in malignant hyperthermia susceptible muscle is related in part to chronically elevated resting [Ca²⁺]_i. **American Journal of Physiology-Cell Physiology**, in press (NCER).

Madden, M and Gallagher, JE. Biomarkers of Exposure In: Air Pollution and Health St. Holgate, HS Koren, J. Samet and R. Maynard, eds Academic Press London 417-430, 1999.

Madden, MC, Richards, JH, Dailey, LA, Hatch, G and Ghio, AJ. Effect of ozone on diesel exhaust particle toxicity in rat lung. **Toxicology and Applied Pharmacology** 168:140-148, 2000.

Mass, MJ, Tennant, A, Roop, BC, Cullen, WR, Styblo, M, Thomas, DJ and. Kligerman, AD. Methylated trivalent arsenic species may be the proximate or ultimate genotoxic forms of arsenic. **Chemical Research in Toxicology** 14: 355 -361, 2001.

McDorman, EW, Collins, B and Allen, J. Dietary folate deficiency enhances induction of micronuclei by arsenic in mice. **Environmental and Molecular Mutagenesis** 40:71-77, 2002.

McDorman, KS and Wolf, DC. Use of the spontaneous Tsc2 knockout (Eker) rat model of hereditary renal cell carcinoma for the study of renal carcinogens. **Toxicologic Pathology** 30:675-680, 2002.

McDorman, KS, Chandra, S, Hooth, MJ, Hester, SD and Wolf DC. Induction of transitional cell hyperplasia in the urinary bladder and aberrant crypt foci in the colon of rats treated with individual and a mixture of drinking water disinfection by-products. **Toxicologic Pathology** 31:235-242, 2003.

McDorman, KS, Hooth, MJ, Starr, TB and Wolf DC. Analysis of preneoplastic and neoplastic renal lesions in Tsc2 mutant Long-Evans (Eker) rats following exposure to a mixture of drinking water disinfection by-products. **Toxicology** 187:1-12, 2003.

Medinsky, MA, Wolf, DC, Cattley, RC, Wong, B, Janszen, DB, Farris, GM, Wright, GA and Bond, JA. Effects of a thirteen-week inhalation exposure to ethyl tertiary butyl ether on Fisher-344 rats and CD-1 mice. **Toxicological Sciences** 51:108-118, 1999.

Merrill, EA, Clewell, RA, Robinson, PJ, Jarabek, AM, Gearhart, J, Sterner, TR and Fisher, JW. PBPK model for iodide and perchlorate kinetics and perchlorate-induced inhibition of radioiodide uptake in humans. **Toxicological Sciences** 83: 25-43, 2005.

Mori, C, Allen, J, Dix, D, Nakamura, N, Fujioka, M, Toshimori, K and Eddy, E. Completion of meiosis is not required for acrosome formation in HSP70-2 null mice. **Biology of Reproduction** 1:813-822, 1999.

Moyer, CF, Kodavanti, UP, Haseman, JK, Moronpot, RR, Costa, D and Nyska, A. A systemic vascular disease in male B6C3F1 mice exposed to particulate matter by inhalation: studies conducted by the National Toxicology Program. **Toxicologic Pathology** 30:427-434, 2002.

Mundy WR, Freudenrich TM, Crofton KM and DeVito MJ. Accumulation of PBDE-47 in primary cultures of rat neocortical cells. **Toxicological Sciences** 82:164-169, 2004.

Nadadur, SS and Kodavanti, UP. Altered rat lung gene expression profile in response to particulate matter (PM) and its constituent metal exposure. **Journal of Toxicology and Environmental Health** 65:1333-1350, 2002.

Nadadur, S.S. and Kodavanti, U. P. Genomics application for cardiopulmonary toxicology. *Genetic and Proteomic Applications in Toxicity Testing*. Ed. Cunningham, M. J., Humana Press, Inc. NJ. in press.

Narotsky, MG, Best, DS, Guidici, DL and Cooper, RL. Strain comparisons of atrazine-induced pregnancy loss in the rat. **Reproductive Toxicology** 15:61-69, 2001.

Nesnow, S, Davis, C, Padgett, W, George, M, Lambert, G, Adams L and King, L. Biotransformation and DNA adduct formation of 8,9-dihydroxy-8,9-dihydrodibenzo[*a,l*]pyrene by induced rat liver and human CYP1A1 and CYP1B1 microsomes. **Polycyclic Aromatic Compounds** 14/15:281-190, 1999.

Nesnow, S, Cavanee, W, Gilmer, T, Kaufman, D, Slaga, T, Hohman, R, Bishop, J, Poirier, M, Harris, C, Trump, B, Yuspa, S, Pfeifer, A, Sherman, M and Tennant, R. Thirteenth Aspen Cancer Conference: Workshop On Mechanisms Of Toxicity and Carcinogenesis. **Molecular**

Carcinogenesis 25: 99-106, 1999.

Nesnow, S, Davis, C, Padgett, W, Adams, L, Yacopucci, M and King, L. 8,9-Dihydroxy-8,9-dihydrodibenzo[*a,l*]pyrene is a potent morphological cell transforming agent in C3H10T2Cl8 mouse embryo fibroblasts in the absence of detectable stable covalent DNA adducts.

Carcinogenesis 21:1253-1257, 2000.

Nesnow, S, Davis C, Pimentel, M, Mass, M, Nelson, G and JA. Ross. Interaction analyses of binary mixtures of carcinogenic PAHs using morphological cell transformation of C3H10T2Cl8 mouse embryo fibroblasts in culture. **Polycyclic Aromatic Compounds** 21:31-42, 2000.

Nesnow, S, Davis, C, Desai, D and Amin, S. Evaluation of Benzo[*c*]chrysene Dihydrodiols in the morphological cell transformation of mouse embryo fibroblast C3H10T2Cl8 cells. **Polycyclic Aromatic Compounds** 21: 203-214, 2000.

Nesnow, S, Davis, C, Nelson, G, Lambert, G, Padgett, W, Pimentel, M, Tennant, R, Kligerman,, A and Ross, JA. Comparison of the genotoxic activities of the K-region dihydrodiol of benzo[*a*]pyrene with benzo[*a*]pyrene in mammalian cells: Morphological cell transformation; DNA damage; and stable covalent DNA adducts. **Mutation Research** 521:91-102, 2002.

Nesnow, S, Roop, B, Lambert, G, Kadiiska, M, Mason, R, Cullen, W and Mass, M. DNA damage induced by methylated trivalent arsenicals is mediated by reactive oxygen species. **Chemical Research in Toxicology** 15:1627-1634, 2002.

Nesnow, S. Complex Mixtures of Chemical Carcinogens: Principles of Action and Human Cancer. In: Molecular Carcinogenesis, Warshawsky, D. and Landolph, J. Eds. CRC Press, in press.

Norwood, JJr, Ledbetter, AD, Doerfler, DL and Hatch, GE. Residual oil fly ash inhalation in guinea pigs: Influence of ascorbate and glutathione depletion. **Toxicological Sciences** 61: 144-153, 2001.

Nyska, A, Hester, SD, Cooper, RL, Goldman, J, Stoker, T, House, D and Wolf DC. Single or group housing-altered hormonal physiology and affected pituitary and interstitial cell kinetics. **Journal of Toxicological Sciences** 27:449-457, 2002.

Okhuysen, PC, Chappell, CL, Crabb, JH, Sterling, CR and DuPont, HL. Virulence of three distinct *Cryptosporidium parvum* isolates for healthy adults. **Journal of Infectious Diseases** 180:1275-1281, 1999 (NCER).

Oortgiesen, M, Simon, SA and Veronesi, B. A Neurogenic Explanation of Particulate Matter Inflammation In The Airways. pp 26-48. In: Proceedings of The Third Colloquium On Particulate Air Pollution and Human Health, edited by Phalen, R and Bell Y., University of California Press, Irvine, 1999.

Ooortgiesen, M, Veronesi, B, Eichenbaum, G and Simon, SA. Residual oil fly ash (ROFA) and negatively charged synthetic polymers activate bronchial epithelial cells and nociceptive neurons. **American Journal of Physiology: Lung cellular and Molecular Physiology** 278:L683-L695, 2000.

Ostermeier GC, Dix, D, Miller, D, Khatri, P and Krawetz, S. Spermatozoal RNA profiles of normal fertile men. **Lancet** 360: 772-777, 2002.

Padgett, W, Davis, C, Lambert, G, Nelson, G, Ross, J, Yacopucci M and Nesnow, S. Biotransformation of *trans*-4,5-Dihydroxy-4,5-dihydrobenzo[*a*]pyrene to Benzo[*a*]pyrene-bis-dihydrodiols and DNA adducts by induced rat liver microsomes. **Chemical Research in Toxicology** 13:1125-1134, 2000.

Paolini, C, Fessenden, JD, Pessah, IN, and Franzini-Armstrong, R. Evidence for conformational coupling between two calcium channels. **Proceedings of the National Academy of Sciences U S A** 101:12748-12752, 2004 (NCER).

Perantie, D, Clark, KB, Wilson, VL and Lee, WR. Effect of mutagen induced cell lethality on dose response relationship. **Environmental and Molecular Mutagenesis** 35:47, 2000 (NCER).

Pereira, MA, Kramer, PM, Conran, PB and Tao, L. Effect of chloroform on dichloroacetic acid and trichloroacetic acid-induced hypomethylation and expression of the c-myc gene and on their promotion of liver and kidney tumors in mice. **Carcinogenesis** 22:1511-1519, 2001 (NCER).

Pope, CN. Organophosphorus pesticides: do they all have the same mechanism of toxicity. **Journal of Toxicology and Environmental Health-Part B-Critical Reviews** B2:101-121, 1999 (NCER).

Pope, C and Liu, J. Nonesterase actions of anticholinesterase insecticides. **Neurotoxicology Handbook** 1:29-43, 2001 (NCER).

Prahalad, AK, Soukup, J, Inmon, J, Willis, R, Ghio, A, Becker S and Gallagher, J. Ambient Air Particles: Effects on cellular oxidant radical generation in relation to particulate elemental chemistry. **Toxicology and Applied Pharmacology** 158: 81-91, 1999.

Prahalad, A, Manchester, D, Hsu, I, Inmon, J and Gallagher, J. Human placental microsomal activation and DNA adduction by air pollutants. **Environmental Contamination and Toxicology** 62:93-100, 1999.

Prahalad AK, Inmon J, Ghio AJ and Gallagher JE. Enhancement of 2'-deoxyguanosine hydroxylation and DNA damage by coal and oil fly ash in relation to particulate metal content and availability. **Chemical Research and Toxicology** 13:1011-1019, 2000.

Prahalad AK, Inmon J, Dailey L, Madden M, Ghio, A and Gallagher J. Air pollution mediated oxidative DNA damage in cell free systems and Human Airway Epithelial cells in relation to particle metal content and bioreactivity. **Chemical Research and Toxicology** 14:879-897, 2001.

Preston, RJ. Chapter 6. Chromosome Aberrations Induced by Low Doses and Low-Dose Rates of Ionizing Radiation, NCRP Report, 136:50-80, 2001. Putzrath, RM and Wilson, JD. Fundamentals of health risk assessment. Use, derivation, validity and limitations of safety indices. **Risk Analysis** 19:231-247, 1999.

Preston, RJ. Cytogenetic effects of ethylene oxide, with an emphasis on population Monitoring. **Critical Reviews in Toxicology** 29:263-282, 1999.

Preston, RJ. Recent advances in genetic toxicology and their relevance to cancer risk assessment, **Inhalation Toxicology** 11:555-557, 1999.

Preston, RJ. Chromosomal Changes. In Short/Medium Term Carcinogenicity Tests and Genetic and Related Effects. IARC Monograph No. 146. International Agency for Research on Cancer, Lyon, pp 395-408, 1999.

Preston, JR. Response to Klaunig, J.E. et al, Epigenetic mechanisms of chemical carcinogenesis: Commentary. **Human and Experimental Toxicology** 19:569-570, 2000.

Preston, RJ. Chapter 16. Genetic Toxicology In: Biochemical Toxicology (Eds. E. Hodgson and R. Smart). Wiley InterScience, pp. 397-413, 2001.

Preston, RJ. Summary and conclusions for 21st century biodosimetry: Quantifying the past and predicting the future. **Radiation Protection and Dosimetry** 97:75-77, 2001.

Preston, RJ. Quantitation of molecular endpoints for the dose-response component of cancer risk assessment. **Toxicologic Pathology** 30:112-116, 2002.

Preston, RJ (author). Operational Radiation Safety Program for Astronauts in Low-Earth Orbit: A Basic Framework. NCRP Report no. 142, NCRP: Bethesda MD, 2002.

Preston, RJ. Molecular epidemiology: Potential impacts on the assessment of public health. **Mutation Research** 543:121-124, 2003.

Preston, JR. LNT is the best we can do – today. **Journal of Radiological Protection** 23:263-268, 2003.

Preston, RJ. 26th Lauriston S. Taylor Lecture: Developing mechanistic data for incorporation into cancer and genetic risk assessments: Old problems and new approaches. **Health Physics** 85:4-22, 2003.

Preston, JR (an author). Assessment of scientific information for the radiation exposure screening and education program: Interim report. National Research Council, Washington, DC, 2003.

Preston JR (author). Presidential report on radiation protection advice: Screening of humans for security purposes: Using ionizing radiation scanning systems. National Council on Radiation Protection, Bethesda, MD, 2003.

Preston, RJ. Radiation biology: Concepts for radiation protection. **Health Physics** 87:3-14, 2004.

Preston, RJ. Children as a sensitive subpopulation for the risk assessment process. **Toxicology and Applied Pharmacology** 199:132-141, 2004.

Preston. RJ. Bystander effects, genomic instability, adaptive response and cancer risk assessment for radiation and chemical exposures. **Toxicology and Applied Pharmacology**, in press.

Preston, RJ. Mechanistic data and cancer risk assessment: The need for quantitative molecular endpoints. **Environmental and Molecular Mutagenesis**, in press.

Preston RJ and Hoffmann, GR. Genetic Toxicology, In, Casarett and Doull's Toxicology (ed. C.D. Klaassen) McGraw Hill: York, PA., pp. 321-350, 2001.

Putz, O, Schwartz, CB, Kim, S, LaBlanc, GA, Cooper, RL and Prins, GS. Neonatal low-and high dose exposure to estradiol benzoate in the male rat: I. Effects on the prostate gland. **Biology of Reproduction** 65:1496-1505, 2001.

Putz, O, Schwartz, CB, LaBlanc, GA, Cooper, RL and Prins, GS. Neonatal low-and high-dose exposure to estradiol benzoate in the male rat: II. Effects on male puberty and the reproductive tract. **Biology of Reproduction** 65:1506-1517, 2001.

Putzrath, R.M. Reducing uncertainty of risk estimates for mixtures of chemicals within regulatory constraints. **Regulatory Toxicology and Pharmacology** 1:44-52, 2000.

Putzrath, RM. Inaccurate Models for Mixtures. **Environmental Health Perspectives** 109:A64, 2001.

Pyne, GJ, DeGrauw, TJ, Cecil, KM, Lyons, M, Ishida, Y and Clark, JF. The presence of normal creatine in the muscle of a patient with a mutation in the creatine transporter A case study. **Molecular and Cellular Biochemistry**, in press (NCER).

Recio, L, Donner, M, Abernethy, D, Pluta, L, Steen, A, Wong, B, James, A and Preston RJ. In Vivo mutagenicity and mutation spectrum in the bone marrow and testes of B6C3F1 LacI transgenic mice following inhalation exposure to ethylene oxide. **Mutagenesis** 19: 215-222, 2004.

Reilly CA, Veranth, J., Veronesi, B., and Yost, GS. Vanilloid Receptors in the Respiratory Tract; *Toxicology of the Lung, Fourth Edition*. Editor, Donald E. Gardner, in press.

Rayner, JL, Wood, C and Fenton, SE. Exposure parameters necessary for delayed puberty and mammary gland development in Long-Evans rats exposed in utero to atrazine. **Toxicology and Applied Pharmacology** 195:23-34, 2004.

Richburg, JH, Johnson, K, Schoenfeld, HA, Meistrich, ML and Dix, DJ. Defining the cellular and molecular mechanisms of toxicant action in the testis. **Toxicology Letters** 135: 167-183, 2002.

Rockett, JC. Use of genomic data in risk assessment. **Genome Biology** 3:REPORTS4011, 2002.

Rockett, JC and DJ Dix. DNA arrays: technology, options and toxicological applications. **Xenobiotica** 30:155-177, 2000.

Rockett JC, Luft, JC, Garges, J, Krawetz, SA, Hughes, M and Dix, D. Development of a 950-gene DNA array for examining gene expression patterns in mouse testis. **Genome Biology** 2:research0014.1-0014.9, 2001.

Rockett JC, Mapp, F, Garges, J, Luft, K, Mori, C and Dix, D. The effects of hyperthermia on spermatogenesis, apoptosis, gene expression and fertility in adult male mice. **Biology of Reproduction** 65, 229-239, 2001.

Rockett JC, Kavlock, R, Lambright, C, Parks, L, Schmid, J, Wilson, V, Wood, C and Dix, D. DNA arrays to monitor gene expression in rat blood and uterus following 17-beta-estradiol exposure – biomonitoring environmental effects using surrogate tissues. **Toxicological Sciences** 69: 49-59, 2002.

Rockett JC, Burczynski, M, Fornace Jr, A, Herrmann, P, Krawetz, S and Dix, D. Surrogate tissue analysis: monitoring toxicant exposure and health status of inaccessible tissues through the analysis of accessible tissues and cells. **Toxicology and Applied Pharmacology** 194:189-199, 2004.

Rockett JC, Patrizio, P, Schmid, J, Hecht, N and Dix, D. Gene expression patterns associated with infertility in humans and rodent models. **Mutation Research** 549:225–240, 2004.

Roegge, CS, Wang, VC, Powers, BE, Klintsova, AY, Villareal, S, Greenough, WT and Schantz, SL. Motor impairment in rats exposed to PCBs and methylmercury during early development. **Toxicological Sciences** 77:315-324, 2004 (NCER).

Romieu, I, Sienra-Monge, JJ, Ramirez-Aguilar, M, Tellez-Rojo, MM, Moreno-Macias, H, Reyes-Ruiz, NI, Rio-Navarro, BE, Ruiz-Navarro, XM, Hatch, GE, Slade, R and Hernandez-Avila, M. Antioxidant supplementation and lung functions among asthmatic children exposed to high levels

of air pollutants. **American Journal of Respiration and Critical Care Medicine** 166:703-709, 2002.

Ross JA and Nesnow, S. Polycyclic aromatic hydrocarbons: Correlations between DNA adducts and *Ras* Oncogene mutations. **Mutation Research** 424:155-166, 1999.

Ross, MK, Mathison, BH, Said, B and Shank, RC. 5-Methylcytosine in CpG sites and the reactivity of nearest neighboring guanines toward the carcinogen aflatoxin B1-8,9-epoxide. **Biochemical and Biophysical Research Communications** 254:114-119, 1999 (NCER).

Ross, PS and Birnbaum, LS. Integrating human and ecological risk assessment: A case study of Persistent Organic Pollutants(POPs) in humans and wildlife. **Journal of Human and Ecological Risk Assessment** 9:303-324, 2003.

Saghir, SA, Hansen, LG, Holmes, KR and Kodavanti, PRS. Differential and non-uniform tissue and brain distribution of two distinct ¹⁴C-hexachlorobiphenyls in weanling rats. **Toxicological Sciences** 54: 60-70, 2000.

Salomons, GS, van Dooren, SJ, Verhoeven, NM, Marsden, D, Schwartz, C, Cecil, KM, DeGrauw, TJ and Jakobs, C. Cross linked creatine transporter defect an overview. **Journal of Inherited Metabolic Diseases** 26:309-318, 2003 (NCER).

Samet, JM, Hatch, GE, Horstman, D, Steck, SE, Arab, L, Bromberg, PA, Levine, M, McDonnell, WF and Devlin, RB. Effect of antioxidant supplementation on ozone-induced lung injury in human subjects. **American Journal of Respiration and Critical Care Medicine** 164:819-825, 2001.

Sams, RL II, Blaydes, B, Warbritton, A, Lomax, LG, Bucci, TJ and Delclos, K. Differences in the response to oxidative stress and mutant frequency in CD (Sprague-Dawley) and Fischer 344 rats due to an induced inflammatory response. **Environmental and Molecular Mutagenesis** 35: 336-342, 2000.

Sams, RL II, Couch, LH, Miller, BJ, Okerberg, C, Wamer, WG, Beer, JZ and Howard, PC. Basal cell proliferation rates in female SKH-1 mice treated with alpha- and beta-hydroxy acids. **Toxicology and Applied Pharmacology** 175:76-82 2001.

Sams, RL II, Couch, LH, Miller, BJ, Okerberg, C, Wamer, WG, Beer, JZ and Howard, PC. The effect of glycolic and salicylic acid on the induction of edema in SKH-1 mice due to simulated solar light. **Toxicology and Applied Pharmacology** 184:136-143, 2002.

Sams, RL II, Couch, LH, Miller, BJ, Okerberg, C and Howard, PC. Spectral-based determination of edema doses of light from multiple sources using female SKH-1 mice. **Regulatory Research Perspectives**, in press.

Sharma, R, Derr-Yellin, EC, House, DC and Kodavanti, PRS. Age-dependent effects of Aroclor 1254 on calcium uptake by subcellular organelles in selected brain regions of rats. **Toxicology** 156:13-25, 2000.

Sen, B, Wolf, DC and Hester, SD. The effect of an inherited cancer susceptibility gene knockout mutation in the transcriptional profile of the kidney in Tsc2 mutant Long-Evans (Eker) rats. **Mutation Research** 549:213-224, 2004.

Shiao, YH, Kamata, SI, Li, LM, Hooth, MJ, Li, LM, DeAngelo, AB, Anderson, LM and Wolf, DC. Mutations in the VHL gene from potassium bromate-induced rat clear cell renal tumors. **Cancer Letters** 187:207-214, 2002.

Schechter, A, Papke, O, Tung, K-C, Staskal, D and Birnbaum, L. Polybrominated diphenyl ethers (PBDEs) contamination of United States food. **Environmental Health Perspectives, Available On Line**, 2004.

Schreinemachers, D. Cancer mortality in four northern wheat-producing states. **Environmental Health Sciences** 108:873-881, 2000.

Seely, JC, Haseman, J, Nyska, A, Wolf, DC, Everitt, JI, and Hailey JR. The effect of chronic progressive nephropathy on the incidence of renal tubule neoplasms in the F344 rat. **Toxicologic Pathology** 30:681-686, 2002.

Sharma, R and Kodavanti, PRS. In vitro effects of polychlorinated biphenyls and hydroxy metabolites on nitric oxide synthases in rat brain. **Toxicology and Applied Pharmacology** 178: 127-136, 2002

Simeonsson, JB, Elwood, SA, Ezer, M, Pacquette, HL, Swart, DJ, Beach, HD and Thomas, DJ. Development of ultratrace analytical techniques for arsenic measurements. **Talanta** 58: 189-199, 2002.

Slezak, MP, Diliberto, JJ and Birnbaum, LS. 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin-mediated oxidative stress in CYP1A2 knockout (CYP1A2^{-/-}) mice. **Biochemical and Biophysical Research Communications** 264:376-379, 1999.

Slezak, BP, Hatch, GG, DeVito, MJ, Diliberto, JJ, Slade, R, Crissman, K, Hassoun, E and Birnbaum, LS. Oxidative stress in female B6C3F1 mice following acute and subchronic exposure to 2,3,7,8-tetrachlorodibenzo-*p*-dioxin (TCDD). **Toxicological Sciences** 54:390-398, 2000.

Slezak, BP, Hamm, JT, Reyna, J, Hurst, CH, and Birnbaum, LS. 2,3,7,8- Tetrachlorodibenzo-*p*-dioxin (TCDD) mediated oxidative stress in male rat pups following perinatal exposure. **Journal of Biochemical and Molecular Toxicology** 16:49-52, 2002

Slikker W Jr, Andersen ME, Bogdanffy MS, Bus JS, Cohen SD, Conolly RB, David RM, Doerr

NG, Dorman DC, Gaylor DW, Hattis D, Rogers JM, Setzer RW, Swenberg JA and Wallace, K. Dose-dependent transitions in mechanisms of toxicity: case studies. **Toxicology and Applied Pharmacology** 201:226-294, 2004.

Slikker W Jr, Andersen ME, Bogdanffy MS, Bus JS, Cohen SD, Conolly RB, David RM, Doerrer NG, Dorman DC, Gaylor DW, Hattis D, Rogers JM, Woodrow Setzer R, Swenberg JA and Wallace, K. Dose-dependent transitions in mechanisms of toxicity. **Toxicology and Applied Pharmacology** 201:203-225, 2004.

Smialowicz, RJ, Burgin, D, Williams, WC, Diliberto, JJ, Setzer, RW and Birnbaum, LS. CYP1A2 is not required for 2,3,7,8-tetrachlorodibenzo-p-dioxin-induced immunosuppression. **Toxicology** 197: 15-22, 2004.

Smith, KR, Uyeminami, D, Chang, L.-Y, Kodavanti, UP, Crapo, JD and Pinkerton, KE. Mn(III) tetrakis -2,5-diehyal imidazolium porphyrin (AEOL 10150) inhibits tobacco smoke-induced pulmonary inflammation in spontaneously hypertensive rats. **Journal of Free Radical Biology Medicine** 33: 222-243, 2002.

Smithwick, A, Wilde, SB, London, L and Morris, P. "Effects of aerobic degradation on immunotoxicity," In: PCBs: Recent Advances in the Environmental Toxicology and Health Effects. Robertson, LW and Hansen, LG, Eds. University of Kentucky Press, 2000 (NCER).

Smithwick, LA, Smith, A, Quensen, III, Stack, A, London, L and Morris, PJ. Inhibition of LPS-induced splenocyte proliferation by ortho-substituted polychlorinated biphenyl congeners. **Toxicology** 188:319-333, 2003 (NCER).

Staskal, D, Diliberto, JJ, Devito, M and Birnbaum, LS. Toxicokinetics of BDE 47 in Female Mice: Effect of dose, route of exposure, and time. **Toxicological Sciences** 83: 213-225, 2005.

Solhaug, A, Øvrebøb, S, Låg, M, Schwarze, P, Nesnow, Sand Holme, J. Role of cell signaling in B[a]P-induced apoptosis: Characterization of unspecific effects of cell signaling inhibitors and apoptotic effects of B[a]P metabolites. **Chemico-Biological Interactions**, in press.

Stack, A, Altman-Hamamdzie, S, Morris, PJ and London, L. Polychlorinated biphenyl mixtures (Aroclors) inhibit LPS-induced murine B-lymphocyte proliferation in vitro. **Toxicology** 139:137-154, 1999 (NCER).

Stiles, M and Pope, CN. In vitro and in vivo effects of chlorpyrifos on cardiac muscarinic receptors. **Toxicological Sciences** 54:341, 2000 (NCER).

Stoker, TE, Robinette, CL, Britt, BH and Cooper, RL. Prepubertal exposure to compounds that increase prolactin in the male rat: Effects on adult prostate. **Biology of Reproduction**. 61:1636-1643, 1999.

Stoker, TE, Robinette, CL and Cooper, RL. Perinatal exposure to estrogenic compounds and the subsequent effects on the prostate of the adult rat: Evaluation of inflammation in the ventral and lateral lobes. **Reproductive Toxicology** 13: 463-472, 1999.

Stoker, TE, Robinette, CL and Cooper, RL. Maternal exposure to atrazine during lactation suppresses suckling-induced prolactin release and results in prostatitis in the adult offspring. **Toxicological Sciences** 52: 68-79, 1999.

Stoker, TE, Laws, SC, Guidici, D and Cooper, RL. The effects of atrazine on puberty and thyroid function in the male Wistar rat: An evaluation of a protocol for the assessment of pubertal development and thyroid function. **Toxicological Sciences** 58: 50-59, 2000.

Stoker, TE, Parks, LG, Gray, LE and Cooper, RL. Endocrine disrupting chemicals: Prepubertal exposures and effects on sexual maturation and thyroid activity in the male rat. A review of the EDSTAC recommendations. **Critical Reviews in Toxicology** 30: 197-252, 2000.

Stoker, TE, Goldman, JM and Cooper, RL. Delayed ovulation and pregnancy outcome: effect of environmental toxicants on the neuroendocrine control of the ovary. **Environmental Toxicology and Pharmacology** 9:117-129, 2001.

Stoker, TE, Guidici, DL, Laws, SC and Cooper, RL. The effects of atrazine metabolites on puberty and thyroid function in the male Wistar rat: An evaluation in the male pubertal protocol. **Toxicological Sciences** 67:198-206, 2002.

Stoker, TE, Jeffay, SC, Zucker, R, Cooper, RL and Perreault, SD. Abnormal fertilization is responsible for reduced fecundity following Thiram-induced ovulatory delay in the rat. **Biology of Reproduction** 68:2142-2149, 2003.

Stoker, TE, Laws, S, Crofton, KM, Hedge, J, Ferrell, JM and Cooper, R.L. Assessment of DE-71, a common commercial polybrominated diphenyl ether (PBDE) mixture, in the EDSP male and female pubertal protocols. **Toxicological Sciences** 78:144-155, 2004.

Styblo, M, Del Razo, LM, Vega, L, Germolec, DR, LeCluyse, EL, Hamilton, GA, Wang, C, Cullen, WR and Thomas, DJ. Comparative toxicity of trivalent and pentavalent inorganic and methylated arsenicals in human cells. **Archives of Toxicology** 74:289-299, 2000

Styblo, M and Thomas, DJ. Selenium modifies the metabolism and toxicity of arsenic in primary rat hepatocytes. **Toxicology and Applied Pharmacology** 172:52-61, 2001.

Styblo, M, Waters, SB, Drobná, Z, Lin, S, Walton, FS, Jaspers, I, Patel YM, Del Razo, LM, and Thomas, DJ. Production and biological significance of methylated trivalent arsenicals. *In* BITREL 2002. Proceedings of International Symposium on Bio-Trace Elements 2002, pp. 96-100, Tokyo, Japan, 2003.

Sun G, Crissman K, Norwood J, Richards J, Slade R and Hatch GE. Oxidative interactions of synthetic lung epithelial lining fluid with metal-containing particulate matter. **American Journal of Physiology Lung Cellular Molecular Physiology** 281:L807-15, 2001.

Sun, G, Thai, SF, Tully, DB, Lambert, GR, Goetz ,AK, Wolf, DC, Dix, DJ and Nesnow, S. Propiconazole-induced cytochrome P450 gene expression and enzymatic activities in rat and mouse liver. **Toxicology Letters** 155:277-287, 2005.

Tao, L, Li, Y, Kramer, PM, Wang, W and Pereira, MA. Hypomethylation of DNA and the insulin-like growth factor-II gene in dichloroacetic and trichloroacetic acid-promoted mouse liver tumors. **Toxicology** 196:127-136, 3-1-2004 (NCER).

Teeguarden, JG and Barton, HA. Computational modeling of serum binding proteins and clearance in extrapolations across life-stages and species for endocrine active compounds. **Risk Analysis** 24: 751-770, 2004

Thai, S-F, Allen, J, DeAngelo, A, George M and Fuscoe, J Detection of early gene expression changes by differential display in the livers of mice exposed to dichloroacetic acid. **Carcinogenesis** 22:1317-1322, 2001.

Thai, S-F, Allen, J, DeAngelo, A, George M and Fuscoe, J. Altered gene expression in mouse livers after dichloroacetic acid exposure. **Mutation Research** 543:167-180, 2003.

Thomas, DJ, Styblo, M, and Lin, S. The cellular metabolism and systemic toxicity of arsenic. **Toxicology and Applied Pharmacology** 176:127-144, 2001.

Thomas, DJ, Del Razo, LM, Schreinemachers, DM, Hudgens, EE, Le, XC and Calderon, RL. Dose-response relationships for the metabolism and urinary excretion of arsenicals in humans. *In* Arsenic Exposure and Health Effects IV, ed. by W.R. Chappell, C.O. Abernathy, and R.L. Calderon, pp. 353-365, Elsevier, Amsterdam, 2001.

Thomas, DJ, Waters, SB and Styblo, M: Elucidating the pathway for arsenic methylation. **Toxicology and Applied Pharmacology** 198:319-326, 2004.

Tietge, JE, Holcombe, GW, Flynn, KM, Kosian ,PA, Korte, JJ, Anderson, LE, Wolf, DC and Degitz, SJ. Metamorphic inhibition of *Xenopus laevis* by sodium perchlorate: effects on development and thyroid histology. **Environmental Toxicology and Chemistry**, in press.

Tian, D, Ma, H, Feng, Z, Xia, Y, Le, X, Ni, Z, Allen, J, Collins, B, Schreinemachers D and Mumford, J. Analyses of micronuclei in exfoliated epithelial cells from individuals chronically exposed to arsenic via drinking water in Inner Mongolia, China. **Journal of Toxicology and Environmental Health Pt. A**, 64:473-484, 2001.

Tiffany-Castiglioni, E, Ehrich, M, Dees, L, Costa, LG, Kodavanti, PRS and Lasley, SM. Bridging

the gap between in vitro and in vivo models for neurotoxicology. **Toxicological Sciences** 51:178-183, 1999 (NCER).

Tully DB, Luft, JC, Rockett, JC, Ren, H, Schmid, J, Wood, C and Dix, D. Reproductive and genomic effects in testes from mice exposed to the water disinfectant byproduct bromochloroacetic acid. **Reproductive Toxicology**, in press.

Ulrich, RG, Rockett, JC, Gibson, GG and Petitt, SD. Overview of an interlaboratory collaboration on evaluating the effects of model hepatotoxicants on hepatic gene expression. **Environmental Health Perspectives** 112:423-427, 2004.

Veronesi, B. Critical update on cardiovascular and neurological effects of fine and ultrafine particles: neurodegeneration in transgenic mice exposed to particulate matter: influence of oxidative stress. **Particle and Fiber Toxicology**, in press.

Veronesi, B. The Role of Oxidative Stress In Susceptible Populations. *In* Health Risk Assessment and Chemical Hazard Prediction. **CRC Reviews**, in press, 2004.

Veronesi, B and Ehrich, M. Cell Culture Models of Environmental Neurotoxicity. *In*: Experimental *In Vitro* Neurotoxicology. pp 239-268. edited by Pentreath, V., Taylor and Francis, London, 1999.

Veronesi, B, Oortgiesen, M, Carter, J and Devlin, R. Particulate matter initiates inflammatory cytokine release by activation of capsaicin and acid receptors in a human bronchial epithelial cell line. **Toxicology and Applied Pharmacology** 154: 106-115, 1999.

Veronesi, B, Carter, JD, Devlin, RB, Simon, SA and Oortgiesen, M. Neuropeptide stimulates the release of inflammatory cytokines in a human bronchial epithelial cell line. **Neuropeptides** 33:447-456, 1999.

Veronesi, B, Oortgiesen, M, Roy, J, Carter, JD, Simon, SA and Gavett, SH. Vanilloid (capsaicin) receptors influence inflammatory sensitivity in response to particulate matter. **Toxicology and Applied Pharmacology** 169:66-76, 2000.

Veronesi, B and Oortgiesen, M. Neurogenic inflammation and particulate matter air pollutants. **NeuroToxicology** 22:795-810, 2001.

Veronesi, B. In Vitro Evaluation of the Effects of Acute Toxicity on the Respiratory System, Chapter 4.9 *In*: In vitro methods for acute toxicity: Proceedings of the International Workshop on In Vitro Methods for Assessing Acute Systemic Toxicity, Washington, 2001.

Veronesi, B, de Haar, C, Roy, J and Oortgiesen, M. Particulate matter inflammation and receptor sensitivity are target cell specific. **Inhalation Toxicology** 14:159-183, 2002.

Veronesi, B, de Haar, C, Lee, L, and Oortgiesen, M. The surface charge of particulate matter relates to cytokine release in human bronchial epithelial cells (BEAS-2B). **Toxicology and Applied Pharmacology** 178:144-154, 2002.

Veronesi, B, Wei, G, Zeng, J and Oortgiesen, M. Electrostatic charge activates inflammatory vanilloid (VR1) receptors. **NeuroToxicology** 24: 463-473, 2003.

Veronesi, B, Makwana, O, Pooler, M and Chen, L. Effects of subchronic exposure To CAPs in Apo E^{-/-} Mice: VII. Degeneration of dopaminergic neurons. **Inhalation Toxicology**, in press.

Viswanathan, S, Hammock, BD, Newman, JW, Meerarani, P, Toborek, M and Hennig, B. Involvement of CYP 2C9 in mediating the proinflammatory effects of linoleic acid in vascular endothelial cells. **Journal of the American College of Nutrition** 22:502-510, 2003.

Voss, AA, Lango, J, Ernst-Russell, M, Morin, D and Pessah, IN. Identification of hyperreactive cysteines within ryanodine receptor type 1 by mass spectrometry. **Journal of Biological Chemistry** 279:34514-34520, 2004 (NCER).

Wagner, GC, Avena, N, Kita, T, Nakashima, T, Fisher, H and Halladay, AK. Risperidone reduction of amphetamine-induced self-injurious behavior in mice. **Neuropharmacology** 46:700 – 708, 2004 (NCER).

Wallace, D, Wallace, R and Rauh, V. Community stress, demoralization and body mass index: evidence for social signal transduction. **Social Science and Medicine** 56:2437-2478, 2003 (NCER).

Walton, FS, Waters, SB, Jolley, SL, LeCluyse, EL, Thomas, DJ and Styblo, M. Selenium compounds modulate activity of recombinant rat As^{III} methyltransferase and methylation of arsenite by rat and human hepatocytes. **Chemical Research in Toxicology** 16:261-265, 2003

Wang, C, Jakubowski, W and DuPont, HL. Infectivity of *Cryptosporidium parvum* in healthy adults with pre-existing anti-C. parvum serum IgG. **American Journal of Tropical Medicine and Hygiene** 60:157-164, 1999 (NCER).

Wang X, Santostefano, MJ, DeVito, MJ and Birnbaum, LS. Extrapolation of a PBPK model for dioxin across dosage regimen, gender, strain and species. **Toxicological Sciences** 56:49-60, 2000.

Ward, CW, Feng, W, Tu, J, Pessah, IN, Worley, PK and Schneider, MF. Homer protein increases activation of Ca²⁺ sparks in permeabilized skeletal muscle. **Journal of Biological**

Chemistry 279:5781-5787, 2004 (NCER).

Waters, SB, Styblo, M and Thomas, DJ. A novel *S*-adenosyl-l-methionine-dependent methyltransferase from rat liver cytosol catalyzes the formation of methylated arsenicals. *In* Arsenic Exposure and Health Effects V, ed. by W.R. Chappell, C.O. Abernathy, R.L. Calderon, and D.J. Thomas, pp. 255-266, Elsevier, Amsterdam, 2003.

Waters, SB, Styblo, M and Thomas, DJ. Endogenous reductants support the catalytic function of recombinant rat cyt19, an arsenic methyltransferase. **Chemical Research in Toxicology** 17:404-409, 2004.

Waters SB, Devesa, V, Fricke, M, Creed, J, Stýblo, M and Thomas, DJ. Glutathione modulates recombinant rat arsenic (+3 oxidation state) methyltransferase-catalyzed formation of trimethylarsine oxide and trimethylarsine. **Chemical Research in Toxicology** 17:1621-1629, 2004.

Wolf, DC, Goldsworthy, TL, Donner, M, Harden, R, Janszen ,D, David, CS and Everitt, JI. Promotion does not increase multiplicity of hereditary renal tumors in Eker rats. **Carcinogenesis** 21:1553-1558, 2000.

White, AC, Robinson, P, Okhuysen, PC, Lewis, DE, Shahab, I, Lahoti, S, DuPont, HL and Chappell, CL. Interferon-gamma expression in jejunal biopsies in experimental human cryptosporidiosis correlates with prior sensitization and control of oocyst excretion. **Journal of Infectious Diseases** 181:701-709, 2000 (NCER).

Widholm, JJ, Villareal, S, Seegal, RF and Schantz, SL. Spatial alternation deficits following developmental exposure to Aroclor 1254 and/or methylmercury in rats. **Toxicological Sciences** 82:557-589, 2004 (NCER).

Wilke, M, Schmithorst, VJ and Holland, SK. Normative pediatric brain data for spatial normalization and segmentation differs from standard adult data. **Magnetic Resonance in Medicine** 50:749-757, 2003 (NCER).

Wilson, VL, Yin, X, Thompson, B, Wade, KR, Watkins, JP, Wei, Q and Lee, WR. Oncogenic base substitution mutations in circulating leukocytes of normal individuals. **Cancer Research** 60:1830-1834, 2000 (NCER).

Wilson, VL. Detecting rare mutations associated with cancer risk. **American Journal of Pharmacogenomics** 1:283-293, 2001 (NCER).

Wilson, VL, Wade, KR, Yin, X and Albertini, RJ. Temporal delineation of sequential HPRT mutations arising in vivo in a T-cell clone with a mutator phenotype. **Mutation Research** 473:181-199, 2001 (NCER).

Wolf, DC. Quantitative Toxicologic Pathology-Methods and Interpretation. Session Summary. **J Toxicologic Pathology** 14:319-320, 2001.

Wolf, DC and Mann, PC. Confounders in interpreting pathology for safety and risk assessment. **Toxicology and Applied Pharmacology**, in press.

Woskie, SR, Hammond, SK, Hines, CJ., Hallock, MF, Kenyon, E and Schenker, MB. Personal fluoride and solvent exposures, and their determinants, in semiconductor manufacturing. **Applied Occupational and Environmental Hygiene** 15:354-61, 2000.

Wu, X, Block, ML, Zhang, W., Pei, Z, Qin, L, Wilson, B, Zhang, Z, Veronesi, B, and Hong, J. The role of microglia in paraquat induced dopaminergic neurotoxicity. **Antioxidants and Redox Signaling**, in press.

Yang, J-H and Kodavanti, PRS. Possible molecular targets of halogenated aromatic hydrocarbons in neuronal cells. **Biochemical and Biophysical Research Communications** 280:1372-1377, 2001.

Yang, J-H, Derr-Yellin, EC and Kodavanti, PRS. Alterations in brain protein kinase C isoforms following developmental exposure to a polychlorinated biphenyl mixture. **Molecular Brain Research** 111: 123-135, 2003.

Zhao, X, Yamamoto, T, Newman, JW, Kim, IH, Watanabe, T, Hammock, BD, Stewart, J, Pollock, JS, Pollock, DM. Soluble epoxide hydrolase inhibition protects the kidney from hypertension-induced damage. **Journal of the American Society of Nephrology** 15: 1244 – 1253, 2004 (NCER).

Zhou, T, Ross, DG, DeVito, MJ and Crofton, KM. Effects of short-term in vivo exposures to polybrominated diphenyl ethers on thyroid hormones and hepatic enzymatic activities in weanling rats. **Toxicological Sciences** 61:76-82, 2001.

Zhou, T, Taylor, MM, DeVito, MJ and Crofton, KM. Developmental exposures to brominated diphenyl ethers results in thyroid hormone disruption. **Toxicological Sciences** 66:105-16, 2002.

Zucker, RM, Keshaviah, AP, Price, OT and Goldman, JM. Confocal laser scanning of rat follicle development. **Journal of Histochemistry and Cytochemistry** 48: 781-791, 2000.

Long-Term Goal 2

Aggregate/Cumulative Risk

Adgate, JL, Clayton, CA, Quackenboss, JJ, Thomas, KW, Whitmore, RW, Pellizzari, ED, Lioy, PJ, Shubat, P, Stroebel, C, Freeman, NC and Sexton, K. Measurement of multi-pollutant and multi-pathway exposures in a probability-based sample of children: practical strategies for effective field studies. **Journal of Exposure Analysis and Environmental Epidemiology** 210:650-661, 2000.

Adler, CM, Holland, SK, Schmithorst, V, Wilke, M, Weiss, KL, Pan, H and Strakowski, SM. Abnormal frontal white matter tracts in bipolar disorder a diffusion tensor imaging study. **Bipolar Disorders** 6 197-203, 2004 (NCER).

Albanese, RA, Banks, HT, Evans, MV and Potter, LK. Physiologically based pharmacokinetic models for the transport of trichloroethylene in adipose tissue. **Bulletin of Mathematical Biology** 64:97-131, 2002.

Bennett, DH and Furtaw, EJ Jr. Fugacity-based indoor residential pesticide fate model. **Environmental Science and Technology** 38: 2142 – 2152, 2004.

Bessette, E, Fasco, MJ, Pentecost, B and Kaminsky, L. Mechanisms of arsenite's effect on polycyclic aromatic hydrocarbon (PAH) induction of human cytochrome P4501A1. **Drug Metabolism Reviews** 35:133, 2003 (NCER).

Blancato, JN, Power, FW, Wilkes, CR, Tsang, AM, Hern, SC and Olin, SS. Integrated Probabilistic and Deterministic Modeling Techniques in Estimating Exposure to Water-borne Contaminants: Part 2: Pharmacokinetic Modeling in Proceedings of Indoor Air 2002 International Conference, 2002.

Boyes, WK, Bushnell, P, Crofton, K, Evans, M and Simmons, J E. Neurotoxic and pharmacokinetic responses to trichloroethylene as a function of exposure scenario. **Environmental Health Perspectives** 108 (Suppl.2):317-322, 2000.

Boyes, WK, Bushnell, PJ, Crofton, KM, Evans, MV, and Simmons, JE. Neurotoxic and pharmacokinetic responses to trichloroethylene as a function of exposure scenario. **Environmental Health Perspective** 108:317-322, 2000.

Boyes, WK, Bercegeay M, Ali, JS, Krantz, T, McGee, J, Evans, M, Raymer, JH, Bushnell, PJ, and Simmons JE. Dose-based duration adjustments for the effects of inhaled trichloroethylene on rat visual function. **Toxicological Sciences** 76:121-30, 2003.

Boyes, WK, Evans, MV, Eklund, CR and Simmons, J. Duration adjustment of acute exposure guideline level values for trichloroethylene using a physiologically-based pharmacokinetic model.

Risk Analysis, in press.

Boyes, WK, Simmons, JE, Eklund, C, Benignus, V, Janssen, P and Bushnell, P. Applications of dosimetry Modeling to assessment of neurotoxic risk. **Environmental Toxicology and Pharmacology**, in press.

Brauer, RD, Robertson, JD, Sharma, P and Yokel, RA. Aluminum and phosphorus separation: application to preparation of target from brain tissue for ²⁶Al determination by accelerator mass spectrometry. **Nuclear Instruments and Methods In Physics Research, Section B: Beam Interactions With Materials and Atoms** 152:129-134, 1999 (NCER).

Brown, KW, Little, SB and Rabinowitz, JR. Benzo[a]pyrene and Benzo[c]phenanthrene: The effect of structure on the binding of water molecules to the diol epoxides. **Chemical Research in Toxicology** 15:1069 – 1079, 2002.

Buck ,R, Özkaynak, H, Xue, J, Zartarian ,VG and Hammerstrom, K. Modeled estimates of chlorpyrifos exposure and dose for Minnesota and Arizona NHEXAS populations. **Journal of Exposure Analysis and Environmental Epidemiology** 11: 253-268, 2003.

Bushnell, PJ, Shafer, TJ, Bale, AS, Boyes, WK, Simmons, JE, Eklund, C and Jackson, TL. Development and application of an exposure-dose-response model for the acute neurotoxicity of organic solvents. **Environmental Toxicology and Pharmacology**, in press.

Casey, M, Gennings, C, Carter, WH, Jr., Moser, VC and Simmons, JE. Detecting interaction(s) and assessing the impact of component subsets in a chemical mixture using fixed-ratio mixture rays designs. **Journal of Agricultural, Biological and Environmental Statistics** 9:339-361, 2004.

Casey, M, Gennings, C, Carter, WH, Jr, Moser, V C and Simmons, J E. Ds-optimal designs for studying combination of chemicals using multiple fixed-ratio ray experiments. **Environmetrics**, in press.

Cecil ,KM, DelBello, MP, Sellars, MC and Strakowski,SM. Proton magnetic resonance spectroscopy of the frontal lobe and cerebellar vermis in children with a mood disorder and a familial risk for bipolar disorders. **Journal of Child and Adolescent Psychopharmacology** 13: 545-555, 2003 (NCER).

Cecil ,KM, DeGrauw, TJ, Salomons, GS, Jakobs, C, Egelhoff, JC and Clark, JF. Magnetic resonance spectroscopy in a 9 dayold heterozygous female child with creatine transporter deficiency. **Journal of Computer Assisted Tomography** 27: 44 – 47, 2003 (NCER).

Charlap, JH, Donahue, RJ and Knudsen, TB. Exposure-disease continuum for 2-chloro-2'-deoxyadenosine, a prototype ocular teratogen. 3. Intervention with PK11195. **Teratology** 67:108-115, 2003 (NCER).

Clayton, CA, Pellizzari, ED, Whitmore, RW, Perritt, RL and Quackenboss, JJ. National Human Exposure Assessment Survey (NHEXAS): Distributions and associations of lead, arsenic and volatile organic compounds in EPA Region 5 **Journal of Exposure Analysis and Environmental Epidemiology** 9: 381-392, 1999.

Clayton, C, Pellizzari, E and Quackenboss, J. National Human Exposure Assessment Survey: Analysis of exposure pathways and routes for arsenic and lead in EPA Region 5. **Journal of Exposure Analysis and Environmental Epidemiology** 12:29-43, 2002.

Clayton, C, Pellizzari, E, Whitmore, RW and Quackenboss, JJ. Distributions, associations, and partial aggregate exposure of pesticides and polynuclear aromatic hydrocarbons in the Minnesota Children's Pesticide Exposure Study (MNCPEs). **Journal of Exposure Analysis and Environmental Epidemiology** 13:100-111, 2003.

Chen, JJ, Chen, Y, Rice, G, Teuschler, L, Hamernik, K, Protzel, A and Kodell, R. Using dose addition to estimate cumulative risks from exposures to multiple chemicals. **Regulatory Toxicology and Pharmacology** 34:35-41, 2001.

Cohen, BS, Li, W, Xiong, JQ and Lippmann, M. Detecting H⁺ in ultrafine ambient aerosol using iron nano-film detectors and scanning probe microscopy. **Applied Occupational and Environmental Hygiene** 15:80-89, 2000 (NCER).

Cohen Hubal, EA, Sheldon, LS, Zufall, MJ, Burke, JM and Thomas, K. The challenge of assessing children's residential exposure to pesticides. **Journal of Exposure Analysis and Environmental Epidemiology** 10:638-649, 2000.

Cohen Hubal, E, Suggs, J, Nishioka, M and Ivancic, W. Characterizing residue transfer efficiencies using a fluorescent imaging technique. **Journal of Exposure Analysis and Environmental Epidemiology**, in press.

Cory-Slechta, DA, Crofton, KM, Sheets, LP, Ross, JF, Weiss, B and Foran, JA. Methods to identify and characterize developmental neurotoxicity for human health risk assessment I: Behavioral effects. **Environmental Health Perspectives** 109 (Suppl. 1):79-92, 2001.

Craft, ES, Ross, DG, DeVito, MJ and Crofton, KM. Comparative responsiveness of hypothyroxinemia and hepatic enzyme induction in Long-Evans rats versus C57BL/6J mice exposed to TCDD-like and phenobarbital-like polychlorinated biphenyl congeners. **Toxicological Sciences** 68:372-380, 2002.

Crofton, KM. Developmental disruption of thyroid hormone: correlations with hearing

dysfunction in rats. **Risk Analysis** 24:1665-1669, 2004.

Crofton, KM and Rice, DC. Perinatal exposure to PCB126: Thyroid hormones and ototoxicity. **Neurotoxicology and Teratology** 21:299-301, 1999.

Crofton, KM, Kodavanti, PRS, Derr-Yellin, EC, Casey, AC and Kehn, LS. Thyroid hormones and ototoxicity in rats: Cross-fostering experiments demonstrate the influence of postnatal lactational exposure. **Toxicological Sciences** 57:131-140, 2000.

Crofton, KM, Ding, D, Padich, R, Taylor, M and Henderson, D. Hearing Loss following Developmental Exposure to Polychlorinated Biphenyls: A Cochlear Site of Action. **Hearing Research** 144:196-204, 2000.

Crofton, KM, Makris, SL, Sette, WF, Mendez, E and Raffaele, KC. A qualitative retrospective analysis of positive control data in developmental neurotoxicity studies. **Neurotoxicology and Teratology** 26:345-352, 2004.

DeVito, M, Biegel, E, Brouwer, B, Brown, S, Brucker-Davis, F, Cheek, O, Christensen, R, Colborn, T, Cooke, P, Crissman, J, Crofton, K, Doerge, D, Gray, E, Hauser, P, Hurley, P, Kohn, M, Lazar, J, McMaster, S, McClain, M., McConnell, E, Meier, C, Miller, R, Tietge J and Tyl, R. Screening methods for chemicals that alter thyroid hormone action, function and homeostasis Workshop. **Environmental Health Perspectives** 107:407-415, 1999.

DeMarini, D, Shelton, M, Kohan, Hudgens, E, Kleindienst, T, Ball, L, Walsh, D, de Boer, J, Lewis-Bevan L, Rabinowitz, J, Claxton, L and Lewtas, J. Mutagenicity in lung of big blue mice and induction of tandem-base substitutions in salmonella by the air pollutant peroxyacetyl nitrate (PAN): predicted formation of intrastrand cross-links. **Mutation Research** 457:41-55, 2000.

DeWoskin, RS, Barone, S Jr., Clewell, HJ and Setzer, RW. Improving the development and use of biologically based dose response models (BBDR) in risk assessment. **Human and Ecological Risk Assessment** 6:1091-1120, 2001.

Ding, X and Kaminsky, LS. Human extrahepatic cytochromes P450: function in xenobiotic metabolism and tissue-selective chemical toxicity in the respiratory and gastrointestinal tracts. **Annual Review of Pharmacology and Toxicology** 43:149-173, 2003 (NCER).

Easterling, MR, Evans, MV and Kenyon, EM. Comparative analysis of software for physiologically based pharmacokinetic modeling: simulation, optimization and sensitivity analysis. **Toxicology Methods** 10:203-229, 2000.

Easterling, MR, Evans, MV and Kenyon, EM. Pharmacokinetic modeling of arsenite uptake and metabolism in hepatocytes – Mechanistic insights and implications for further experiments. **Journal of Pharmacokinetics and Pharmacodynamics** 29:207-234, 2002.

Egeghy PP, Tornero-Velez, R and Rappaport, SM. Environmental and biological monitoring of benzene during self-service automobile refueling. **Environmental Health Perspectives** 108:1195-202, 2000.

Egeghy, PP, Nylander-French, L, Gwin, KK, Hertz-Picciotto, I and Rappaport, SM. Self-collected breath sampling for monitoring low-level benzene exposures among automobile mechanics. **Annals of Occupational Hygiene** 46:489-500, 2002.

Egeghy, PP, Hauf-Cabalo, L, Gibson, R and Rappaport, SM. Benzene and naphthalene in Air and breath as indicators of exposure to jet fuel. **Journal of Occupational and Environmental Medicine** 60:969-76, 2003.

Egeghy, PP, Quackenboss, JJ, Catlin, S and Ryan, PB. Determinants of temporal variability in NHEXAS-Maryland environmental concentrations, exposures, and biomarkers. **Journal of Exposure Analysis and Environmental Epidemiology**, in press.

Evans, MV and Andersen, ME. Sensitivity analysis of a physiological model for 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD): Assessing the impact of specific model parameters on sequestration in liver and fat in the rat. **Toxicological Sciences** 54:71-80, 2000.

Evans, MV and Eklund, CR. A graphical application of sensitivity analysis for gas uptake experiments using chloroform as an example. **Toxicology Methods** 11:1-13, 2001

Evans, MV, Boyes, WK, Simmons, JE, Litton, DK and Easterling, MR. A comparison of Haber's rule at different ages using a physiologically based pharmacokinetic (PBPK) model for chloroform in rats. **Toxicology** 176:11-23, 2002.

Fabisiak, JP, Tyurin, VA, Tyurina, YY, Borisenko, GG, Korotaeva, A, Pitt, BR, Lazo, JS and Kagan, VE. Redox regulation of copper-metallothionein. **Archives of Biochemistry and Biophysics** 363:171-181, 3-1-1999 (NCER).

Fabisiak, JP, Pearce, LL, Borisenko, GG, Tyurina, YY, Tyurin, VA, Razzack, J, Lazo, JS, Pitt, BR and Kagan, VE. Bifunctional anti-/prooxidant potential of metallothionein: redox signaling of copper binding and release. **Antioxidants and Redox Signaling** 1:349-364, 1999 (NCER).

Freeman NC, Hore P, Black K, Jimenez M, Sheldon L, Tulve N and Lioy PJ. Contributions of children's activities to pesticide hand loadings following residential pesticide application. **Journal of Exposure Analysis and Environmental Epidemiology**, in press.

Furtaw, EJ Jr. An overview of human exposure modeling activities at the USEPA's National Exposure Research Laboratory. **Toxicology and Industrial Health** 17: 302-314, 2002.

Gennings, C, Teuschler L, Hartley, WR, Thiyagarajah, A and Simmons, JE. Novel statistical methods for risk assessment of disinfection by-product mixtures. **Proceedings of the American**

Water Works Association Conference. TU 22.2 (CD ROM), 1999

Gennings, C, Carter, WH Jr, Casey, M, Moser, V, Carchman, R and Simmons, JE. Analysis of functional effects of a mixture of five pesticides using a ray design. **Environmental Toxicology and Pharmacology** 18:115-125, 2004.

Gilbert, ME and Crofton, KM. Developmental exposure to a complex PCB mixture (Aroclor 1254) produces a persistent impairment in long-term potentiation in the dentate gyrus in vivo. **Brain Research** 850:87-95, 1999.

Gilbert, ME, Mundy, W and Crofton, KM. Spatial learning and long-term potentiation in the dentate gyrus of the hippocampus in animals developmentally exposed to A1254. **Toxicological Sciences** 57:102-111, 2000.

Hartley, WR, Gennings, C, Teuschler, L, Thiagarajah, A and Simmons, JE. Advances in the toxicological assessment of disinfection by-products in rodent and fish biomedical models. **Proceedings of the American Water Works Association Conference.** TU 22.1 (CD ROM), 1999.

Herr, DW, Graff, JE, Derr-Yellin, EC, Crofton, KM and Kodavanti, PR. Flash-, somatosensory-, and peripheral nerve-evoked potentials in rats perinatally exposed to Aroclor 1254. **Neurotoxicology and Teratology** 23:591-601, 2001.

Hertzberg, RC, Rice, G and Teuschler, L. Methods for Health Risk Assessment of Combustion Mixtures. In: Hazardous Waste Incineration: Evaluating the Human Health and Environmental Risks. S. Roberts, C. Teaf, and J. Bean eds. CRC Press LLC. pp. 105-148, 1999.

Hertzberg RC. Extrapolation. In: Encyclopedia of Environmetrics, A.H. El-Shaarawi and W.W. Piegorsch, eds. John Wiley and Sons, Ltd., Chichester: 732-739, 2002.

Hertzberg RC and MacDonell, MM. Synergy and other ineffective mixture risk definitions. **The Science of the Total Environment** 288:31-42, 2002.

Hertzberg, RC and Teuschler, L. Evaluating quantitative formulas for dose-response assessment of chemical mixtures. **Environmental Health Perspectives** 110:965-970, 2002.

Himmelstein, MW, Carpenter, SC, Evans, MV, Hinderliter, PM and Kenyon EM. Kinetic modeling of (beta)-chloroprene metabolism: II. The application of physiologically based modeling for cancer dose response analysis. **Toxicological Sciences** 79:28-37, 2004.

Hofstetter, P, Bare, J, Hammitt, J, Murphy, P and Rice, G. Tools for comparative analysis of alternatives: Competing or complementary perspectives? **Risk Analysis** 22:833-851, 2002.

Holland, N, Smith, MT, Eskenazi, B, and Bastaki M. Biological sample collection and processing for molecular epidemiological studies. **Reviews in Mutation Research** 543:217-234, 2003 (NCER).

Hysong, TA, Burgess, JL, Cebrian Garcia, ME and O'Rourke, MK. House dust and inorganic urinary arsenic in two Arizona mining towns. **Journal of Exposure Analysis and Environmental Epidemiology** 13:211-218, 2003 (NCER).

Hore, P, Robson, M, Freeman, N, Zhang, J, Wartenberg, D, Özkaynak, H, Tulve, N, Sheldon, L, Needham, L, Barr, D and Lioy PJ. Chlorpyrifos accumulation patterns for child accessible surfaces and objects and urinary metabolite excretion by children for two-weeks after crack-and-crevice application. **Environmental Health Perspectives** doi:10.1289/ehp.6984, 2004.

Hurst, CH, DeVito, MJ, Setzer, RW and Birnbaum, LS. Acute Administration of 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin (TCDD) in Pregnant Long Evans Rats: Association of Measured Tissue Concentrations with Developmental Effects. **Toxicological Sciences** 53: 411-420, 2000.

Isaacs, KK, Evans, MV and Harris, TR. Visualization-based analysis for a mixed inhibition binary PBPK model: Determination of inhibition mechanism. **Journal of Pharmacokinetics and Pharmacodynamics** 31:215-42, 2004.

Ivancic WA, Nishioka, MG, Barnes, RH and Cohen Hubal EA. Development and evaluation of a quantitative video fluorescence imaging system and fluorescent tracer for measuring transfer of pesticide residues from surfaces to hands with repeated contacts. **Annals of Occupational Hygiene** 48: 519-532, 2004.

Kaminsky, L, Vakharia, D, Zhang, QY and Liu, N. Induction of CYP1A1/1A2 in human hepatocytes: effects of toxic metals. **Drug Metabolism Reviews** 32:242, 2000 (NCER).

Kaminsky, LS. Mechanisms of environmental metal modulation of PAH induction of human CYP1 in vitro. **Drug Metabolism Reviews** 33:144, 2001 (NCER).

Kim, IH, Morisseau, C, Watanabe, T and Hammock, E. Design, synthesis, and biological activity of 1,3-disubstituted ureas as potent inhibitors of the soluble epoxide hydrolase of increased water solubility. **Journal of Medicinal Chemistry** 47:2110-2122, 2004 (NCER).

Knapp, GW, Setzer, RW and Fuscoe JC. Quantitation of aberrant interlocus T-cell receptor rearrangements in mouse thymocytes and the effect of the herbicide 2,4-dichlorophenoxyacetic acid. **Environmental Molecular Mutagenesis** 42: 37-43, 2003.

Lamba, M, Holland, SK, Schmithorst, V, Dardzinski, B, d'Errico, F and Nath, R. Fast high resolution 3D segmented echo planar imaging for dose mapping using a superheated emulsion chamber. **Magnetic Resonance in Medicine** 49:675-681, 2003 (NCER).

Lasky, RE, Widholm, JJ, Crofton, KM and Schantz SL. Perinatal exposure to Aroclor 1254 impairs distortion product otoacoustic emissions (DPOAEs) in rats. **Toxicological Sciences** 68:458-64, 2002.

Lau ,C, Andersen, ME, Crawford-Brown, D, Kavlock, RJ, Kimmel, CA, Knudsen ,TB, Muneoka, K, Rogers, JM, Setzer, RW, Smith, G and Tyl R. Evaluation of biologically based dose-response modeling for developmental toxicity: A workshop report. **Regulatory Toxicology and Pharmacology** 31:190–199, 2000.

Lau, C, Mole, ML Copeland, MF, Rogers, JM, Kavlock, RJ, Shuey, DL, Cameron ,AM, Ellis, DH, Logsdon, TR, Merriman, J and Setzer RW. Toward a biologically based dose-response model for developmental toxicity of 5-fluorouracil in the rat: Acquisition of experimental data. **Toxicological Sciences** 59: 37–48, 2001.

Lau, C, Narotsky, MG, Lui, D, Best, D, Setzer RW, Mann, PG, Wubah, JA and Knudsen, TB. Exposure-disease continuum for 2-chloro-2'-deoxyadenosine (2-CdA), a prototype teratogen: Induction of lumbar hernia in the rat and species comparisons for the teratogenic responses. **Teratology** 66:6–18, 2002.

Lilly, MZ, Sey, YM, Seely, JC, House, DE and Simmons, JE. The influence of gavage vehicle and concurrent exposure to trichloroethylene on chloroform hepatic and renal toxicity. **Journal of Toxicology and Environmental Health**, in press.

Lindstrom, AB, Yeowell-O'Connell, K, Waidyanatha, S, Golding, BT, Tornero-Velez R and Rappaport, SM. Measurement of benzene oxide in the blood of rats following administration of Benzene. **Carcinogenesis** 18:1637-41, 1999.

Lioy, PJ, Edwards, RD, Freeman, N, Gurunathan, S, Pellizzari, E, Adgate, JL, Quackenboss, JJ and Sexton, K. House dust levels of selected insecticides and a herbicide measured by the EL and LWW samplers and comparisons to hand rinses and urine metabolites. **Journal of Exposure Analysis and Environmental Epidemiology** 10:327-340, 2000.

Lipscomb, J, Barton, H, Tornero-Velez, R, Evans, MV, Alcasey, S, Snawder, JE and Laskey J. The metabolic rate constants and specific activity of human and rat hepatic cytochrome P450 2E1 toward chloroform. **Journal of Toxicology and Environmental Health** 67:1-17, 2004.

Lipscomb, JC, Barton, HA, Tornero-Velez, R, Evans, MV, Alcasey, A, Snawder, JE and Laskey, J. The metabolic rate constants and specific activity of hman and rat hepatic cytochrome P450 2E1 toward toluene and chloroform. **Journal of Toxicology and Environmental Health (Part A)** 67:537-553, 2004

Little, SB, Rabinowitz, JR, Wei, P and Yang, A. A comparison of calculated and experimental geometries for crowded polycyclic aromatic hydrocarbons and their metabolites. **Polycyclic Aromatic Compounds** 14:53 – 61, 1999.

Liu, N, Zhang, QY, Vakharia, D, Dunbar, D and Kaminsky, L. Induction of CYP1A by benzo[k]fluoranthene in human hepatocytes. CYP1A1 or CYP1A2? **Archives of Biochemistry and Biophysics** 389:130-134, 2001 (NCER).

Liu SX, Fabisiak, JP, Tyurin, VA, Borisenko, GG, Pitt, BR, Lazo, JS and Kagan, VE. Redox regulation of copper delivery by metallothioneins: reconstitution of apo-superoxide dismutase by nitric oxide-induced copper release. **Chemical Research in Toxicology** 13:922-931, 2000.

Lorber, M, Shapiro, P, Bottimore, D, Schwartz, S, Peck, C and Meng, D. A risk assessment tool for the metal finishing industry. p. 32-39 in, Proceedings: The AESF/EPA Conference for Environmental Excellence. Held January 25-27, 1999, at Lake Buena Vista, Fla. Published by the American Electroplaters and Surface Finishers Society, 12644 Research Parkway, Orlando, FL 32826-3298, 1999.

Lorber, M., Eschenroeder, A and Robinson, R. Testing EPA's ISCST-Version 3 Model on dioxins: A comparison of predicted and observed air and soil concentrations. **Atmos Environment** 34:3995-4010, 2000.

Lorber, M and Pinsky, P. An evaluation of three empirical air-to-leaf models for dioxins. **Chemosphere** 41:931-941, 2000.

Lorber, M, Canter, D and Layland, D. Evaluating terrestrial food chain impacts near sources of dioxin release in EPA risk assessments. **Organohalogen Compounds** 48:264-268, 2000.

Lorber, M. Indirect Exposure Assessment at the United States Environmental Protection Agency. **Toxicology and Industrial Health** 17:145-156, 2001.

Lorber, M. A pharmacokinetic model for estimating exposure of Americans to dioxin-like compounds in the past, present, and future. **Science of the Total Environment** 288:81-95, 2002.

Lorber, M., Barton, R, Winters, D, Bauer, K, Davis, M and Palausky, J. Investigation of the potential release of polychlorinated dioxins and furans from PCP-treated utility poles. **Science of the Total Environment** 290:15-39, 2002.

Lorber, M and Phillips, L. Infant exposure to dioxin-like compounds in breast milk. **Environmental Health Perspectives** 110:A325-A332, 2003.

Lorber, M., Ferrario, J, Byrne, C, Greene, C and Cyrus, A. A study to evaluate the levels of dioxin-like compounds in dairy feeds in the United States. **Organohalogen Compounds** 66: 1958-1965, 2004.

Luderer, U, Tornero-Velez, R, Shay, T, Rappaport, S, Heyer, N and Echeverria, D. Temporal

association between serum prolactin concentration and exposure to styrene. **Occupational and Environmental Medicine** 61:325-33, 2004.

MacIntosh, DL, Needham, LL, Hammerstrom, KA and Ryan, PB. A longitudinal investigation of selected pesticide metabolites in urine. **Journal of Exposure Analysis and Environmental Epidemiology** 9:494-501, 1999.

Madden, EF and Fowler, BA. Mechanisms of nephrotoxicity from metal combinations: a review. **Drug and Chemical Toxicology** 23:1-12, 2000 (NCER).

Madden, EF, Akkerman, M and Fowler, BA. A comparison of 60, 70, and 90 kDa stress protein expression in normal rat NRK-52 and human HK-2 kidney cell lines following in vitro exposure to arsenite and cadmium alone or in combination. **Journal of Biochemical and Molecular Toxicology** 16:24-32, 2002 (NCER).

McCurdy, T and Graham, S. Using human activity data in exposure models: Analysis of discriminating factors. **Journal of Exposure Analysis and Environmental Epidemiology** 13: 294-317, 2003.

McCurdy, T, Graham, G, Smith, L and Lakkadi, Y. The National Exposure Research Laboratory's consolidated human activity database. **Journal of Exposure Analysis and Environmental Epidemiology** 10, 566-578, 2000.

Meadows, SL, Gennings, C, Carter, WH, Jr and Simmons, JE. Analysis of mixtures of drugs/chemicals along a fixed ratio ray without single chemical data to support an additivity model. **Journal of Agricultural, Biological and Environmental Statistics**, in press.

Melnyk, LJ, Berry, MR, Sheldon, LS, Freeman, NC, Pellizzari, ED and Kinman RN. Dietary exposure of children in lead-laden environments. **Journal of Exposure Analysis and Environmental Epidemiology** 10:723-31, 2000.

Michelson, S and Okino, MS. The virtual patient: Capturing patient variability using biosimulation. **Preclinica**: 2, 33-37, 2004.

Moate, TF, Furia, M and Curl, C. Size exclusion chromatographic cleanup for GC/MS determination of organophosphorus pesticide residues in household and vehicle dust. **JAOC International** 85:36-43, 2003 (NCER).

Morgan, MK, Stout, DM and Wilson, NK. Feasibility study of the potential for human exposure to pet-borne diazinon residues following lawn applications. **Bulletin of Environmental Contamination and Toxicology** 66:295-300, 2001.

Moschandreas, DJ, Karuchit, S, Berry, MR, O'Rourke, MK, Lo, D, Lebowitz, MD and

Robertson, G. Exposure apportionment: ranking food items by their contribution to dietary exposure. **Journal of Exposure Analysis and Environmental Epidemiology** 12:233-243, 2002 (NCER).

Moya, J, Howard, C and Corsi R, Volatilization of chemicals from tap water to indoor air while showering with contaminated water. **Environmental Science and Technology** 33: 2321-2327, 1999.

Moya, J and Phillips, L. Analysis of consumption of home-produced foods. **Journal of Exposure Analysis and Environmental Epidemiology** 11: 398-406, 2001.

Moya, J and Phillips, L. Overview of the use of the U.S. EPA exposure factors handbook. **International Journal of Hygiene and Environmental Health**. 205:155-159, 2002.

Moya, J, Bearer, CF and Etzel, R. Children's behavior and physiology and how it affects exposure to environmental contaminants. **Journal of Pediatrics** 113: 996-1006, 2004.

Moya, J. Overview of fish consumption rates in the United States. **Journal of Human and Ecological Risk Assessment**, in press.

Okino, MS and Mavrovouniotis, ML. Simplification of chemical reaction systems by timescale analysis. **Chemical Engineering Communications** 176: 115-131, 1999.

Okino, MS, Snurr, RQ, Kung, HH, Ochs, JE and Mavrovouniotis, ML. A consistent correlation approach to single file diffusion with reaction. **Journal of Chemical Physics** 111: 2210-2221, 1999.

Pratt, GC, Wu, CY, Bock, D, Adgate, JL, Ramachandran, G, Stock, TH, Morandi, M and Sexton K. Comparing air dispersion model predictions with measured concentrations of VOCs in urban communities. **Environmental Science and Technology** 38:1949-1959, 2004 (NCER).

Rabinowitz, FR, Little, SB and Brown, K. Why does 5-methyl chrysene interact with DNA as both a planar and nonplanar polycyclic aromatic hydrocarbon? **International Journal of Quantum Chemistry** 88:99-106, 2001.

Rabinowitz, JR, Little, SB and Gifford, EM. Molecular interaction potentials for the development of structure activity relationships. **Environmental Toxicology and Chemistry** 51: 203-209, 2003.

Rhodes, AG, LeMasters, GK, Lockey, JE, Smith, JW, Yiin, JH, Egeghy, P and Gibson R. The effects of jet fuel on immune cells of fuel system maintenance workers. **Journal of Occupational and Environmental Medicine** 45:79-86, 2003.

Rice, G, Swartout, J, Brady-Roberts, E, Reisman, D, Mahaffey, K and Lyon, B. Characterization

of risks posed by combustor emissions. **Drug and Chemical Toxicology** 22:221-240, 1999.

Rice, G, Swartout, J, Mahaffey, K and Schoeny, R. Derivation of the US EPA's methylmercury oral reference dose (RfD). **Drug and Chemical Toxicology** 23:41-54, 2000.

Rice, G, Wright, JM, Boutin, B, Swartout, J, Rodgers, P, Niemuth, N and Broder, M. Estimating the frequency of tap water exposures to Mycobacterium avium complex in the US population with advanced AIDS. **Journal of Toxicology and Environmental Health**, in press.

Rice, G, Teuschler, LK., Simmons, JE and Hertzberg, RC. Assessing human health risks posed by environmental chemical mixtures. **Encyclopedia of Toxicology**, in press.

Richardson, SD, Simmons, JE and Rice, G. DBPs: The next generation. **Environmental Science and Technology** 36:197A-205A, 2002.

Rigas, ML, Okino, MS and Quackenboss, JJ. Use of a pharmacokinetic model to assess chlorpyrifos exposure and dose in children based on urinary biomarker measurements. **Toxicological Sciences**: 61: 374-381, 2001.

Riley, WJ, McKone, T and Cohen Hubal, E. Estimating contaminant dose for intermittent dermal contact: Model development, testing, and application. **Risk Analysis** 24: 73-85, 2004.

Roegge, CS, Medora, K, Seo, BW, Crofton, KM and Schantz, SL. A comparison of maternal steady-state and gestation-lactation only exposure to Aroclor 1254 on radial-arm maze performance. **Toxicological Sciences** 57:121-130, 2000.

Rogers, JM, Setzer, RW, Branch, S and Chernoff N. Chemically induced supernumerary lumbar ribs in CD-1 mice: size distribution and dose response. **Birth Defects Research** 71:17—25, 2004.

Ross, MK, Said, B and Shank, RC. DNA-damaging effects of genotoxins in mixture: Modulation of covalent binding to DNA. **Toxicological Sciences** 53:224-236, 2000 (NCER).

Said, B, Ross, MK, Hamade, AK, Matsumoto, DC and Shank, RC. DNA-damaging effects of genotoxins in mixture: Nonadditive effects of aflatoxin B-1 and N-acetylaminofluorene on their mutagenicity in Salmonella typhimurium. **Toxicological Sciences** 52:226-231, 1999 (NCER).

Scheerer, JB, Xi, L, Knapp, GW, Setzer, RW, Bigbee, WL and Fuscoe JC. Quantification of illegitimate V(D)J recombinase-mediated mutations in lymphocytes of newborns and adults. **Mutation Research**. 431:291-303, 1999.

Schmithorst, VJ and Holland, SK. Comparison of three methods for generating group statistical inferences from independent component analysis of functional magnetic resonance imaging data, **Journal of Magnetic Resonance Imaging** 19:365-368, 2004 (NCER).

Schmithorst, VJ and Holland, SK. Event related fMRI technique for auditory processing with hemodynamics unrelated to acoustic gradient noise. **Magnetic Resonance in Medicine** 51:399 – 402, 2004 (NCER).

Schmithorst, VJ and Holland, SK. The effect of musical training on the neural correlates of math processing a functional magnetic resonance imaging study in humans. **Neuroscience Letters** 354:193-196, 2004 (NCER).

Schoeffner, DJ, Warren, DA, Muralidhara, S, Bruckner, JV and Simmons, JE. Organ weights and fat volume in rats as a function of strain and age. **Journal of Toxicology and Environmental Health** 56:1449-462, 1999.

Serdar, B, Egeghy, PP, Waidyanatha, S, Gibson, R and Rappaport, SM. Urinary biomarkers of exposure to jet fuel (JP-8). **Environmental Health Perspectives** 111:1760-1764, 2003.

Serdar, B, Egeghy, PP, Gibson, R and Rappaport, SM. Dose-dependent production of urinary naphthols among workers exposed to jet fuel (JP-8). **American Journal of Industrial Medicine** 46:234-44, 2004.

Setzer, RW, Lau, C, Mole, ML, Copeland, FM, Rogers, JM and Kavlock, RJ. Toward a biologically-based dose-response model for developmental toxicity of 5-fluorouracil in the rat: a mathematical construct. **Toxicological Sciences** 59: 49–58, 2001.

Sexton, K, Adgate, JL, Ramachandran, G, Pratt, GC, Mongin, SJ, Stock, TH and Morandi, MT. Comparison of personal, indoor, and outdoor exposures to hazardous air pollutants in three urban communities. **Environmental Science and Technology** 38:423-430, 2004 (NCER).

Sexton, K, Adgate, JL, Mongin, SJ, Pratt, GC, Ramachandran, G, Stock, TH and Morandi, MT. Evaluating differences between measured personal exposures to volatile organic compounds and concentrations in outdoor and indoor air. **Environmental Science and Technology** 38:2593-2602, 2004 (NCER).

Shafer, TJ and Meyer, DA. Effects of pyrethroids on voltage-sensitive calcium channels: a critical evaluation of strengths, weaknesses, data needs, and relationship to assessment of cumulative neurotoxicity. **Toxicology and Applied Pharmacology** 196:303-18, 2004.

Shafer, TJ, Meyer, DA and Crofton, KM. Developmental neurotoxicity of pyrethroid insecticides: Critical review and future research needs. **Environmental Health Perspectives**, in press.

Shaughnessy, DT, Setzer, RW and DeMarini, DM. Effect of the antimutagens vanillin and cinnamaldehyde on the spontaneous mutation spectra of Salmonella TA104. **Mutation Research** 480–481: 55–69, 2001.

Simmons, JE, Teuschler, LK and Gennings, C. The toxicology of disinfection by-products: Methods for multi-chemical assessment, present research efforts and future research needs. In: *Microbial Pathogens and Disinfection By-Products in Drinking Water: Health Effects and Management of Risks*. Eds., Craun, G. F., Hauchman, F. S and Robinson, D. E., ILSI Press, Washington. pp: 325-340, 2001.

Simmons, JE, Boyes, WK, Bushnell, PJ, Raymer, JH, Limsakun, T, McDonald, A, Sey, YM and Evans, MV. A physiologically-based pharmacokinetic model for trichloroethylene in the Long Evans rat. **Toxicological Sciences** 69:3-15, 2002.

Simmons, JE, Richardson, SD, Speth, T, Miltner, RJ, Rice, G, Schenck, K, and Teuschler, LK Development of a research strategy for integrated technology-based toxicology studies on drinking water disinfection by products. **Environmental Health Perspectives** 110 (Suppl 6): 1013-1024, 2002.

Simmons, JE, Teuschler, LK, Gennings, C, Speth, TF, Richardson, SD, Miltner, RJ, Narotsky, MG, Schenck, KD, Hunter, ES III, Hertzberg, RC and Rice, G. Component-based and whole-mixture techniques for addressing the toxicity of drinking-water disinfection-by product mixtures. **Journal of Toxicology and Environmental Health Part A** 67:741-754, 2004.

Simmons, JE, Evans, MV and Boyes, WK. Moving from external exposure concentration to internal dose: duration extrapolation based on physiologically-based pharmacokinetic derived estimates of internal dose. **Journal of Toxicology and Environmental Health**, in press.

Sohn, MD, McKone, TE and Blancato, JN. Reconstructing population exposure from dose biomarkers: Inhalation of trichloroethylene (TCE) as a case study. **Journal of Exposure Analysis** 14): 204-213, 2004.

Spink, D, Wu, SJ, Spink, BC, Katz, BH, Fasco, MJ and Kaminsky, LS. Effects of benzo[a]pyrene and arsenite on CYP1A1 and CYP1B1 mRNA levels in T-47D human breast cancer cells: determination by a branched DNA assay. **Toxicological Sciences** 2001 (NCER).

Spink, DC, Katz, BH, Hussain, MM, Spink, BC, Wu, S, Liu, N, Pause, R and Kaminsky, L. Induction of CYP1A1 and CYP1B1 in T-47D human breast cancer cells by benzo[a]pyrene is diminished by arsenite. **Drug Metabolism and Disposition** 30:262-269, 2002 (NCER).

Stoker, TE, Crofton, KM, Hedge, J, Ferrell, JM, Cooper, RL and Laws, SC. Assessment of DE-71, a commercial polybrominated diphenyl ether (PBDE) mixture, in the EDSP male and female pubertal protocols. **Toxicological Sciences** 78:144-55, 2004.

Stokes, CL, Lewis, AK, Subramanian, K, Klinker II, DJ, Okino, MS and Edelman, JM. A computer model of chronic asthma with application to clinical studies: Example of treatment of exercise-induced asthma. **Journal of Allergy and Clinical Immunology** 107:933, 2001.

Szaflarski, JP, Holland, SK, Schmithorst, VJ, Dunn, RS and Privitera, MD. High resolution functional MRI at 3T in healthy and epilepsy subjects hippocampal activation with picture encoding task. **Epilepsy and Behavior** 5:244-252, 2004 (NCER).

Taylor, MM., Crofton, KM and MacPhail, RC. Schedule-controlled behavior in rats exposed perinatally to the PCB mixture Aroclor 1254. **Neurotoxicology and Teratology** 24:511-518, 2002.

Teuschler, LK, Dourson, M, Stiteler, W, McClure, P and Tully, H. Health risk above the reference dose for multiple chemicals. **Regulatory Toxicology and Applied Pharmacology** 30: S19-26, 1999.

Teuschler, LK, Gennings, C, Stiteler, W, Hertzberg, R, Colman, J, Thiagarajah, A, Lipscomb, J, Hartley, W and Simmons, J. A multiple-purpose design approach to the evaluation of risks from complex mixtures of disinfection by-products (DBPs). **Drug and Chemical Toxicology**. 23:307-321, 2000.

Teuschler, LK, Rice G, Lipscomb, J and Swartout, J. Extrapolation Issues in Human Health Risk Assessment: Methods for Potential Use in Sex-Specific Health Evaluations. Annual Meeting of the American Statistical Association. Indianapolis, IN. Aug. 13-17, 2000. American Statistical Association 2000 Proceedings of the Section on Statistics in Epidemiology and the Health Policy Statistics Sections. pp. 50-59, 2000.

Teuschler, LK, Groten, JP, Hertzberg, RC, Mumtaz, M and Rice, G. Environmental chemical mixtures risk assessment: Current approaches and emerging issues. **Comments on Toxicology** 7:453-493, 2001.

Teuschler, LK, Murphy, P, Rice, G, Cohen, J, Moudgal, C, Bruce, B and Lipscomb, L. Methods to estimate health risk and perform uncertainty analyses for mixtures of disinfection by-products (DBPs). Proceedings of the AWWA 2001 Annual Conf., Washington, DC. WED 23.3 (CD ROM), 2001.

Teuschler, LK and Simmons, JE. Approaching the toxicity of disinfection by-products in drinking water as a mixtures problem. **Journal of the American Water Works Association** 95:131-138, 2003.

Teuschler, LK, Rice, G, Wilkes, C, Lipscomb and Power, FW. A feasibility study of cumulative risk assessment methods for drinking water disinfection by-product mixtures. **Journal of Toxicology and Environmental Health Part A** 64:755-777, 2004.

Teuschler, LK, Hertzberg, RC, Rice, GE and Simmons, JE. EPA Project-level research strategies for chemical mixtures: Targeted research for meaningful results. **Environmental Toxicology and Pharmacology**, in press.

Thomas KW, Pellizzari ED and Berry, MR. Population-based dietary intakes and tap water concentrations for selected elements in the EPA region V National Human Exposure Assessment Survey (NHEXAS). **Journal of Exposure Analysis and Environmental Epidemiology** 9:402-13, 1999.

Tornero-Velez, R, Waidyanatha, S, Echeverria, D and Rappaport, SM. Measurement of styrene-

7,8-oxide and other oxidation products of styrene in air. **Journal of Environmental Monitoring** 2:111-117, 2000.

Tornero-Velez, R and Rappaport, SM. Physiologically modeling of the relative contributions of styrene-7,8-oxide derived from direct inhalation and from styrene metabolism upon the systemic dose in humans. **Toxicological Sciences** 64:151-161, 2001.

Tornero-Velez, R, Waidyanatha, S, Echeverria, D and Rappaport, SM. Determination of styrene and styrene-7,8-oxide in human blood by gas chromatography with positive chemical ionization mass spectrometry. **Journal of Chromatography B Biomedical Science Applied** 757:59-68, 2001.

Tornero-Velez, R, Ross, MK, Granville, C, Laskey, J, DeMarini, DM and Evans, MV. Metabolism and mutagenicity of source water contaminants 1,3-dichloropropane and 2,2-dichloropropane. **Drug Metabolism and Disposition** 32:123-131, 2004.

Vakharia, D, Liu, N, Pause, R, Fasco, M, Bessette, E, Zhang, QY and Kaminsky, LS. Polycyclic aromatic hydrocarbon/metal mixtures: effect on PAH induction of CYP1A1 in human HEPG2 cells. **Drug Metabolism and Disposition** 29:999-1006, 2001 (NCER).

Vakharia, D and Kaminsky, LS. Effect of binary, ternary, and quaternary mixtures of PAHs on CYP1A1 induction in human HepG2 cells. **Toxicological Sciences**, 2001 (NCER).

Vakharia, D, Liu, N, Pause, R, Fasco, M, Bessette, E, Zhang, QY and Kaminsky, LS. Effect of metals on polycyclic aromatic hydrocarbon induction of CYP1A1 and CYP1A2 in human hepatocyte cultures. **Toxicology and Applied Pharmacology** 170:93-103, 2001 (NCER).

Volcik, KA, Shaw, GM, Zhu, H, Lammer, EJ, Laurent, C and Finnell, RH. Associations between polymorphisms within the thymidylate synthase gene and spina bifida. **Birth Defects Research A Clinical Molecular Teratology** 67:924-928, 2003 (NCER).

Volcik, KA, Shaw, GM, Zhu, H, Lammer, EJ and Finnell, RH. Risk factors for neural tube defects: associations between uncoupling protein 2 polymorphisms and spina bifida. **Birth Defects Res A Clinical Molecular Teratology** 67:158-161, 2003 (NCER).

Volcik, KA, Shaw, GM, Lammer, EJ, Zhu, H and Finnell, RH. Evaluation of infant methylenetetrahydrofolate reductase genotype, maternal vitamin use, and risk of high versus low level spina bifida defects. **Birth Defects Res A Clinical Molecular Teratology** 67:154-157, 2003 (NCER).

Volcik, KA, Zhu, H, Shaw, GM, Lammer, EJ, Finnell, RH and Canfield, M. Evaluation of the jumonji gene and risk for spina bifida and congenital heart defects. **American Journal of Medical Genetics** 126:215-217, 4-15-2004 (NCER).

Volcik, KA, Zhu, H, Shaw, GM, Canfield, M, Lammer, EJ and Finnell, RH. Evaluation of the CITED2 gene and risk for spina bifida and congenital heart defects. **American Journal of Medical Genetics** 126:324-325, 4-30-2004 (NCER).

Widholm, JJ, Clarkson, GB, Strupp, BS, Crofton, KM, Seegal, RF and Schantz, SL. Spatial reversal learning in Aroclor 1254-exposed rats: Sex-specific deficits in associative ability and inhibitory control. **Toxicology and Applied Pharmacology** 174:188-98, 2001.

Wilson, VL, Tatford, BC, Yin, X, Rajki, SC, Walsh, MM and LaRock, P. Species-specific detection of hydrocarbon utilizing bacteria. **Journal of Microbiological Methods** 39:59-78, 1999 (NCER).

Wilson, NK, Chuang, JC, Iachan, R, Lyu, C, Gordon, SM, Morgan, MK, Ozkaynak, H and Sheldon, LS. Design and sampling methodology for a large study of preschool children's aggregate exposures to persistent organic pollutants in their everyday environments. **Journal of Exposure Analysis and Environmental Epidemiology** 14:260-74, 2004.

Wu, SJ, Spink, DC, Spink, BC and Kaminsky, LS. Quantitation of CYP1A1 and 1B1 mRNA in polycyclic aromatic hydrocarbon-treated human T-47D and HepG2 cells by a modified bDNA assay using fluorescence detection. **Analytical Biochemistry** 312:162-166, 2003 (NCER).

Wubah , JA, Setzer, RW and Knudsen, TB. Exposure-disease continuum for 2-chloro-2'-deoxyadenosine (2CdA), a prototype ocular teratogen. 1. Dose-response analysis. **Teratology** 4:154-169, 2001.

Zartarian, V, Ozkaynak, H, Burke, J, Zufall, M, Rigas, M and Furtaw, E. A modeling framework for estimating residential exposure and dose to chlorpyrifos via dermal residue contact and nondietary ingestion. **Environmental Health Perspectives** 108: 505-514, 2000.

Zartarian, V, Bahadori, T and McKone, TE. Feature article: Adoption of an official International Society of Exposure analysis glossary. **Journal of Exposure Analysis and Environmental Epidemiology**, in press.

Zhou, T, Ross, DG, DeVito, MJ and Crofton, KM. Effects of short-term in vivo exposures to polybrominated diphenyl ethers on thyroid hormones and hepatic enzymatic activities in weanling rats. **Toxicological Sciences** 61:76-82, 2001.

Zhou, T, Taylor, MM, DeVito, MJ and Crofton, KM. Development exposure to brominated diphenyl ethers results in thyroid hormone disruption. **Toxicological Sciences** 66:105-116, 2002.

Zoeller, RT and Crofton, KM. Thyroid hormone action in fetal brain development and potential for disruption by environmental chemicals. **Neurotoxicology** 21:935-945, 2000.

Long-Term Goal 3

Susceptible Subpopulations

Abdel-Rahman, A, Dechkovskaia, AM, Mehta-Simmons, H, Guan, X, Khan, WA and Abou-Donia, MB. Increased expression of glial fibrillary acidic protein in cerebellum and hippocampus: differential effects on neonatal brain regional acetylcholinesterase following maternal exposure to combined chlorpyrifos and nicotine. **Journal of Toxicology and Environmental Health-Part A** 66:2047-2066, 2003 (NCER).

Abou-Donia, MB, Abdel-Rahman, A, Goldstein, LB, Dechkovskaia, AM, Shah, DU, Bullman, SL and Khan, WA. Sensorimotor deficits and increased brain nicotinic acetylcholine receptors following exposure to chlorpyrifos and/or nicotine in rats. **Archives of Toxicology** 77:452-458, 2003 (NCER).

Adeshina, F and SS Kueberuwa. Endocrine Disruption, Organochlorine Pesticides, and Human Development: An Overview,” In: Environmental Toxicology and Risk Assessment: Standardization of Biomarkers for Endocrine Disruption and Environmental Assessment, 8th Volume ASTM STP 1364, D.S. Henshel, M.C. Black, M.C. Harrass, Eds. West Conshohocken, PA. pp. 271- 285, 1999.

Adgate, JL, Clayton, CA, Quackenboss, JJ, Thomas, KW, Whitmore, RW, Pellizzari, ED, Liroy, PJ, Shubat, P, Stroebel, C, Freeman, NC and Sexton, K. Measurement of multi-pollutant and multi-pathway exposures in a probability-based sample of children practical strategies for effective field studies. **Journal of Exposure Analysis and Environmental Epidemiology** 10: 650-661, 2000 (NCER).

Adgate, JL, Kukowski, A, Stroebel, C, Shubat, PJ, Morrell, S, Quackenboss, JJ, Whitmore, RW and Sexton K. Pesticide storage and use patterns in Minnesota households with children, **Journal of Exposure Analysis and Environmental Epidemiology** 10:159-167, 2000 (NCER).

Adgate, JL, Barr, DB, Clayton, CA, Eberly, LE, Freeman, NC, Liroy, PJ, Needham, LL, Pellizzari, ED, Quackenboss, JJ, Roy, A and Sexton K. Measurement of children's exposure to pesticides: analysis of urinary metabolite levels in a probability-based sample. **Environmental Health Perspectives** 109:583-590, 2001 (NCER).

Adgate, JL, Church, TR, Ryan, AD, Ramachandran, G, Fredrickson, AL, Stock, TH, Morandi, MT and Sexton, K. Outdoor, indoor, and personal exposure to VOCs in children, **Environmental Health Perspectives** 112:1386-1392, 2004 (NCER).

Adgate, JL, Eberly, LE, Stroebel, C, Pellizzari, ED and Sexton, K. Personal, indoor, and outdoor VOC exposures in a probability sample of children, **Journal of Exposure Analysis and Environmental Epidemiology** 14:S4-S13, 2004 (NCER).

Agee, MD and Crocker, TD. Parents' discount rate and the intergenerational transmission of cognitive skills. **Economica** 69:143-154, 2002 (NCER).

Alexis, NE, Lay, JC, Almond, M and Peden, DB. Inhalation of low-dose endotoxin favors local Th2 response and primes airway phagocytes in vivo. **Journal of Allergy and Clinical Immunology** 114:1325-1331, 2004

Alexis, NE, Becker, S, Bromberg, PA, Devlin, R and Peden, DB. Circulating CD11b expression correlates with the neutrophil response and airway mCD14 expression is enhanced following ozone exposure in humans. **Clinical Immunology** 111:126-31, 2004.

Adibi ,J, Perera, FP, Jedrychowski, W, Camaan, D, Barr, D, Jacek, R and Whyatt, RM. Prenatal Exposures to Phthalates in New York City and Krakow, Poland. **Environmental Health Perspectives** 111:1719-1722, 2003.

Anderson HA, Wolff MS, Environmental contaminants in human milk, **Journal of Exposure Analysis and Environmental Epidemiology** 10: 755 – 760, 2000.

Andrew Clayton, C, Pellizzari, ED, Whitmore, RW, Quackenboss, JJ, Adgate, J, and Sexton, K. Distributions, associations, and partial aggregate exposure of pesticides and polynuclear aromatic hydrocarbons in the Minnesota Children's Pesticide Exposure Study MNCPEs **Journal of Exposure Analysis and Environmental Epidemiology** 13:100-111, 2003.

Arbour, NC, Lorenz, E, Schutte, BC, Zabner, J, Kline, JN, Jones, M, Frees, K, Watt, JL and Schwartz, DA. TLR4 mutation is associated with endotoxin hyporesponsiveness in humans. **Nature Genetics** 25:187-191, 2000 (NCER).

Arbuckle, TE, Hrudey, SE, Krasner, SW, Nuckols, JR, Richardson, SD, Singer, P, Mendola, P, Dodds, L, Weisel, C, Ashley, D, Froese, KL, Pegram, R, Schultz, IR, Reif, J, Bachand, AM, Benoit, FM, Lynberg, M, Poole, C and Waller, K. Assessing exposure in epidemiologic studies to disinfection byproducts in drinking water: Report from an international workshop. **Environmental Health Perspectives** 110 (Suppl 1): 53-60, 2002.

Aubrecht, J, Secretan, MB, Bishop, AJR and Schiestl, RH. Involvement of p53 in x-ray induced intrachromosomal recombination in mice. **Carcinogenesis** 20:2229-2236, 1999 (NCER).

Auinger, P, Kalkwarf, HJ, Mansour, M and Lanphear, BP. Trends in otitis media in US children, **Pediatrics** 112:514-520, 2003 (NCER).

Azaroff, LS and Neas, LM. Acute health effects associated with nonoccupational pesticide exposure in rural El Salvador. **Environmental Research** 80:158-64, 1999.

Baraniuk, JN, Naranch, K, Maibach, H and Clauw, D. Irritant rhinitis in allergic, nonallergic, control, and Chronic Fatigue Syndrome populations. **Journal of Chronic Fatigue Syndrome** 7:3-31, 2000 (NCER).

Baraniuk, JN, Naranch, K, Maibach, H and Clauw, D. Tobacco sensitivity in Chronic Fatigue Syndrome. **Journal of Chronic Fatigue Syndrome** 7:33-52, 2000 (NCER).

Barone, S, Jr, Coates, N, Mundy, W, Shafer, T and Tilson, H. Gestational exposure to methylmercury alters the development pattern of trk-like immunoreactivity in the rat brain and results in cortical dysmorphology. **Developmental Brain Research** 109:13-31, 1999.

Barone, S Jr, Das, K, Lassiter, TL and White, L. Vulnerable processes of nervous system development: A review of markers and methods. **Neurotoxicology** 21: 15-36, 2000.

Barr, M, Jr, DeSesso, J M, Lau, CS, Osmond, C, Ozanne, SE, Sadler, TW, Simmons, RA and Sonawane, B. R. Workshop to identify critical windows of exposure for children's health: cardiovascular and endocrine work group summary. **Environmental Health Perspectives**. 108 Suppl 3: 69-571, 2000.

Bai, Z, Yiin, LM, Rich, DQ, Adgate, JL, Ashley, PJ, Liroy, PJ, Rhoads, GG, Zhang, J and Field, R. Evaluation and comparison of five methods of sampling lead dust on carpets. **American Industrial Hygiene Association Journal** 64: 528-532, 2003 (NCER).

Barber, D, Correll, L and Ehrich, M. Comparative effectiveness of organophosphorus protoxicant activating systems in neuroblastoma cells and brain homogenates. **Journal of Toxicology and Environmental Health** 57:63-74, 1999 (NCER).

Barber, D, Correll, L and Ehrich, M. Comparison of two in vitro activation systems for protoxicant organophosphorous esterase inhibitors. **Toxicological Sciences** 47:16-22, 1999 (NCER).

Barr, DB, Barr, JR, Maggio, VL, Whitehead, RD, Sadowski, MA, Whyatt, RM, Needham, LL. A multi-analytical method for the quantification of contemporary pesticides in human serum and plasma using high resolution mass spectrometry **Journal of Chromatography B: Biomedical Sciences** 778: 99-111, 2002 (NCER).

Barton, HA, Deisinger, PJ, English, JC, Gearhart, JM, Faber, WD, Tyler, TR, Banton, MI, Teeguarden, J and Andersen, ME. Risk assessment-family approach for estimating reference concentrations/doses for series of related organic chemicals. **Toxicological Sciences** 54:251-261, 2000

Bates, MN, Selevan, SG, Ellerbee, SM and Gartner, LM. Reporting needs for studies of environmental chemicals in human milk. **Journal of Toxicology and Environmental Health** 65:1967-79, 2002.

Battuello, K, Furlong, C and Fenske, R. Paraoxonase polymorphisms and susceptibility to organophosphate pesticides: Implications for pesticide applicators. In "Human Genome Epidemiology," eds M Khoury, J Little and W Burke Oxford University Press, 2003 (NCER).

Bauman, MD, Lavenex, P, Mason, WA, Capitanio, JP and Amaral, K. The development of mother-infant interactions after neonatal amygdala lesions in rhesus monkeys. **Journal of Neuroscience** 24:711-721, 2004 (NCER).

Bayliss, D and Sonawane, B. Issues for discussion: benzene-induced leukemia--human studies. **Journal of Toxicology and Environmental Health** A61: 467-470, 2000.

Bearer, CF, Linsalata, N, Yomtovian, R, Walsh, M, and Singer, L. Blood transfusions: a hidden source of lead exposure. **Lancet** 362:332-333, 2003 (NCER).

Bearer, CF. Meconium as a biological marker of prenatal exposure. **Ambulatory Pediatrics** 3: 40-43, 2003 (NCER).

Becker, S, WA Clapp, J Quay, KL Frees, HS Koren and Schwartz, DA. Compartmentalization of the inflammatory response to inhaled grain dust. **American Journal of Respiratory and Critical Care Medicine** 160:1309-1999.

Bennett, DH and Furtaw, Jr., EJ. Fugacity-based indoor residential pesticide fate model. **Environmental Science and Technology** 38:2142-2152, 2004.

Berkowitz, GS, Wolff, MS, Janevic, TM, Holzman, IR, Yehuda, R and Landrigan, PJ. The World Trade Center disaster and intrauterine growth restriction. **Journal of The American Medical Association** 290:595-596, 2003 (NCER).

Berkowitz, GS, Wolff, MS, Matte, T, Susser, E and Landrigan, PJ. The rationale for a national prospective cohort study of environmental exposure and childhood development. **Environmental Research** 95:59-68, 2001 (NCER).

Berlin, CM, Jr, LaKind, JS, Sonawane, BR, Kacew, S, Borgert, C, Bates, M, Birnbach, N, Campbell, R, Dermer, A, Dewey, K, Ellerbee, S, Furst, P, Giacoia, G, Gartner, L, Groer, M, Haynes, S. G., Humerick, S. S., Lawrence, R. A., Lorber, M., Lovelady, C., Mason, A., Needham, L, Picciano, M., Plautz, J, Ryan, J, Selevan, S, Sumaya, C, Tully, M, Uhl, K, Vesell, E and Wilson, J. Conclusions, research needs, and recommendations of the expert panel: technical workshop on human milk surveillance and research for environmental chemicals in the United States. **Journal of Toxicology and Environmental Health** A65: 1929-1935, 2002.

Betensky, RA, Lindsey, JC, Ryan, LM and Wand MP. Local EM estimation of the hazard function for interval censored data. **Biometrics** 55:238-245, 1999.

Birak, PS, Yurk, J, Adeshina, F, Pollard, K, Lorber, L, Kroner, S and Choudhury, H. Travis and Arms revisited: A second look at a widely used bioconcentration algorithm. **Toxicology and Industrial Health** 17: 163-175, 2001.

Bishop, AJR, Kosaras, B, Sidman, RL and Schiestl, RH. Benzo(a)pyrene and x-rays induce reversions of the pink-eyed unstable mutation in the retinal pigment epithelium of mice. **Mutation Research** 457:31-40, 2000 (NCER).

Bishop, AJR, Kosaras, B, Carls, N, Sidman, RL and Schiestl, RH. Susceptibility of proliferating cells to benzo(a)pyrene induced homologous recombination in mice. **Carcinogenesis** 22:641-649, 2001 (NCER).

Bostwick, DG, Burke, HB, Djakiew, D, Euling, S, Ho, SM, Landolph, J, Morrison, H, Sonawane, B, Shifflett, T, Waters, DJ and Timms, B. Human prostate cancer risk factors. **Cancer** 19:101 (S10) 2371-2490, 2004.

Bogdanffy, MS, Sarangapani, R, Plowchalk, DR, Jarabek, AM and Andersen, ME. A biologically-based risk assessment for vinyl-acetate induced cancer and noncancer toxicity. **Toxicological Sciences** 51:19–35, 1999.

Bradman, A, Eskenazi, B, Sutton, P, Athanasoulis, M and Goldman LR. Iron deficiency associated with higher blood lead in children living in contaminated environments. **Environmental Health Perspectives** 109:1084-2001, 2001 (NCER).

Branum, AM, Collman, GW, Correa A, Keim, SA, Kessel W, Kimmel CA, Klebanoff, MA, Longnecker MP, Mendola P, Rigas M, Selevan, SG, Scheidt, PC, Schoendorf, K, Smith-Khuri, E and Yeargin-Alsopp, M. The National Children's Study of environmental effects on child health and development. **Environmental Health Perspectives** 111:642-646, 2003.

Brauer, J., Hrubá, F, Mihailikova, E, Fabianova, E, Miskovic, P, Plzikova, A, Lendacka, M, Vandenberg, J and Cullen, A. Personal exposure to particles in Banska Bystrica, Slovakia. **Journal of Exposure Analysis and Environmental Epidemiology** 10: 478-487, 2000.

Brenner, BL, Markowitz, S, Rivera, M, Romero, H, Weeks, M, Sanchez, E, Deych, E, Garg, A, Godbold, J, Wolff, MS, Landrigan, PJ and Berkowitz, G. Integrated pest management in an urban community: a successful partnership for prevention. **Environmental Health Perspectives** 111:1164 -1653, 2003 (NCER).

Breyse, P, Farr, N, Galke, W, Morley, R, Lanphear, BP and Bergofsky, L. The relationship between housing and health children at risk. **Environmental Health Perspectives**. 112:1583 – 1588, 2004 (NCER).

Brinkman, NE, Haugland, RA, Wymer, LJ, Byappanahalli, M, Whitman, RL and Vesper, SJ. Evaluation of a rapid, quantitative real-time PCR method for cellular enumeration of pathogenic *Candida* species in water. **Applied and Environmental Microbiology** 69:1775-1782, 2003.

Britton, JA, Wolff, MS, Lapinski, R, Forman, J, Hochman, S, Kabat, GC, Godbold, J, Larson, S and Berkowitz, GS. Characteristics of pubertal development in a multi-ethnic population of nine-year-old girls. **Annals of Epidemiology** 14:179- 187, 2004 (NCER).

Brophy, VH, Jarvik, GP and Richter, RJ. Analysis of paraoxonase (PON1) L55M status requires both genotype and phenotype. **Pharmacogenetics** 10: 453 – 460, 2000 (NCER).

Brophy, VH, Jampsa, RL, Clendenning, JB and McKinstry, LA. Effects of 5' regulatory-region polymorphisms on paraoxonase-gene (PON1) expression. **American Journal of Human Genetics**. 68: 1428-1436, 2001 (NCER).

Brophy, VH, Hastings, MD, Clendenning, JB and Richter, RJ. Polymorphisms in the human paraoxonase (PON1) promoter. **Pharmacogenetics** 11:77- 84, 2001 (NCER).

Brophy, VH, Jarvik, GP and Furlong, CE. PON 1 polymorphisms , In "Paraoxonase (PON1) in Health and Disease: Basic and Clinical Aspects," eds L Costa and C Furlong Kluwer Academic Press, 2002 (NCER).

Brown, KW, Little, SB and Rabinowitz, JR. Benzo[a]pyrene and Benzo[c]phenanthrene: The effect of structure on the binding of water molecules to the diol epoxides. **Chemical Research in Toxicology** 15:1069-1079, 2002.

Brzezicki, JM, Tessari, JD, Andersen, ME and Cranmer, BK. Quantitative identification of atrazine and its chlorinated metabolites in plasma. **Journal of Analytical Toxicology** 27:569-573, 2003 (NCER).

Buck, GM, Vena, JE, Mendola, P, Schisterman, EF, Sever, LE, Fitzgerald, E, Kostyniak, PJ, Greizerstein, H and Olson, JR. Parental consumption of polychlorinated biphenyl contaminated sport fish from Lake Ontario and reduced fecundability. **Epidemiology** 11: 388-393, 2000

Buck, RJ, Özkaynak H, Xue J, Zartarian VG and Hammerstrom K. Modeled estimates of chlorpyrifos exposure and dose for the Minnesota and Arizona NHEXAS populations. **Journal of Exposure Analysis and Environmental Epidemiology** 11:253-268, 2001.

Buck, GM, Vena, JE, Greizerstein, HB, Weiner, JM, McGuinness, B, Mendola, P, Swanson, M, Bloom, MS and Olson, JR. PCB congeners and pesticides and female fecundity, New York State Angler Prospective Pregnancy Study. **Environmental Toxicology and Pharmacology** 12: 83-92, 2002.

Buck, GM, Lynch, CD, Stanford, JB, Sweeney, AM, Schieve, LA, Rockett, JC, Selevan, SG and Schrader, SM. Prospective pregnancy study designs for assessing reproductive and developmental toxicants. **Environmental Health Perspectives** 112:79-86, 2004.

Buck, GM, Weiner, JM, Whitcomb, BW, Sperrazza, R, Schisterman, EF, Lobdell, DT, Crickard, K, Greizerstein, H and Kostyniak PJ. Environmental PCB exposure and risk of endometriosis. **Human Reproduction**, in press.

Burbacher, TM and Grant, KS. Methods for studying nonhuman primates in neurobehavioral toxicology and teratology. **Neurotoxicology and Teratology** 22:475–486, 2000 (NCER).

Burke, JM, Zufall MJ and Özkaynak H. A population exposure model for particulate matter: case study results for PM_{2.5} in Philadelphia, PA. **Journal of Exposure Analysis and Environmental Epidemiology** 11:470-489, 2001.

Butler, CD, Corvalan, C and Koren, H. Human health and well-being in global ecological scenarios. **Ecosystems**, in press.

Calderón-Garcidueñas, L, Mora-Tiscareño, A, Foreham, L, Chung, C, Garcia, R, Osnaya, N, Hernandez, J, Acuña, H, Gamblin, T, Villarreal-Calderón, A, Carson, J, Koren, H and Devlin, R. Canines as sentinel species for assessing chronic exposures to air pollutants. Part I. Respiratory Pathology. **Toxicological Sciences** 61:342-355, 2001.

Cancel, AM, Lobdell, DT, Mendola, P and Perreault, SD. Objective Evaluation of Hyperactivated Motility in Rat Spermatozoa Using Computer-Assisted Sperm Analysis. **Human Reproduction** 15:1322-1328, 2000.

Canfield, RL, Henderson, CR, Cory Slechta, DA, Cox, C, Jusko, TA and Lanphear, BP. Intellectual impairment in children with blood lead concentrations below 10 micrograms per deciliter. **New England Journal of Medicine** 348:1517-1526, 2003 (NCER).

Carlton, E, Moats, HL, Feinberg, M, Shepard, P, Garfinkel, R, Whyatt, RM and Evans, D. Pesticide sales in low-income, minority neighborhoods: A survey by the Columbia Center for Children's Environmental Health and its community partners. **Journal of Community Health** 29: 231 – 44, 2004 (NCER).

Carmichael, SL, Shaw, GM, Wang, W and Lammer, EJ. Maternal periconceptional alcohol consumption and risk of conotruncal heart defects. **Birth Defects Research A Clinical and Molecular Teratology** 67:875-878, 2003 (NCER).

Castorina, R and Woodruff, TJ. Assessment of potential risk levels associated with EPA reference values. **Environmental Health Perspectives** 111: 1318 – 1325, 2003 (NCER).

Castorina, R, Bradman, A, McKone, TE, Barr, DB, Harnly, ME and Eskenazi, B. Cumulative organophosphate pesticide exposure and risk assessment among pregnant women living in an agricultural community: a case study from the CHAMACOS cohort. **Environmental Health Perspectives** 111: 1640 – 1648, 2003 (NCER).

Cecil, KM, DeGrauw, TJ, Salomons, GS, Jakobs, C, Egelhoff, JC and Clark, JF. Magnetic resonance spectroscopy in a 9 dayold heterozygous female child with creatine transporter deficiency. **Journal of Computer Assisted Tomography** 27:44-47, 2003 (NCER).

Chanda, SM, Lassiter, TL, Moser, VC, Barone, S Jr and Padilla S. Tissue carboxylesterases and chlorpyrifos toxicity in the developing rat. **Human Ecology and Risk Assessment** 8:75-90, 2002.

Chang, JCS, Guo, Z, Fortmann, R and Lao, H. Characterization and Reduction of Formaldehyde Emissions from a Low-VOC Latex Paint. **Indoor Air** 12:10-16, 2002.

Chapman, RS, Hadden, WC and Perlin, SA. Influences of Asthma and Household Environment on Lung Function of Children and Adolescents: The Third National Health and Nutrition Examination Survey. **American Journal of Epidemiology** 158: 175-189, 2003.

Charlap, JH, Craig, RC, O'Hara, MF and Knudsen, TB. Toxicogenomic characterization of a biological threshold in developmental toxicity. **Teratology** 63:281, 2001(NCER).

Charlap, JH, Nemeth, KR, Craig, RC and Knudsen, TB. Microarray analysis of gene expression in the mouse embryonic headfold following exposure to Bzrp ligands. **Teratology** 65:333, 2002 (NCER).

Chen, D, Cho, SI, Chen, C, Wang, X, Damokosh, A, Smith, TJ, Christiani, DC and Xu, X. Benzene exposure, occupational stress, and reduced birthweight. **Occupational and Environmental Medicine** 57:661-667, 2000 (NCER).

Chen, W and Hunninghake, GW. Effects of ragweed and TH-2 cytokines on the secretion of IL-8 by human airway epithelial cells. **Experimental Lung Research** 26:229-239, 2000 (NCER).

Chen, W, Monick, MM, Carter, AB and Hunninghake, GW. Activation of ERK2 by respiratory syncytial virus in A549 cells is linked to the production of Interleukin 8. **Experimental Lung Research** 6:13-26, 2000 (NCER).

Chew, GL, Perzanowski, MS, Miller, RL, Correa, JC, Hoepner, LA, Jusinom CM, Beckerm MG and Kinney, PL. Distribution and determinants of mouse allergen exposure in low-income New York City apartments. **Environmental Health Perspectives** 111: 1348 – 1351, 2003 (NCER).

Clark, NM, Brown, RW, Parker, E, Robins, TG, Remick, Jr, DG, Philbert, MA, Keeler, GJ and Israel, BA. Childhood asthma. **Environmental Health Perspectives** 107:421-429, 1999 (NCER).

Claudio, L, Tulton, L, Doucette, J and Landrigan, PJ. Socioeconomic factors and asthma hospitalization rates in New York City. **Journal of Asthma** 36: 343 – 350, 1999 (NCER).

Claudio, L, Bearer, CF and Wallinga, D. Assessment of the US Environmental Protection Agency methods for identification of hazards to developing organisms, Part I: The reproduction and fertility testing guidelines. **American Journal of Industrial Medicine** 35: 543 – 553, 1999 (NCER).

Claudio, L, Bearer, CF and Wallinga, D. Assessment of the US Environmental Protection Agency methods for identification of hazards to developing organisms, Part II: The developmental toxicity testing guideline. **American Journal of Industrial Medicine** 35: 554 – 563, 1999 (NCER).

Claudio, L, Kwa, WC, Russell, AL and Waalinga, D. Testing methods for developmental neurotoxicity of environmental chemicals. **Toxicology and Applied Pharmacology** 164: 1 – 14, 2000 (NCER).

Clayton, CA, Mosquin, PL, Pellizzari, ED and Quackenboss, JJ. Limitations on the uses of multimedia exposure measurements for multipathway exposure assessment–Part I: Handling observations below detection limits. **Quality Assurance**, in press.

Clayton, CA, Michael, L, Pellizzari, ED and Quackenboss, JJ. Limitations on the uses of multimedia exposure measurements for multipathway exposure assessment–Part II: Effects of missing data and imprecision. **Quality Assurance**, in press.

Cohen-Hubal, EA, Sheldon, LS, Burke, JM, McCurdy, TR, Berry, MR, Rigas, ML, Zartarian, VG and Freeman, NCG. Children's exposure assessment: A review of factors influencing children's exposure, and the data available to characterize and assess that exposure. **Environmental Health Perspectives** 108:475-486, 2000.

Cohen Hubal, EA, Sheldon, LS, Zufall, MJ, Burke, JM and Thomas, K. The challenge of assessing children's residential exposure to pesticides. **Journal of Exposure Analysis and Environmental Epidemiology** 10:638-649, 2000.

Coscia, JM, Ris, MD, Succop, P and Dietrich, KN. Neurodevelopment of lead exposed children from ages 6 to 15 years an application of growth curve analysis. **Child Neuropsychology** 9: 10 – 21, 2003 (NCER).

Costa, LG. The emerging field of ecogenetics. **Neurotoxicology** 21: 85 – 89, 2000 (NCER).

Costa, LG, Guizzetti, M and Lu, H. Intracellular signal transduction pathways as targets for neurotoxicants. **Toxicology** 160: 19 – 26, 2001 (NCER).

Costa, L. Pesticide exposure: differential risk for neurotoxic outcomes due to enzyme polymorphisms. **Clinical and Occupational Environmental Medicine** 1: 511 – 523, 2001 (NCER).

Costa, LG, Li, WF and Richter, RJ. The role of paraoxonase (PON1) in the detoxication of organophosphates and its human polymorphism. **Chemical and Biological Interactions** 119: 429 – 438, 1999 (NCER).

Costa, LG, Li, WF and Shih, DM. PON1 and organophosphate toxicity, In "Paraoxonase (PON1) in Health and Disease: Basic and Clinical Aspects" eds L Costa and C Furlong Kluwer Academic Press, 2002 (NCER).

Costa, LG and Furlong, CE. Perspectives in PON1 research, In "Paraoxonase (PON1) in Health and Disease: Basic and Clinical Aspects" eds L Costa and C Furlong Kluwer Academic Press, 2002 (NCER).

Costa, LG, Guizzetti, M and Burry, M. Developmental neurotoxicity: do similar phenotypes indicate a common mode of action? A comparison of fetal alcohol syndrome, toluene embryopathy and maternal phenylketonuria. **Toxicological Letters** 127: 197 – 205, 2002 (NCER).

Creason, J, Neas, L, Shy, C, Williams, R, Sheldon, L, Liao, D and Walsh, D. Particulate matter and heart rate among elderly retirees: The Baltimore 1998 PM study. **Journal of Exposure Analysis and Environmental Epidemiology** 11:116-122, 2001.

Crofton, KM Taylor, MS, Kodavanti, P, Kehn, L and Derr-Yellin, E. Hearing loss following exposure during development to polychlorinated biphenyls: A cochlear site of action. **Hearing Research** 144:196-204, 2000.

Crofton, KM, Makris, SL, Sette, W, Mendez, E and Raffaele, K. A qualitative retrospective analysis of positive control data in developmental neurotoxicity studies. **Neurobehavioral Toxicology and Teratology** 26:345-352, 2004.

Crumpton, TL, Atkins, D, Zawia, N, and Barone S. Jr., Lead exposure in pheochromocytoma (PC12) cells alters neural differentiation and Sp1 DNA-binding. **NeuroToxicology** 22:49-62, 2001.

Coussons-Read, ME, Daniels, M and Gilmour, MI. Morphine reduces pulmonary inflammation in response to influenza virus infection. **Life Sciences**.65: 1141-1152, 1999.

Curl, CL, Fenske, RA, Kissel, JC, Shirai, JH, Moate, TF, Griffith, W, Coronado, G and Thompson, B. Evaluation of take-home organophosphorus pesticide exposure among agricultural workers and their children. **Environmental Health Perspectives** 110: A787 - A792, 2002

(NCER).

Curl, CL, Fenske, RA and Elgethun, K. Organophosphorus pesticide exposure of urban and suburban preschool children with organic and conventional diets. **Environmental Health Perspectives** 111: 377 – 382, 2003 (NCER).

Daniels, MJ, Selgrade, MJK, Doerfler, D and Gilmour, M.I. Kinetic profile of influenza virus infection in three different rat strains. **Comparative Medicine** 53: 293-298, 2003.

Das, KP and Barone S. Jr. Neuronal differentiation in PC12 cells is inhibited by chlorpyrifos or its metabolites: Is acetylcholinesterase inhibition the site of action? **Toxicology and Applied Pharmacology** 160:217-230, 1999.

Das, K, Chao, S, White, LD, Haines, W, Tilson, HA, Harry, J and Barone, S Jr. Differential patterns of nerve growth factor, brain derived growth factor, and NT-3 mRNA and protein levels in developing regions of the rat brain. **Neuroscience** 103:739-761, 2000.

Daston, G, Faustman, E, Ginsberg, G, Fenner-Crisp, P, Olin, S, Sonawane, B, Bruckner, J, Breslin, W and McLaughlin, TJ. A framework for assessing risks to children from exposure to environmental agents. **Environmental Health Perspectives** 112:238-256, 2004.

Dean, TR, Betancourt, D and Menetrez, MY. A rapid DNA extraction method for PCR identification of fungal indoor air contaminants. **Journal of Microbiological Methods** 56:431-434, 2004.

Dearry AD, Collman GW, Saint C, Fields N and Redd S. Introduction: Building a Network of Research in Children's Environmental Health. **Environmental Health Perspectives** 107 (Suppl 3):391-392, 1999.

Dejmek, J, Selevan, SG, Beneš, I, Solansky, I and Šrám, R. Fetal growth and maternal exposure to particulate matter during pregnancy. **Environmental Health Perspectives** 107: 475-80, 1999.

DeMarini, DM, Shelton, ML, Kohan, MJ, Hudgens, EE, Kleindienst, TE, Ball, LM, Walsh, JR, de Boer, J, Lewis-Bevan, L, Rabinowitz, JR, Claxton, LD and Lewtas, J. Mutagenicity in lung of big blue mice and induction of tandem-base substitutions in salmonella by the air pollutant peroxyacetyl nitrate (PAN): predicted formation of intrastrand cross-links. **Mutation Research** 457:41-55, 2000.

DeMarini, DM, Brooks, LT., Warren, SH., Kobayashi, T., Gilmour, MI and Singh, P. Bioassay directed fractionation and salmonella mutagenicity of automobile and forklift diesel exhaust particles. **Environmental Health Perspectives** 112: 814-819, 2004.

DeVito, M, Biegel, L, Brouwer, A, Brucker-Davis, F, Cheek, A, Christensen, R, Colborn, T, Cooke, P, Crissman, J, Crofton, K, Doerge, D, Gray, E, Hauser, P, Hurley, P, Kohn, M, Lazar, J, McMaster, S, McClain, M, McConnell, E, Meier, C, Miller, R, Tiege, J and Tyle, R.

Screening methods for thyroid hormone disruptors. **Environmental Health Perspectives** 107:134-144 1999.

Devlin, RB, Becker, SE, Madden, M, Horstman, D, Koren, H, Hatch, G and Biscardi, F. Inflammatory Response in Humans Exposed to 2.0 ppm Nitrogen Dioxide. **Inhalation Toxicology** 11:89-109, 1999.

Dewoskin, RS, Barone S Jr., Clewell, H and Setzer, RW. Improving the development and use of biologically based dose response models (BBDR) in risk assessment. **Human and Ecological Risk Assessment** 7:1091-1120, 2001.

Dick, CA, Singh, P, Daniels MJ, Evansky, PA, Becker,S and Gilmour MI. Murine pulmonary inflammatory responses following instillation of size fractionated ambient particulate matter. **Journal of Toxicology and Environmental Health** 66:2193-2208, 2003.

Dickie, M and Gerking, S. "Parents' valuation of latent health risks to their children," In: Risk and Uncertainty in Environmental and Natural Resource Economics. Wesseler, J, Weikard, H-P and Weaver, R, Eds. Edward Elgar, Northhampton, MA. pp.251-278, 2003 (NCER).

Doi, AM, Patterson, P and Gallagher, EP. Variability in aflatoxin B₁-macromolecular binding and relationship to biotransformation enzyme expression in human prenatal and adult liver. **Toxicology and Applied Pharmacology** 181:48-59, 2002 (NCER).

Donaldson, K, Gilmour, MI and MacNee, W. Asthma and PM10. **Respiratory Research** 1:1-4, 2000.

Dong, W, Kari, FW, Selgrade, MJK and Gilmour, MI. Attenuated allergic responses to house dust mite antigen in feed restricted rats. **Environmental Health Perspectives**108: 1125-1131, 2000.

Dong, W, Selgrade. MJK and Gilmour, MI. Systemic administration of *B pertussis* enhances pulmonary sensitization to house dust mite in juvenile rats. **Toxicological Sciences** 72: 113-121 2003.

Donnelly, LF, O'Brien, KJ, Dardzinski, BJ, Poe, SA, Bean, JA, Holland, SK, andDaniels, SR. Using a phantom to compare MR techniques for determining the ratio of intraabdominal to subcutaneous adipose tissue. **American Journal of Roentgenology**180: 993 – 998, 2003 (NCER).

Eldridge, MW and Peden, DB. Allergen provocation augments endotoxin-induced nasal inflammation in atopic asthmatics. **Journal of Allergy and Clinical Immunology**105:475-481, 2000.

Elgethun, K, Fenske RA and Yost, MG. Time-location analysis for exposure assessment studies of children using a novel global positioning system instrument. **Environmental Health Perspectives** 111:115–122, 2003 (NCER).

Eskenazi, B and Bradman, A. A longitudinal investigation of pesticides and allergen exposures to children living in agricultural communities in California. **Urban Health and Development Bulletin** 4: 33 – 44, 2001 (NCER).

Eskenazi, B and Landrigan, PJ. Environmental Health Perspectives and children's environmental health. **Environmental Health Perspectives** 110: A559 - A560, 2002 (NCER).

Eskenazi, B, Mocarelli, P, Warner, M, Samuels, S, Vercellini, P, Olive, D, Needham, L, Patterson, D and Brambilla, P. Seveso Women's Health Study: a study of the effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin on reproductive health. **Chemosphere** 40:1247-1253, 2000 (NCER).

Eskenazi, B, Mocarelli, P, Warner, M, Samuels, S, Needham, L, Patterson, D, Brambilla, P, Gerthoux, P, Turner, W, Casalini, S and Cazzaniga, M. Seveso women's health study: does zone of residence predict individual TCDD exposure? **Chemosphere** 43:937-942, 2001 (NCER).

Eskenazi, B and Castorina, R. Association of prenatal maternal or postnatal child environmental tobacco smoke exposure and neurodevelopmental and behavioral problems in children. **Environmental Health Perspectives** 107:991-1000, 1999 (NCER).

Eskenazi, B, Bradman, A and Castorina, R. Exposures of children to organophosphate pesticides and their potential adverse health effects. **Environmental Health Perspectives** 107:409-419, 1999 (NCER).

Eskenazi, B, Bradman, A, Gladstone, E, Jaramillo, S, Birch, K and Holland, N. CHAMACOS, a longitudinal birth cohort study: Lessons from the fields. **Journal of Children's Health** 1: 3 – 28, 2003 (NCER).

Evans, GF, Highsmith, VR, Sheldon, LS, Suggs, JC., Williams, RW, Zweidinger, RB., Creason, J, Walsh, D., Rodes, CE and Lawless, PA. The 1999 Fresno particulate matter exposure studies: comparison of community, outdoor, and residential PM mass measurements. **Journal of the Air and Waste Management Association** 50:1887-1896, 2000.

Evans, D, Fullilove, MT, Green, L and Levison, M. Awareness of environmental risks and protective actions among minority women in Northern Manhattan. **Environmental Health Perspectives** 110: 271 – 275, 2002 (NCER).

Evans, MJ, Fanucchi, MV, Van, W, Baker, GL, Murphy, AE, Nishio, SJ, Sannes, PL and Plopper, CG. Fibroblast growth factor-2 during postnatal development of the tracheal basement membrane zone. **American Journal of Physiology-Lung Cellular and Molecular Physiology** 283:L1263-L1270, 2001 (NCER).

Evans, ME, Van, W, Fanucchi, MV and Plopper, CG. Cellular and molecular characteristics of basal cells in airway epithelium. **Experimental Lung Research** 27:401-415, 2001 (NCER).

Farkas, T, Thornton, SA, Wilton, N, Zhong, W, Altaye, M and Jiang X. Homologous versus heterologous immune responses to Norwalklike viruses among crew members after acute gastroenteritis outbreaks on 2 US Navy vessels. **Journal of Infectious Diseases** 187:187-193,

2003 (NCER).

Farquhar, SA, Parker, EA, Israel, BA and Schulz, AS. The effects of the physical environment on health and well-being in residents of eastside and southwest Detroit, Michigan. **Journal of Environmental Psychology**, 2003 (NCER).

Faustman, EM, Lewandowski, TA, Ponce, RA and Bartell, SM. Biologically based dose-response models for developmental toxicants: lessons from methylmercury. **Inhalation Toxicology** 11:101-114, 1999 (NCER).

Faustman, EM, Silbernagel, SM and Fenske, RA. Mechanisms underlying children's susceptibility to environmental toxicants. **Environmental Health Perspectives** 108: 13 – 21, 2000 (NCER).

Fenske, R. Organophosphates and the risk cup. **Agrichemical and Environmental News** November, 1999 (NCER).

Fenske, R. Pesticide exposure and children Part 1: Why focus on kids? **Agrichemical and Environmental News** February, 2000 (NCER).

Fenske, R. Pesticide exposure and children Part 3: Estimating Doses. **Agrichemical and Environmental News** June, 2000 (NCER).

Fenske, R. Pesticide exposure and children Part 2: Children in agricultural communities. **Agrichemical and Environmental News** March, 2000 (NCER).

Fenske, RA, Lu, C, Simcox, NJ, Loewenherz, C, Touchstone, J, Moate, TF, Allen, EH and Kissel, JC. Strategies for assessing children's organophosphorus pesticide exposures in agricultural communities. **Journal of Exposure Analysis and Environmental Epidemiology** 10: 662 – 671, 2000 (NCER).

Fenske, RA, Kissel, JC and Lu, C. Biologically based pesticide dose estimates for children in an agricultural community. **Environmental Health Perspectives** 108: 515 – 520, 2000 (NCER).

Fenske, RA, Lu, C and Simcox, NJ. Strategies for assessing children's organophosphorus pesticide exposures in agricultural communities. **Journal of Exposure Analysis and Environmental Epidemiology** 10: 662 – 671, 2000 (NCER).

Fenske, RA, Kedan, G and Lu, C. Assessment of organophosphorous pesticide exposures in the diets of preschool children in Washington state. **Journal of Exposure Analysis and Environmental Epidemiology** 12: 21 – 28, 2002 (NCER).

Fenske, R, Lu, C and Barr, D. Children's exposure to chlorpyrifos and parathion in an agricultural community in central Washington state. **Environmental Health Perspectives** 110: 549 – 553,

2002 (NCER).

Fenske ,RA, Kedan, G, Lu, C, Fisker-Andersen, JA and Curl, CL. Assessment of organophosphorus pesticide exposures in the diets of preschool children in Washington State. **Journal of Exposure Analysis and Environmental Epidemiology** 12: 21 – 28, 2003 (NCER).

Fenske, RA, Kissel, JC, Shira,i JH, Curl, CL and Galvin K. Agricultural task not predictive of children's exposure to OP pesticides. **Environmental Health Perspectives** 112: A865 - A866, 2004 (NCER).

Fenster, L, Waller, K, Windham, G, Henneman, T, Anderson, M, Mendola, P, Overstreet, JW and Swan, S. Trihalomethane levels in home tap water and semen quality. **Epidemiology** 14:650-658, 2003.

Freeman, NC, Lioy, PJ, Pellizzari, E, Zelon, H, Thomas, K, Clayton and Quackenboss, JJ. Responses to the region 5 NHEXAS time/activity diary. NHEXAS. **Journal of Exposure Analysis and Environmental Epidemiology** 9:414-426, 1999.

Freeman, NC, Jimenez, M, Reed, KJ, Gurunathan, S, Edwards, RD, Roy, A, Adgate ,JL, Pellizzari, ED, Quackenboss, J, Sexton, K and Lioy PJ. Quantitative analysis of children's microactivity patterns The Minnesota Children's Pesticide Exposure Study. **Journal of Exposure Analysis and Environmental Epidemiology** 11: 501 – 509, 2001 (NCER).

Foarde, KK and Menetrez, M. Evaluating the potential efficacy of three antifungal sealants of duct liner and galvanized steel as used in HVAC systems. **Journal of Industrial Microbiology and Biotechnology** 29:38-43, 2002.

Fortmann, RC, Sheldon, LS, Cohen Hubal, EA, Morgan, MK, Stout, DM, Thomas, KW, Tulve, NS and Whitaker, D.A. The EPA National Exposure Research Laboratory Children's Pesticide Exposure Measurement Program. **Indoor Air** 4:888-893, 2002.

Fullilove, M. Links between the social and physical environments. **Pediatric Clinics of North America, Review** 48: 1253 – 1266, 2001 (NCER).

Furlong , CE. PON1 status and neurologic symptom complexes in Gulf War veterans. **Genome Research** 10: 153 – 155, 2000 (NCER).

Furlong, CE, Li, WF and Richter, RJ Genetic and temporal determinants of pesticide sensitivity: role of paraoxonase (PON1). **NeuroToxicology** 21: 91 – 100, 2000 (NCER).

Furlong, CE, Li ,WF and Brophy,VH. The PON1 gene and detoxication. **NeuroToxicology** 21: 581 – 587, 2000 (NCER).

Furlong, C, Cole, T and Jarvik, G. Pharmacogenomic considerations of the paraoxonase

polymorphisms. **Pharmacogenomics** 3: 341 – 348, 2002 (NCER).

Furlong ,C, Li ,W and Shih, A. Genetic factors in susceptibility: Serum PON1 variation between individuals and species. **Human and Ecological Risk Assessment** 8: 1 – 6, 2002 (NCER).

Furtaw, Jr, EJ. An overview of human exposure modeling activities at the USEPA's National Exposure Research Laboratory. **Toxicology and Industrial Health** 17:302-314, 2001.

Gallagher, EP and Gardner, JL. Comparative expression of two alpha class glutathione S-transferases in human adult and prenatal liver tissues. **Biochemical Pharmacology** 63:2025-2036, 2002 (NCER).

Gardner, JL, Doi, AM, Pham, RT, Huisden, CM and Gallagher, EP. Ontogenic differences in human liver 4-hydroxynonenal detoxification are associated with in vitro injury to fetal hematopoietic stem cells. **Toxicology and Applied Pharmacology** 191:95-106, 2003 (NCER).

Garlock,TJ, Shirai, JH and Kissel, JC. Adult responses to a survey of soil contact-related behaviors. **Journal of Exposure Analysis and Environmental Epidemiology** 9: 134 – 142, 1999 (NCER).

Gauderman, WJ, McConnell, R, Gilliland, F, London, S, Thomas, D, Avol, E, Vora, H, Berhane, K, Rappoport, EB, Lurmann, F, Margolis, H and Peters J. Association between air pollution and lung function growth in southern California children. **American Journal of Respiratory and Critical Care Medicine** 162:1383-1390, 2000.

Gavett, SH and Koren, H. The role of particulate matter in exacerbation of atopic asthma. **International Archives of Allergy and Immunology** 124: 109-112, 2001.

Gavett, SH, Haykal-Coates, N, Copeland, LB, Heinrich, J and Gilmour, MI. Metal-Rich Ambient PM_{2.5} Exacerbates Allergic Airways Disease in Mice. **Environmental Health Perspectives** 111: 1471-1477, 2003.

Geller, AM. A table of color distance scores for quantitative scoring of the Lanthony desaturate color vision test. **Neurotoxicology and Teratology** 23: 265-267, 2001.

Geller, AM. Homology of assessment of visual function in human and animal models. **Environmental Toxicology and Pharmacology**, in press.

Geller, AM, Bushnell, PJ and Rice, DC. Behavioral and electrophysiological estimates of visual thresholds in awake rats treated with 3,3',4,4',5-pentachlorobiphenyl (PCB 126) **Neurotoxicology and Teratology** 22: 521-532, 2000.

Geller, AM, Oshiro, WM, Haykal-Coates,N, Kodavanti, PRS and Bushnell, PJ. Gender-dependent behavioral and sensory effects of a commercial mixture of polychlorinated biphenyls

(Aroclor 1254) in rats. **Toxicological Sciences** 59: 268-277, 2001.

George, CLS, Jin, H, Wohlford-Lenane, CL, O'Neill, ME, Phipps, JC, O'Shaughnessy, P, Kline, JN, Thorne, PS and Schwartz, DA. Endotoxin responsiveness and subchronic grain dust-induced airway disease. **American Journal of Physiology** 280:L203-L213, 2001 (NCER).

Geyh, A, Xue, J, Özkaynak H and Spengler, JD. The Harvard southern California chronic Ozone exposure study: assessing exposure to ozone of grade school age children in two southern California communities. **Environmental Health Perspectives** 108:265-270, 2000.

Geys, H, Molenberghs, G and Ryan, LM. Pseudolikelihood modeling of multivariate outcomes in developmental toxicology. **Journal of the American Statistical Association** 94:734-745, 1999 (NCER).

Ghio AJ, Vandenberg J, Soukup J and Becker S. Overview of the PM Health Effects Research Program. *In*: Cotton and Other Organic Dusts. Proceedings of the Twenty-Fourth Cotton and Other Organic Dusts Research Conference. Beltwide Cotton Conferences, January 7th to 8th, 2000. P.J. Wakelyn, R.R. Jacobs, R. Rylander, editors. National Cotton Council of America, pp. 212-219.

Gilmour, MI. Hypersensitivity and Asthma. In Pulmonary Immunotoxicology.. pp107-126. Eds M, Cohen, J, Zelikoff, and R, Schlesinger. Kluwer Academic Publishers, 2000.

Gilmour, MI, Selgrade, MJ and Winsett, D. Residual oil fly ash exposure enhances allergic sensitization to house dust mite. **Toxicology and Applied Pharmacology** 158:269-277, 1999.

Gilmour, MI and Koren, HS. Interaction of inhaled particles with the immune system. In Particle-Lung Interactions. Pp 629-652. Eds P. Gehr and J. Heyder. The Lung Series. Marcel Decker, 2000.

Gilmour, MI, Selgrade, MJ and Lambert, AL. Enhanced allergic sensitization in animals exposed to particulate air pollutants. **Inhalation Toxicology** 12 (S3):373-380, 2000.

Gilmour, MI, Daniels, M, McCrillis, RC, Winsett, DW and Selgrade, MJ. Air pollutant-enhanced respiratory disease in experimental animals. **Environmental Health Perspectives** 109(S4): 619-622, 2003.

Gilmour, MI, O'Connor, S, Dick, CA, Miller, CA and Linak, WP. Differential pulmonary inflammation and in vitro cytotoxicity by size fractionated particles collected from combusted coal emissions. **Journal of the Air Waste Management Association** 54:286-295. 2003.

Ginsberg, G, Hattis, D, Sonawane, B, Russ, A, Banati, P, Kozlak, M, Smolenski, S and Goble, R. Evaluation of child/adult pharmacokinetic differences from a database derived from the therapeutic drug literature. **Toxicological Sciences** 66:185-200, 2002.

Ginsberg, G, Hattis, D, Russ, A and Sonawane, B. Physiologically based pharmacokinetic (PBPK) modeling of caffeine and theophylline in neonates and adults: implications for assessing children's risks from environmental agents. **Journal of Toxicology and Environmental Health A** 67: 297-329, 2004.

Ginsberg, G, Hattis, D, Miller, R and Sonawane, B. Pediatric pharmacokinetic data: implications for environmental risk assessment for children. **Pediatrics** 113: 973-983, 2004.

Ginsberg, G, Hattis and Sonawane, B. Incorporating pharmacokinetic differences between children and adults in assessing children's risks to environmental toxicants. **Toxicology and Applied Pharmacology** 198:164-183, 2004

Ginsberg, G, Slikker, W, Jr., Bruckner, J and Sonawane, B. Incorporating children's toxicokinetics into a risk framework. **Environmental Health Perspectives** 112: 272-283, 2004.

Glenn BS, Stewart, WF, Schwartz, BS and Bressler, J. Relation of alleles of the sodium-potassium adenosine triphosphatase C2 gene with blood pressure and lead exposure. **American Journal of Epidemiology** 153:537-545, 2001.

Glenn, BS, Stewart, WF, Schwartz, BS, Kelsey, KT, Links, JM and Todd, AC. The longitudinal association of lead with blood pressure. **Epidemiology** 14: 30-36, 2003.

Gohlke, JM, Griffith, WC and Bartell, SM. A computational model for neocortical neuronogenesis predicts ethanol-induced neocortical neuron number deficits. **Developmental Neuroscience** 24: 467 – 477, 2002 (NCER).

Goldman, L, Eskenazi, B, Bradman, A and Jewell, NP. Risk behaviors for pesticide exposure among pregnant women living in farmworker households in Salinas, California. **American Journal of Industrial Medicine** 45: 491 – 499, 2004 (NCER).

Gordon, SM, Callahan, PJ, Nishioka, MG, Brinkman, MC, O'Rourke, MK, Lebowitz, MD and Moschandreas, DJ. Residential environmental measurements in the national human exposure assessment survey (NHEXAS) pilot study in Arizona: preliminary results for pesticides and VOCs. **Journal of Exposure Analysis and Environmental Epidemiology** 9: 456 – 470, 1999 (NCER).

Green ,L, Fullilove, M, Evans, D and Shepard, P. Use of focus groups in the development of place-specific materials for a community environmental action campaign. **Environmental Health Perspectives** 10: 265 – 269, 2002 (NCER).

Gregory, L, Rand, TG, Dearborn, DG, Yike, I and Vesper, SJ. Immunocytochemical localization of stachylysin in *Stachybotrys chartarum* spores and spore-impacted mouse and rat lung tissues. **Mycopathologia** 156:76-85, 2003.

Griffith, W, Curl, CL, Fenske, RA, Koch, D and Lu, CA. Organophosphorus pesticide metabolite levels in pre-school children in an agricultural community: Within- and between-child variability in a longitudinal study. **Environmental Health Perspectives**, in press (NCER).

Guillette Jr, LJ, Brock, JW, Rooney, AA and Woodward, AR. Serum concentrations of various environmental contaminants and their relationship to sex steroid concentrations and phallus size in juvenile American alligator. **Archives of Environmental Contamination and Toxicology** 36:447-455, 1999 (NCER).

Guillette Jr, LJ, Woodward, AR, Crain, DA, Pickford, DB, Rooney, AA and Percival, HF. Plasma steroid concentrations and male phallus size in juvenile alligators from seven Florida lakes. **General and Comparative Endocrinology** 116:356-372, 1999 (NCER).

Guo, Z. Development of a Windowed-based indoor air quality simulation package. **Environmental Modeling and Software** 15: 403-410, 2000.

Guo, Z. Review of indoor emission source models – part 1. overview. **Environmental Pollution** 120: 533-549, 2002.

Guo, Z. Review of indoor emission source models – part 2. parameter estimation. **Environmental Pollution** 120: 551-564, 2002.

Guo, Z, Chang, JCS, Sparks, LE and Fortmann, RC. Estimation of the rate of VOC emissions from solvent-based indoor coating materials based on product formulation. **Atmos Environment** 33:1205-1215, 1999.

Guo, Z, Mosley, R, Wasson, S, Fortmann, R and McBrien, J. Dissociation of sulfur hexafluoride in the presence of an indoor combustion appliance. **Journal of Air and Waste Management Association** 51: 616-622, 2001.

Guo, Z and Roache, NF. Overall mass transfer coefficient for pollutant emissions from small water pools under simulated indoor environmental conditions. **The Annals of Occupational Hygiene** 47: 279-286, 2003.

Guo, Z, Jetter, JJ and McBrien, JA. Rates of Polycyclic Aromatic Hydrocarbon Emissions from Incense. **Bulletin of Environmental Contamination and Toxicity** 76: 186-193, 2004.

Gustin, M, Sexauer, Marsik, F, Lindberg, S, Casimir, A, Ebinghaus, F, Edwards, G, Fitzgerald, C, Kemp, J, Kock, H, Leonard, T, London, J, Majewski, M, Owens, J, Pilote, M, Poissant, L, Rasmussen, P, Schaedlich, F, Schneeberger, D, Schroeder, W, Sommar, J, Turner, R., Vette, A, Walschlaeger, D and Xiao, Z. The Nevada STORMS project: measurement of mercury emissions from naturally enriched surfaces. **Journal of Geophysical Research** 104: 21831-21844, 1999.

Gustin, M, Lindberg, S, Austin, K, Coolbaugh, M, Vette, AF and Zhang, H. Assessing the contribution of natural sources to regional atmospheric budgets. **Science of the Total Environment** 259: 61-71, 2000.

Hattis, D and Anderson, E. What should be the implications of uncertainty, variability, and inherent biases/conservatism for risk management decision-making? **Risk Analysis** 19:95-107, 1999 (NCER).

Hattis, D, Banati, P and Goble, R. Distributions of individual susceptibility among humans for toxic effects--for what fraction of which kinds of chemicals and effects does the traditional 10-fold factor provide how much protection? **Annals of The New York Academy of Sciences** 895:286-316, 1999 (NCER).

Hattis, D, Banati, P, Goble, R and Burmaster, D. Human interindividual variability in parameters related to health risks. **Risk Analysis** 19:705-720, 1999 (NCER).

Hattis, D and Swedis, S. Uses of biomarkers for genetic susceptibility and exposure in the regulatory context. **Jurimetrics** 41:177-194, 2001 (NCER).

Hattis, D, Ginsberg, G, Sonawane, B, Smolenski, S, Russ, A, Kozlak, M and Goble, R. Differences in pharmacokinetics between children and adults-II. Children's variability in drug elimination half-lives and in some parameters needed for physiologically-based pharmacokinetic modeling. **Risk Analysis** 23, 117-142, 2003.

Haugland, RA Vesper, SJ and Wymer, LJ. Quantitative measurement of *Stachybotrys chartarum conidia* using real time detection of PCR products with the TaqMan™ Fluorogenic Probe System. **Molecular and Cellular Probes** 13:329-340, 1999.

Haugland, RA, Vesper, SJ and Harmon, SM. Phylogenetic relationships of *Memnoniella* and *Stachybotrys* species inferred from ribosomal DNA sequences and evaluation of morphological features for *Memnoniella* species identification. **Mycologia** 93:54-65, 2001.

Haugland, RA, Brinkman, N and Vesper, SJ. Evaluation of rapid DNA extraction methods for the quantitative detection of fungal cells using real time PCR analysis. **Journal of Microbiological Methods** 50:319-323, 2002.

Haugland, RA, Varma, M, Wymer, LJ and Vesper, SJ. Quantitative PCR of selected *Aspergillus*, *Penicillium* and *Paecilomyces* species. **Systematic and Applied Microbiology** 27:198-210, 2004.

Haynes, E, Lanphear, BP, Tohn, E, Farr, N and Rhoads, G. The effects of interior lead hazard controls on children's blood lead concentrations: a systematic evaluation. **Environmental Health Perspectives** 110: 103 – 107, 2002 (NCER).

Haynes, EN, Kalkwarf, HJ, Hornung, R, Wenstrup, R, Dietrich, K and Lanphear, BP. Vitamin D receptor Fok1 polymorphism and blood lead concentration in children. **Environmental Health Perspectives** 111: 1665 – 1669, 2003 (NCER).

Hecht, SS, Ye, M, Carmella, SG, Fredrickson, A, Adgate, JL, Greaves, IA, Church, TR, Ryan, AD, Mongin, SJ and Sexton, K. Metabolites of a tobacco-specific lung carcinogen in the urine of elementary school-aged children. **Cancer Epidemiology, Biomarkers and Prevention** 10: 1109 – 1116, 2001 (NCER).

Heinrich, J, Hoelscher, B, Frye, C, Meyer I, Pitz, M, Cyrys, J, Wjst, M, Neas, L and Wichmann, HE. Improved air quality in reunified Germany and decreases in respiratory symptoms. **Epidemiology** 13:394-401, 2002.

Henschel, DB, Fortmann, RC, Roache, NF and Liu, X. Potential for reducing indoor styrene exposure from copied paper through use of low-emitting toners. **Journal of the Air and Waste Management Association** 53:1347-1354, 2003

Herr, DW, Chanda, SM, Graff, JE, Barone, S.Jr., Beliles, RP and Morgan, DL. Evaluation of sensory evoked potentials in Long-Evans rats gestationally exposed to mercury (Hg) vapor. **Toxicological Sciences** 82: 93-206, 2004.

Hertz-Picciotto, I, Dostal, M, Dejmek, J, Selevan, SG, Wegienka, G, Gomez-Caminero, A and Sram, RJ. Air pollution and distributions of lymphocyte immunophenotypes in cord and maternal blood at delivery. **Epidemiology** 13:172-183, 2002.

Higuchi, TT, Palmer, JS, Gray, LE, Jr. and Veeramachaneni, DNR. Effects of dibutyl phthalate in male rabbits following in utero, adolescent, or post-pubertal exposure. **Toxicological Sciences** 72:301-313, 2003 (NCER).

Hilborn, E, Walsh, D, Mendola, P and Royster, M. A primer on the field study of young children. **Journal of Children's Health** 1:499-511, 2003.

Holgate, ST, Samet, J, Koren, H and Maynard, R eds. *Air Pollution and Health*, Academic Press, 1999.

Holland, N, Smith, MT, Eskenazi, B and Bastaki, M. Biological sample collection and processing for molecular epidemiological studies. **Reviews In Mutation Research** 543:217-234, 2003 (NCER).

Howard, MD and Pope, CN. In vitro effects of chlorpyrifos, parathion, methyl parathion and their oxons on cardiac muscarinic receptor binding in neonatal and adult rats. **Toxicology** 170:1-10, 2002 (NCER).

Howard, AS, Fitzpatrick, R, Pessah, I, Kostyniak, P and Lein, PJ. Polychlorinated biphenyls induce caspase-dependent cell death in cultured embryonic rat hippocampal but not cortical neurons via activation of the ryanodine receptor. **Toxicology and Applied Pharmacology** 190: 72-86, 2003 (NCER).

Hrubá, F, Fabianová, E, Koppová, K and Vandenberg, J. Childhood respiratory symptoms, hospital admissions and long-term exposure to airborne particulate matter. **Journal of Exposure Analysis and Environmental Epidemiology** 11: 33-40, 2001.

Hu, Y, Beach, J, Raymer, J and Gardner, M. Disposable diaper to collect urine samples from young children for pyrethroid pesticide studies. **Journal of Exposure Analysis and Environmental Epidemiology** 14:378-384, 2004 (NCER).

Hu, YA, Barr, DB, Akland, G, Melnyk, L, Needham, L, Pellizzari, ED, Raymer, JH and Roberds JM. Collecting urine samples from young children using cotton gauze for pesticide studies. **Journal of Exposure Analysis and Environmental Epidemiology** 10: 703 – 709, 2000 (NCER).

Huang, P, Farkas, T, Marionneau, S, Zhong, W, Ruvoen Clouet, N, Morrow, AL, Altaye, M, Pickering, LK, Newburg, DS, LePendú, J and Jiang, X. Noroviruses bind to human ABO, Lewis, and secretor histological blood group antigens identification of 4 distinct strain specific patterns. **Journal of Infectious Diseases** 188:19-31, 2003 (NCER).

Hunter, DL, Lassiter, TL and Padilla, S. Gestational exposure to chlorpyrifos: Comparative distribution of trichloropyridinol in the fetus and dam. **Toxicology and Applied Pharmacology** 158: 16-23, 1999.

Hysong, TA, Burgess, JL, Cebrian Garcia, ME and O'Rourke, MK. House dust and inorganic urinary arsenic in two Arizona mining towns. **Journal of Exposure Analysis and Environmental Epidemiology** 13:211-218, 2003 (NCER).

Ibrahim, JG and Chen, MH. Power prior distributions for regression models. **Statistical Science** 15: 46-60, 2000.

Iovannisci, DM, Kupperman, SO, Lloyd, EW and Lammer, EJ. Reversed enzyme activity interrogation test (READIT) as a method for genotyping NAT1 polymorphisms. **Genetic Testing** 6:245-253, 2002 (NCER).

Jarvik, GP, Rozek, LS and Brophy, VH. Paraoxonase (PON1) phenotype is a better predictor of vascular disease than is PON1(192) or PON1(55) genotype. **Arteriosclerosis Thrombosis and Vascular Biology** 20: 2441 – 2447, 2000 (NCER).

Jedrychowski, W, Whyatt, RM, Camann, DE, Bawle, UV, Peki, K, Spengler, JD, Dumyahn, TS,

Penar, A and Perera, FP. Effect of prenatal PAH exposure on birth outcomes and neurocognitive development in a cohort of newborns in Poland. **International Journal of Occupational Medicine and Environmental Health** 16: 21 – 29, 2003 (NCER)

Jenkins, SM and Barone, S Jr, The neurotoxicant trimethyltin causes apoptosis via oxidative stress, caspase activation and P38 protein kinase. **Toxicological Letters** 147: 63-72, 2004.

Jenkins, SM, Ehman, K and Barone, S Jr. Structure-Activity Comparison of Organotin Species: Dibutyltin is a Developmental Neurotoxicant *In Vitro* and *In Vivo*. **Developmental Brain Research** 151:1-12, 2004.

Johnston, RA, Mizgerd, JP, Lupa, MM and Shore, SA. Chemokine receptor 2 contributes to ozone induced airway hyperresponsiveness. **American Journal of Respiratory and Critical Care Medicine** 167:A885, 2003 (NCER).

Johnston, RA, Schwartzman, IN, Flynt, L and Shore, SA. Role of interleukin-6 in murine airway responses to ozone. **America Journal of Physiology Lung Cellular Molecular Physiology** 288:L390-L397, 2005 (NCER).

Judd, NL, Griffith, WC and Ylitalo, GM. Alternative strategies for PCB risk reduction from contaminated seafood: Options for children as susceptible populations. **Bulletin of Environmental Contamination and Toxicology** 69: 847 – 854, 2002 (NCER).

Juskow, T, Henderson, C, Canfield, R and Lanphear, BP. Lead toxicity in children, **Environmental Health Perspectives**, in press (NCER).

Kadlubar, FF, Berkowitz, GS, Delongchamp, RR, Wang, C, Green, BL, Tang, G, Lamba, J, Schuetz, E and Wolff, MS. The CYP3A4*1B variant is related to the onset of puberty, a known risk factor for the development of breast cancer. **Cancer Epidemiology, Biomarkers and Prevention** 12: 327 – 331, 2003 (NCER).

Kahn, RS, Khoury, J, Nichols, WC and Lanphear, BP. Role of dopamine transporter genotype and maternal prenatal smoking in childhood hyperactive impulsive, inattentive, and oppositional behaviors. **Journal of Pediatrics** 143: 104 – 110, 2003 (NCER)

Kalkwarf, HJ, Khoury, JC and Lanphear BP. Milk intake during childhood and adolescence, adult bone density, and osteoporotic fractures in US women. **American Journal of Clinical Nutrition** 77: 257 – 265, 2003 (NCER).

Kelada, SN, Costa-Mallen, P and Checkoway, H. Paraoxonase 1 promoter and coding region polymorphisms in Parkinson's disease. **Journal of Neurology, Neurosurgery and Psychiatry** 74: 546 – 547, 2003 (NCER).

Kelada, SN, Stapleton, PL and Farin, FM. Glutathione S-transferase M1, T1, and P1 polymorphisms and Parkinson's disease. **Neuroscience Letters** 337: 5 – 8, 2003 (NCER).

Karanth, S, Olivier, J, Liu, J and Pope, C. In vivo interaction between chlorpyrifos and parathion in adult rats: sequence of administration can markedly influence toxic outcome. **Toxicology and Applied Pharmacology** 177:247-255, 2001 (NCER).

Keeler, J, Dvonch, T, Yip, F, Parker, E, Israel, B and Marsik, F. Assessment of personal exposures to particulate matter (PM) among asthmatic children in Detroit, Michigan as part of Community Action Against Asthma (CAAA). **Environmental Health Perspectives** 110:173-181, 2002 (NCER).

Kim, J, Merry, AC, Nemzek, JA, Bolgos, GL, Siddiqui, J and Remick, DG. Eotaxin represents the principal eosinophil chemoattractant in a novel murine asthma model induced by house dust containing cockroach allergens. **Journal of Immunology** 167:2808-2815, 2001 (NCER).

Kinney, PL, Northridge, M, Gronning, E, Joseph, E, Frantz, S and Prakash, S. On the front lines of environmental interventions to reduce asthma. **American Journal of Public Health** 92: 1 – 3, 2002 (NCER).

Kissel, JC, Curl, CL, Kedan, G, Lu, CA, Griffith, W, Barr, DB, Needham, LL and Fenske, RA. Comparison of organophosphorus pesticide metabolite levels in single and multiple daily urine samples collected from pre-school children in Washington State. **Journal of Exposure Analysis and Environmental Epidemiology** in press (NCER).

Kittler, R, Stoneking, M and Kayser, M. A whole genome amplification method to generate long fragments from low quantities of genomic DNA. **Analytical Biochemistry** 300:237-244, 2002 (NCER).

Kline, JN, Cowden, JD, Hunninghake, GW, Watt, JL, Wohlford-Lenane, CL, Powers, LS, Jones, MP and Schwartz, DA. Variable airway responsiveness in inhaled lipopolysaccharide. **American Journal of Respiratory and Critical Care Medicine** 160:297-303, 1999 (NCER).

Kline, JN, Jagielo, PJ, Watt, JL and Schwartz, DA. Bronchial hyperreactivity is associated with enhanced grain dust-induced airflow obstruction. **Journal of Applied Physiology** 89:1172-1178, 2000 (NCER).

Knudsen, TB, Charlap, JH and Nemeth, KR. "Microarray applications in developmental toxicology," In: Perspectives in Gene Expression. Appasani, K, Eds. Eaton Publishing/BioTechniques Press, Westboro, MA. pp.173-194, 2003 (NCER).

Koch, D, Lu, C and Fisker-Andersen, J. Temporal association of children's pesticide exposure and agricultural spraying: report of a longitudinal biological monitoring study. **Environmental Health Perspectives** 110: 829 – 833, 2002 (NCER).

Koren, HS, M O'Neill and D Peden. Environment and Risk Factors in Allergic Disease and Asthma. In: CRC Desk Reference for Allergy and Asthma, 1999.

Koren, HS and Crawford-Brown, D. A framework for the integration of ecosystem and human health in public policy. **Environmental Research** 95:92-105, 2004.

Kousba, A, Poet, TS and Timchalk, C. Potential utility of saliva biomonitoring for assessing organophosphate insecticide dosimetry and esterase inhibition. **Toxicological Sciences** 72:1484, 2003 (NCER).

Kousba, AA, Poet, TS and Timchalk, C. Characterization of the in vitro kinetic interaction of chlorpyrifos-oxon with rat salivary cholinesterase: a potential biomonitoring matrix. **Toxicology** 188:219-232, 2003 (NCER).

Laden F, Neas LM, Spiegelman D, Hankinson SE, Willett WC, Ireland K, Wolff MS and Hunter DJ. Predictors of plasma concentrations of DDE and PCBs in a group of U.S. women. **Environmental Health Perspectives** 107:75-81, 1999.

Laden, F, Neas, LM, Dockery, DW and Schwartz, J. Association of fine particulate matter from different sources with daily mortality in six US cities. **Environmental Health Perspectives** 108:941-947, 2000.

Laden ,F, Neas, LM, Tolbert, PE, Holmes, MD, Hankinson, SE, Spiegelman, D, Speizer, FE and Hunter, DJ. Electric blanket use and breast cancer in the Nurses' Health Study. **American Journal of Epidemiology** 152:41-49, 2000.

Laessing, SA, McCarthy, MM and Silbergeld, EK. Neurotoxicity of endocrine disruptors. **Current Opinion in Neurology** 12:745-751, 1999.

Laessig, SA, Tabacova, SA and Kimmel, CA. A review of reproductive and developmental effects of pesticide exposure in humans. **Journal of Children's Health** 1:405-447, 2003.

LaKind, J, Birnbach, N, Borgert, CJ, Sonawane, BR, Tully, MR and Friedman, L. Human milk surveillance and research of environmental chemicals: concepts for consideration in interpreting and presenting study results. **Journal of Toxicology and Environmental Health** A65: 1909-1910, 2002.

Lambert, AL., Winsett, DW, Selgrade, MJ and Gilmour, MI. Residual oil fly ash (ROFA) enhances allergic airway responses to house dust mite (HDM) in Brown Norway rats **Toxicology and Applied Pharmacology** 158:269-277, 1999.

Lambert, AL, Selgrade, MJ and Gilmour, MI. Enhanced allergic sensitization by residual oil fly ash particles is mediated by soluble metal constituents. **Toxicology and Applied Pharmacology**

165:84-93, 2000.

Lambert, AL., Selgrade, MJ, Winsett, DW and Gilmour, MI. TNF- α enhanced allergic sensitization to house dust mite in Brown Norway rats. **Experimental Lung Research** 27: 617-635, 2001.

Lammer, EJ, Shaw, GM, Iovannisci, D, Van, W and Finnell, RH. Maternal smoking and the risk of orofacial clefts: Susceptibility with NAT1 and NAT2 polymorphisms. **Epidemiology** 15:150-156, 2004 (NCER).

Landis, MS Vette, AF and Keeler, GJ. Atmospheric mercury in the Lake Michigan basin: Influence of the Chicago/Gary urban area. **Environmental Science and Technology** 36: 4508-4517, 2002.

Landrigan, PJ, Sonawane, B, Mattison, D, McCally, M and Garg, A. Chemical contaminants in breast milk and their impacts on children's health: an overview. **Environmental Health Perspectives** 110: A313-A315, 2002.

Landrigan, PJ. Risk assessment for children and other sensitive populations. **Annals of the New York Academy of Sciences** 895: 1 – 9, 1999 (NCER).

Landrigan, PJ, Suk, WA and Amler RW. Chemical wastes, children's health, and the Superfund Basic Research Program. **Environmental Health Perspectives** 107: 423 – 427, 1999 (NCER).

Landrigan, PJ, Claudio, L, Markowitz, SB, Berkowitz, GS, Brenner, BL, Romero, H, Wetmur, JG, Matte, TD, Gore, AC, Godbold, JH and Wolff, MS. Pesticides and inner-city children: exposures, risks, and prevention. **Environmental Health Perspectives** 107: 431 – 437, 1999 (NCER).

Landrigan, PJ, Kimmel, CA, Correa, A and Eskenazi, B. Children's health and the environment: public health issues and challenges for risk assessment. **Environmental Health Perspectives** 112: 257 – 265, 2004 (NCER).

Lanphear, BP, Howard, C, Eberly, S, Auinger, P, Kolassa, J, Weitzman, M, Schaffer, SJ and Alexander, K. Primary prevention of childhood lead exposure: A randomized trial of dust control. **Pediatrics** 103: 772-777, 1999 (NCER).

Lanphear, BP, Kahn, RS, Berge, r O, Auinger, P, Bortnick, SM and Nahhas, RW. Contribution of residential exposures to asthma in us children and adolescents. **Pediatrics** 107: E – 98, 2001 (NCER).

Lanphear, BP, Hornung, R, Ho, M, Howard, CR, Eberly, S and Knauf, K. Environmental lead exposure during early childhood. **Journal of Pediatrics** 140: 40 – 47, 2002 (NCER).

Lanphear, BP, Succop, P, Roda, S and Henningsen, G. The effect of soil abatement on blood lead levels in children living near a former smelting and milling operation. **Public Health Report** 118: 83 – 91, 2003 (NCER).

Lanphear, BP and Gergen, PJ. Asthma surveillance in US children (invited commentary), **American Journal of Epidemiology** 158: 105 – 107, 2003 (NCER).

Lanphear, BP, Dietrich, KN and Berger, O. Prevention of lead toxicity in US children. **Ambulatory Pediatrics** 3: 27 – 36, 2003 (NCER).

Lanphear, BP. (Associate Editor) for Pediatrics Supplement, The vulnerability, sensitivity, and resiliency of the developing embryo, infant, child, and adolescent to the effects of environmental chemicals, drugs, and physical agents as compared to the adult. **Pediatrics** 113:932– 1172, 2004 (NCER).

Lassiter, TL, Barone, S Jr., Moser, VC and Padilla, S. Gestational exposure to chlorpyrifos: Dose response profiles for cholinesterase and carboxylesterase in the fetus and dam. **Toxicology and Applied Pharmacology** 52: 92-100, 1999.

Lay, JC, Bennett, W, Ghio, A, Bromberg, P, Costa, D, Kim, C, Koren, H and Devlin, R. Cellular and biochemical response of the human lung following intrapulmonary instillation of ferric oxide particles. **American Journal of Respiratory Cell and Molecular Biology** 20: 631-642, 1999.

Lee, K, Vallarino, J, Dumyahn, T, Özkaynak H and Spengler, JD. Ozone decay rates in residences. **Journal of the Air and Waste Management Association** 49:1238-1244, 1999.

Lee, K, Xue, J, Geyh, AS, Özkaynak H, Leaderer, B, Weschler C and Spengler, JD. Nitrous acid, nitrogen dioxide, and ozone concentrations in residential environments. **Environmental Health Perspectives** 110:145-149, 2002.

Lee, K, Parkhurst, WJ, Xue, J, Özkaynak, H, Neuberg, D and Spengler, JD. Outdoor/ indoor/personal ozone exposures of children in Nashville, Tennessee. **Journal of the Air and Waste Management Association** 54:352-359, 2004.

Lemasters, GK, Olsen, DM, Yiin, JH, Lockey, JE, Shulka, R, Selevan, SG, Schrader, SM, Toth, GP, Evenson, DP and Huszar, GB. Male reproductive effects of solvent and fuel exposure during aircraft maintenance. **Reproductive Toxicology** 13:155-66, 1999.

Lewandowski, TA, Ponce, RA, Whittaker, SG and Faustman, EM. "In vitro models for evaluating developmental toxicity," In: In Vitro Toxicology. Gad, S, Eds. Taylor & Francis, New York, NY. pp.139-187, 2000 (NCER).

Lewandowski, TA, Pierce, CH, Pingree, SD, Hong, S and Faustman, EM. Methylmercury

distribution in the pregnant rat and embryo during early midbrain organogenesis. **Teratology** 66:235-241, 2002 (NCER).

Lewandowski, TA, Ponce, RA, Charleston, JS, Hong, S and Faustman, EM. Changes in cell cycle parameters and cell number in the rat midbrain during organogenesis. **Brain Research Development Brain Research** 141:117-128, 2003 (NCER).

Li, D-W, Yang, CS, Haugland, RA and Vesper, S. J. A new species of *Memnoniella*. **Mycotaxon** 85:253-257, 2003.

Lindberg, SE, Zhang, H, Gustin, M, Vette, A, Marsik, Owens, J, Casimir, A, Ebinghaus, R, Edwards, G, Fitzgerald, C, Kemp, J, Kock, H.H., London, J, Majewski, M, Poissant, L, Pilote, M, Rasmussen, P, Schaedlich, F, Schneeberger, D, Sommar, J, Turner, R, Wallschlaeger, D and Xiao, Z. Increases in mercury emissions from desert soils in response to rainfall and irrigation. **Journal of Geophysical Research** 104: 21879-21888, 1999.

Lindberg, SE, Vette, AF, Miles, C and Schaedlich, F. Mercury speciation in natural waters: Measurement of dissolved gaseous mercury with a field analyzer. **Biogeochemistry** 48, 237-259, 2000.

Lindberg, SE, Zhang, H, Vette, AF, Gustin, MS, Barnett, MO and Kuiken, T. Dynamic flux chamber measurement of gaseous mercury emission fluxes over soils. Part 2 effect of flushing flow rate and verification of a two-resistance exchange interface simulation model. **Atmos Environment** 36: 847-859, 2002.

Lioy, PJ, Edwards, RD, Freeman, N, Gurunathan, S, Pellizzari, E, Adgate, JL, Quackenboss, J and Sexton, K, House dust levels of selected insecticides and a herbicide measured by the EL and LWW samplers and comparisons to hand rinses and urine metabolites. **Journal of Exposure Analysis and Environmental Epidemiology** 10: 327 – 340, 2000 (NCER).

Little, SB, Rabinowitz, JR, Wei, P and Yang, W A. comparison of calculated and experimental geometries for crowded polycyclic aromatic hydrocarbons and their metabolites. **Polycyclic Aromatic Compounds** 14:53 - 61, 1999.

Liu, J, Olivier, K and Pope, CN. Comparative neurochemical effects of repeated methyl parathion or chlorpyrifos exposures in neonatal and adult rats. **Toxicology and Applied Pharmacology** 158:186-196, 1999 (NCER).

Liu, WF, Costa, LG and Richter, RJ. Catalytic efficiency determines the in-vivo efficacy of PON1 for detoxifying organophosphorus compounds. **Pharmacogenetics** 10: 767 – 779, 2000 (NCER).

Liu ,X, Dietrich, KN and Radcliffe J. Do children with falling blood lead levels have improved cognition? **Pediatrics** 110:787–791, 2002 (NCER).

Lobdell, DT. Case Study with Commentary from Muskavitch. In Schrag, editor. Research Ethics: Cases and Commentaries. Bloomington. Volume 5, 2001.

Lobdell ,DT, Buck, GM, Weiner, JM and Mendola, P. Using commercial telephone directories to obtain a population-based sample for mail survey of women of reproductive age. **Paediatric Perinatal Epidemiology** 17:294-301, 2003.

Lobdell, DT, Gilboa, S, Mendola, P and Hesse BW. Use of focus groups for the environmental health researcher. **Journal of Environmental Health**, in press.

Lobdell, DT and Mendola, P. Development of a biomarkers database for the National Children's Study. **Toxicology and Applied Pharmacology**, in press.

Lopez-Carrillo, L, Torres-Sanchez, L, Moline, J, Ireland, K and Wolff, MS. Breast-feeding and serum p,p'DDT levels among Mexican women of childbearing age: a pilot study. **Environmental Research** 87: 131 – 153, 2001 (NCER).

Lu, C and Fenske, RA. Dermal transfer of chlorpyrifos residues from residential surfaces: comparison of hand press, hand drag, wipe, and polyurethane foam roller measurements after broadcast and aerosol pesticide applications. **Environmental Health Perspectives** 107: 463 – 467, 1999 (NCER).

Lu, C, Showlund-Irish, R and Fenske, RA. Biological monitoring of diazinon exposure using saliva in an animal model. **Journal of Toxicology and Environmental Health** 66:2315-2325, 2003 (NCER).

Lu , C, Fenske, RA and Simcox, NJ. Pesticide exposure of children in an agricultural community: evidence of household proximity to farmland and take home exposure pathways. **Environmental Research** 84:290–302, 2000 (NCER).

Lu, C, Knutson, DE and Fisker-Andersen, J. Biological monitoring survey of organophosphorus pesticide exposure among pre-school children in the Seattle metropolitan area. **Environmental Health Perspectives** 109:299–303, 2001 (NCER).

Lu, C, Kedan, G, Fisker-Andersen, J, Kissel, JC and Fenske, RA. Multi-pathway organophosphorus pesticides exposures of pre-school children in rural central Washington State and the Seattle metropolitan area. **Environmental Research** 96:283–289, 2004 (NCER).

Luebke, RW, Copeland, CB, Daniels, A and Gilmour, MI. Suppression of allergic responses to house dust mite (HDM) in rats exposed to 2,3,7,8-TCDD. **Toxicological Sciences** 62:71-79, 2001.

Luebke, RW, Copeland, CB, Bishop, LR, Daniels, M and Gilmour, MI. Mortality in dioxin-

exposed mice infected with influenza: mitochondrial toxicity (Reyes-like syndrome) versus enhanced inflammation as the mode of action. **Toxicological Sciences** 69: 109-116, 2002.

Lynberg, M, Nuckols, J, Ashley, D, Singer, P, Mendola, P, Wilkes, C, Langois, P, Miles, E, Krapfl, H, Speight, V, Lin, B, Small, L, Miles, A, Bonin, M, Zeitz, P, Tadmok, A and Forrester, M. Assessing exposure to disinfection byproducts in women of reproductive age living in Corpus Christi, Texas, and Cobb County, Georgia. **Environmental Health Perspectives** 109: 597-604, 2001.

Maibach, H, Naranch, K, Repka-Ramirez, SM, Pfeiffer, A, Hwang, E, Clauw, D and Baraniuk, JN. Multiple chemical sensitivity in Chronic Fatigue Syndrome (CFS). **Journal of Allergy and Clinical Immunology** 107:S27, 2001 (NCER).

Makridakis, N, diSalle, E and Reichardt, JK. Biochemical and pharmacogenetic dissection of human steroid 5 α reductase type II. **Pharmacogenetics** 10:407-413, 2000 (NCER).

Manson, JM and Carr, MC. Molecular epidemiology of hypospadias: review of genetic and environmental risk factors. **Birth Defects Research A Clinical and Molecular Teratology** 67:825-836, 2003 (NCER).

Mason, MA, Sheldon, LS and Stout II, DM. The distribution of chlorpyrifos in air, carpeting, and dust and its re-emission from carpeting following the use of total release aerosols in the indoor air quality test house. *In* Proceedings of a Symposium, Engineering Solutions to Indoor Air Quality Problems, Raleigh, NC, July 17-19, 2000.

McDonnell, WF, Abbey, DE, Nishino, N and Lebowitz, MD. Long-term ambient ozone concentration and the incidence of asthma in nonsmoking adults: the Ahsmog Study. **Environmental Research** 80:110-121, 1999.

McConnell, R, Berhane, K, Gilliland, F, London, SJ, Islam, T, Gauderman, WF, Avol, E, Margolis, HG and Peters, JM. Asthma in exercising children exposed to ozone: a cohort study. **Lancet** 359:386-391, 2002.

McGuinness, BM, Buck, GM, Mendola, P, Sever, L and Vena, JE. Infecundity and consumption of PCB-contaminated sport fish. **Archives of Environmental Health** 56: 250-253, 2001.

McMullin, TS, Brzezick, JM, Cranmer, BK, Tessari, JD and Andersen, ME. Pharmacokinetic modeling of disposition and time-course studies with [C-14]atrazine. **Journal of Toxicology and Environmental Health-Part A** 66:941-964, 2003 (NCER).

Meacham, CA, White, LD, Barone, S Jr and Shafer, TJ. Ontogeny of voltage-sensitive calcium channel α_{1A} and α_{1E} subunit expression and synaptic function in rat central nervous system. **Developmental Brain Research** 142: 47-65, 2003

Meacham, CA, Freudenrich, TM., Anderson, WL, Sui, L, Lyons-Darden, T, Barone, S Jr,

Gilbert, ME., Mundy, WR and Shafer TJ. Accumulation of the Persistent Environmental Toxicants Methylmercury or Polychlorinated Biphenyls in *in Vitro* Models and Relevance to *in Vivo* Levels in Rat Neuronal Tissue. **Toxicology and Applied Pharmacology**, in press.

Meklin, T, Haugland, RA, Reponen, T, Varma, M, Lummus, Z, Bernstein, D, Wymer, LJ and Vesper, SJ. Quantitative PCR analysis of house dust can reveal abnormal mold conditions. **Journal of Environmental Monitoring** 6:615-620, 2004.

Mendola, P, Selevan, S, Gutter, S and Rice, D. Environmental factors associated with a spectrum of neuropsychological deficits. **Mental Retardation and Developmental Disability Research Review** 8:188-197, 2002.

Mendola, P, Robinson, LK, Buck, GM, Druschel, CM, Fitzgerald, EF, Sever, LE and Vena, JE. Birth defects risk associated with maternal sport fish consumption: Potential effect modification by sex of offspring. **Environmental Research** 97:133-140, 2004.

Menetrez, MY and Foarde, KK. Testing antimicrobial efficacy on porous materials. **Indoor Built Environment: The Journal of the International Society of the Built Environment** 11:202-207, 2002.

Menetrez, MY and Foarde, KK. Microbial volatile organic compound emission rates and exposure model. **Indoor Built Environment: The Journal of the International Society of the Built Environment** 11:208-213, 2002.

Menetrez, MY and Foarde KK. Emission exposure model for transport of toxic mold. **Indoor Built Environment: The Journal of the International Society of the Built Environment** 13:75-82, 2004.

Menetrez, MY, Foarde, KK and Ensor, DS. An analytical method for the measurement of nonviable bioaerosols. **Journal of the Air and Waste Management Association** 51:1436-1442, 2001.

Menetrez, MY, Foarde, K and Ensor, DS. Research and development of prevention and control measures for biological indoor air pollutants. **Indoor Built Environment: The Journal of the International Society of the Built Environment** 13:109-114, 2004.

Menetrez, MY, Foarde, K, Webber, TD, Dean, TR and Betancourt, D. Growth responses of *Stachybotrys chartarum* to moisture variation on common building materials. **Indoor Built Environment: The Journal of the International Society of the Built Environment** 13:183-188, 2004.

Menetrez, MY, Foarde, KK, Webber, TD, Dean, TR and Betancourt, DA. Efficacy of UV Irradiation on Eight Species of Bacillus. **Industrial Microbiology and Biotechnology**

in press.

Meyer, IH, Whyatt, RM, Perera, FP and Ford, JG. Risk for asthma in one-year-old infants residing in New York City high-risk neighborhoods. **Journal of Asthma** 40: 545 – 550, 2003 (NCER).

Miles, AM, Singer, PC, Ashley, D, Lynberg, M, Mendola, P and Nuckols, J. Comparison of trihalomethanes in tap water with levels measured in blood samples. **Environmental Science and Technology** 36: 1692-98, 2002.

Miller, RL, Chew, G, Bell, CA, Biedermann, SA, Aggarwal, M, Kinney, PL, Tsai, WY, Whyatt, RM, Perera, FP and Ford, JG. Prenatal exposure, maternal sensitization, and sensitization in utero to indoor allergens in an inner-city cohort. **American Journal of Respiratory and Critical Care Medicine** 164: 995 – 1001, 2001 (NCER).

Miller, RL, Garfinkel, R, Horton, M, Camann, D, Perera, FP, Whyatt, RM and Kinney PL. Polycyclic aromatic hydrocarbons, environmental tobacco smoke, and respiratory symptoms in an inner-city birth cohort. **Chest** 126:1071–1078, 2004 (NCER).

Mirkes, PE and Little SA. Cytochrome c release from mitochondria of early postimplantation murine embryos exposed to 4-hydroperoxycyclophosphamide, heat shock, and staurosporine. **Toxicology and Applied Pharmacology** 162:197–206, 2000 (NCER).

Mirkes, PE, Wilson, KL and Cornel, LM. Teratogen-induced activation of ERK, JNK, and p38 AP kinases in early postimplantation murine embryos. **Teratology** 62:14–25, 2000 (NCER).

Mirkes, PE, Little, SA and Umpierre, CC. Co-localization of active caspase-3 and DNA fragmentation (TUNEL) in normal and hyperthermia-induced abnormal mouse development. **Teratology** 63:134–143, 2001 (NCER).

Moate, TF, Lu, C and Fenske, RA. Improved cleanup and determination of dialkyl phosphates in the urine of children exposed to organophosphorus insecticides. **Journal of Analytical Toxicology** 23:230–236, 1999 (NCER).

Moate, TF, Furia, M, Curl, C, Muniz, JF, Yu, J and Fenske, RA. Size exclusion chromatographic cleanup for GC/MS determination of organophosphorus pesticide residues in household and vehicle dust. **AOAC International** 85:36–43, 2002 (NCER).

Monick, MM, Staber, JM and Hunninghake, GW. Respiratory syncytial virus infection results in activation of multiple protein kinase C isoforms leading to activation of mitogen-activated protein kinase. **Journal of Immunology** 166:2681-2687, 2000 (NCER).

Monn, C and Koren, H. Bioaerosols in ambient air particulates: A review and research needs. **Reviews on Environmental Health** 14: 69-89, 1999.

Moreland, JG, Fuhrman, RM, Wohlford-Lenane, CL, Quinn, TJ, Benda, E, Pruessner, JA and Schwartz, DA. TNF-alpha and IL-1 beta are not essential to the inflammatory response in LPS-induced airway disease. **American Journal of Physiology** 280:L173-L180, 2001 (NCER).

Morgan, DL, Chanda, SM, Price, HC, Fernando, R, Liu, J, Brambilia, E, O'Conner, R.W., Beliles, RP and Barone, S. Jr. Disposition of Inhaled Mercury Vapor in Pregnant Rats: Maternal toxicity and Effects on Developmental Outcomes. **Toxicological Sciences** 66: 261-273, 2002

Morgan, MK, Stout II, DM and Wilson, NK. Feasibility study of the potential for human exposure to pet-borne diazinon residues following lawn applications. **Bulletin of Environmental Contamination and Toxicology** 66:295-300, 2001.

Morgan, MK, Sheldon, LS, Croghan, CW, Jones, PA, Robertson, GL, Chuang, JC, Wilson, NK and Lyu, CW. Exposures of preschool children to chlorpyrifos and its degradation product 3,5,6-trichloro-2-pyridinol in their everyday environments. **Journal of Exposure Analysis and Environmental Epidemiology**, in press.

Morrison, J, Yang, C, Lin, K-T, Haugland, RA, Neely, AN and Vesper, SJ. Monitoring *Aspergillus* species by quantitative PCR during construction of a multi-story hospital building. **Journal of Hospital Infection** 57:85-87, 2004.

Mortimer, KM, Tager, IB, Dockery, DW, Neas, LM and Redline, S. The effect of ozone on inner-city children with asthma: identification of susceptible subgroups. **American Journal of Respiratory and Critical Care Medicine** 162:1838-1845, 2000.

Mortimer, KM, Neas, LM, Dockery, DW, Redline, S and Tager, IB. The effect of air pollution on inner-city children with asthma. **European Respiratory Journal** 9:699-705, 2002.

Moser, VC. Comparison of aldicarb and methamidophos neurotoxicity at different ages in the rat: Behavioral and biochemical parameters. **Toxicology and Applied Pharmacology** 157:94-106, 1999.

Moser, VC. Dose-response and time-course of neurobehavioral changes following oral chlorpyrifos in rats of different ages. **Neurotoxicology and Teratology** 22:713-723, 2000.

Moser, VC, Shafer, TJ, Ward, TR, Meacham, CA, Harris, MW and Chapin, RE. Neurotoxicological outcomes of perinatal heptachlor exposure in the rat. **Toxicological Sciences** 60:315-326, 2001.

Moser, VC, Barone S, Jr., Smialowicz, RJ, Harris, MW, Davis, BJ, Overstreet, D, Mauney, M and Chapin RE. The effects of perinatal tebuconazole exposure on adult neurological,

immunological, and reproductive function in rats. **Toxicological Sciences** 62:339-352, 2001.

Mosquin, P, Whitmore, R, Suerken, C and Quackenboss, J. Population coverage and non-response bias in a large-scale human exposure study. **Journal of Exposure Analysis and Environmental Epidemiology**, in press.

Moya, J, Bearer, CF and Etzel, R. Children's behavior and physiology and how it affects exposure to environmental contaminants. **Pediatrics** 113:996–1006, 2004 (NCER).

Moysich, KB, Ambrosone, CB, Mendola, P, Kostyniak, PJ, Greizerstein, HB, Vena, JE, Menezes, RJ, Swede, H, Shields, PG and Freudenheim, JL. Exposures associated with serum organochlorine levels among postmenopausal women from western New York State. **American Journal of Industrial Medicine** 41:102-110, 2002.

Mukerjee, S, Norris, GA, Smith, LA, Noble, CA, Neas, LM, Özkaynak, AH and Gonzales M. Receptor Model Comparisons and Wind Direction Analyses of Volatile Organic Compounds and Submicrometer Particles in an Arid, Binational, Urban Airshed. **Environmental Science and Technology** 15:2317-2327, 2004

Mukerjee, S, Smith, LA, Norris, GA, Morandi, MT, Gonzales, M, Noble, CA, Neas, LM and Özkaynak, HA. Field Method Comparison Between Passive Air Samplers and Continuous Monitors for Volatile Organic Compounds and NO₂ in El Paso, Texas, USA. **Journal of the Air and Waste Management Association** 54:307-319, 2004.

Mundy, WR, Parran, DK and Barone, S. Jr. Gestational exposure to methylmercury alters the developmental pattern of neurotrophin- and neurotransmitter-induced phosphoinositide (PI) hydrolysis. **Neurotoxicology Research** 1:271-283, 2000.

Namgung, U and Xia, Z. Arsenic induces apoptosis in rat cerebellar neurons via activation of JNK3 and p38 MAP kinases. **Toxicology and Applied Pharmacology** 174: 130 – 138, 2001 (NCER).

Neas, LM.. Fine particulate matter and cardiovascular disease. **Fuel Processing Technology** 66:55-67, 2000.

Neas, LM. Methodological Issues in the Use of Generalized Additive Models for the Analysis of Particulate Matter Health Effects. Conference proceedings for 9th International Inhalation Symposium on Effects of Air Contaminants on the Respiratory Tract - Interpretations from Molecules to Meta Analysis sponsored by the Fraunhofer Institute of Toxicology and Experimental Medicine and US EPA in Hanover, Germany on June 9-14, 2003.

Neas, LM, Dockery, DW, Koutrakis, P and Speizer, FE. Fine particles and peak flow in children: acidity versus mass. **Epidemiology** 10:550-553, 1999.

Neas, LM, Schwartz, J and Dockery, DW. A case-crossover analysis of air pollution and mortality in Philadelphia. **Environmental Health Perspectives** 107:629-631, 1999.

Needham, LL, Sexton, K. Assessing children's exposure to hazardous environmental chemicals: An overview of selected research challenges and complexities. **Journal of Exposure Analysis and Environmental Epidemiology** 10: 611 – 629, 2000 (NCER).

Neely, AN, Gallardo, V, Barth, E, Haugland, RA, Warden, G and Vesper, SJ. Rapid monitoring by QPCR for pathogenic *Aspergillus* during carpet removal from a hospital. **Infection Control and Hospital Epidemiology** 25:350-352, 2004.

Newburg, DS, Ruiz-Palacios, GM, Altaye, M, Chaturvedi, P, Meinzen-Derr, J, Guerrero Mde, L and Morrow, AL. Innate protection conferred by fucosylated oligosaccharides of human milk against diarrhea in breastfed infants. **Glycobiology** 14: 253 – 263, 2004 (NCER).

Noble, C A, Mukerjee, S, Gonzales, M, Rodes, C E, Lawless, PA, Natarajan, S, Myers, EA, Norris, GA., Smith, LA, Özkaynak, H and Neas, LM. Continuous measurement of fine and ultrafine particulate matter, criteria pollutants and meteorological conditions in urban El Paso, Texas. **Atmos Environment** 37:827-840, 2003.

O'Hara, MF, Nibbio, BJ, Craig, RC, Nemeth, KR, Charlap, JH and Knudsen, TB. Mitochondrial benzodiazepine receptors regulate oxygen homeostasis in the early mouse embryo. **Reproductive Toxicology** 17:365-375, 2003 (NCER).

Ohtsuka, Y, Clarke, RW, Mitzner, W, Brunson, K, Jakab, GJ and Kleeberger, SR. Interstrain variation in murine susceptibility to inhaled acid-coated particles. **American Journal of Physiology** 278:L469-L476, 2000 (NCER).

Ohtsuka, Y, Brunson, KJ, Jedlicka, AE, Mitzner, W, Clarke, RW, Zhang, LY, Eleff, SM and Kleeberger, SR. Genetic linkage analysis of susceptibility to particle exposure in mice. **American Journal of Respiratory Cell and Molecular Biology** 22:574-581, 2000 (NCER).

Olin, SS and Sonawane, BR. Workshop to develop a framework for assessing risks to children from exposure to environmental agents. **Environmental Health Perspectives** 111: 1524-1526, 2003.

Olivier, K and Pope, C. Comparative effects of paraoxon, chlorpyrifos oxon and muscarinic agonists on high affinity choline uptake in rat cortical or striatal synaptosomes. **Toxicological Sciences** 48:100, 1999 (NCER).

Olivier, K and Pope, CN. Age-related inhibition of forskolin-stimulated cAMP formation by chlorpyrifos oxon in rat cortical slices. **Toxicological Sciences** 54:340, 2000 (NCER).

Olivier, K and Pope, CN. Age-related effects of chlorpyrifos on high affinity choline uptake in rat brain. **Toxicological Sciences** 60:241, 2001 (NCER).

Olivier, K, Liu, J and Pope, CN. Inhibition of forskolin-stimulated cAMP formation in vitro by paraoxon and chlorpyrifos oxon in cortical slices from neonatal, juvenile and adult rats. **Journal of Biochemical and Molecular Toxicology** 15:263-269, 2001 (NCER).

Olson, DA, Norris, GA, Landis, MS and Vette, AF. Chemical characterization of ambient particulate matter near the World Trade Center: elemental carbon, organic carbon and mass reconstruction. **Environmental Science and Technology** 38: 4465-4473, 2004.

Ogun, S, Gogal, R, Adeshina, F, Choudhury, H and H. Misra. Pesticide mixtures potentiate the toxicity in murine thymocytes. **Toxicology** 196:181–195, 2004.

O'Rourke, MK, Fernandez, LM, Bittel, CN, Sherrill, JL, Blackwell, TS and Robbins, DR. Mass data massage: an automated data processing system used for NHEXAS, Arizona. National Human Exposure Assessment Survey. **Journal of Exposure Analysis and Environmental Epidemiology** 9:471–484, 1999 (NCER).

O'Rourke, MK, Van de Water, PK, Jin, S, Rogan, SP, Weiss, AD, Gordon, SM, Moschandreas DM and Lebowitz, MD. Evaluations of primary metals from NHEXAS Arizona: distributions and preliminary exposures. National Human Exposure Assessment Survey. **Journal of Exposure Analysis and Environmental Epidemiology** 9:435–445, 1999 (NCER).

O'Rourke, MK, Rogan, SP, Jin, S and Robertson, GL. Spatial distributions of arsenic exposure and mining communities from NHEXAS Arizona. National Human Exposure Assessment Survey. **Journal of Exposure Analysis and Environmental Epidemiology** 9:446–455, 1999 (NCER).

O'Rourke, MK, Lizardi, PS, Rogan, SP, Freeman, NC, Aguirre, A and Saint, CG. Pesticide exposure and creatinine variation among young children. **Journal of Exposure Analysis and Environmental Epidemiology** 10:672–681, 2000 (NCER).

Ou, YC, White, CC, Krejsa, CM, Ponce, RA, Kavanagh, TJ and Faustman, EM. The role of intracellular glutathione in methylmercury-induced toxicity in embryonic neuronal cells. **Neurotoxicology** 20:793-804, 1999 (NCER).

Ou, YC, Thompson, SA, Ponce, RA, Shroeder, J, Kavanagh, TJ and Faustman, EM. Induction of the cell cycle regulatory gene, p21 (Waf1, Cip1) following methylmercury exposure in vitro and in vivo. **Toxicology and Applied Pharmacology** 157:203-212, 1999 (NCER).

Özkaynak, H. Exposure Assessment. In: Air Pollution and Health. Holgate, Koren, Samet and Maynard Eds. Academic Press, London UK. pp. 149-162, 1999.

Padilla, S, Buzzard, J and Moser, VC. Comparison of the role of esterases in the differential age-

related sensitivity to chlorpyrifos and methamidophos. **Neurotoxicology** 21:49-56, 2000.

Padilla, S, Sung, H-J and Moser, V. Further assessment of an *in vitro* screen that may help identify organophosphorus pesticides that are more acutely toxic to the young. **Journal of Toxicology and Environmental Health** 67:1477-1489, 2004.

Paige, RC, Brody, SL, Fanucchi, MV and Plopper, CG. Failure of ciliogenesis in HFH-4 transcription factor deficient mice is correlated with the absence of ezrin. **American Journal of Respiratory and Critical Care Medicine** 161:A561, 2000 (NCER).

Parran, DK, Mundy, WR and Barone, S. Jr. Differential effects of inorganic and organic mercury on differentiation and cytotoxicity in PC12 cells. **Toxicological Sciences** 59: 278-290, 2001.

Parran, DK, Barone, S Jr and Mundy, WR. Methylmercury inhibits NGF-induced TrkA autophosphorylation and neurite outgrowth in PC12 cells. **Developmental Brain Research** 141:71-81, 2003.

Parran, DK, Barone, S Jr and Mundy, WR. Role of MAP kinase and Protein Kinase C in Methyl mercury inhibition of neurite outgrowth in PC12 cells. **Developmental Brain Research** 149:53-61, 2004.

Peiffer,RL, McCary, B, Bee, W, Wegener, A, Geller, AM and Boyes,WK. Contemporary methods in ocular toxicology. **Toxicology Methods** 10:1-23, 2000.

Pellizzari, ED, Smith, DJ, Clayton, CA, Michael, LC and Quackenboss, JJ. An assessment of the data quality for NHEXAS-Part 1: Exposure to metals and volatile organic chemicals in Region 5. **Journal of Exposure Analysis and Environmental Epidemiology** 11:140-154, 2001.

Pellizzari, ED, Smith, DJ, Clayton, CA and Quackenboss, JJ. Assessment of data quality for the NHEXAS - Part II: Minnesota children's pesticide exposure study (MNCPEs). **Journal of Exposure Analysis and Environmental Epidemiology** 13:465-479, 2003.

Perera, FP, Jedrychowski, W, Rauh, V and Whyatt, RM, Molecular epidemiologic research on the effects of environmental pollutants on the fetus. **Environmental Health Perspectives** 107: 451-460, 1999 (NCER).

Perera, FP and Weinstein, IB. Molecular epidemiology: Recent advances and future directions. **Carcinogenesis** 21:517-524, 2000 (NCER).

Perera, FP. Molecular epidemiology: On the path to prevention? **Journal of the National Cancer Institute** 92:602-612, 2000 (NCER).

Perera, FP, Illman, SM, Kinney, PL, Whyatt, RM, Kelvin, EA, Shepard, P, Evans, D, Fullilove,

M, Ford, JG, Miller, RL, Meyer, I and Rauh, V. The challenge of preventing environmentally related disease in young children: Community-based research in New York City. **Environmental Health Perspectives** 110:197–204, 2002 (NCER).

Perera, FP, Rauh, V, Tsai, WY, Kinney, PL, Camann, DE, Barr, DB, Garfinkel, R, Tu, Y-H, Diaz, D, Dietrich, J and Whyatt, RM. Effects of transplacental exposure to environmental pollutants on birth outcomes in a multi-ethnic population. **Environmental Health Perspectives** 111:201–205, 2003 (NCER).

Perera, FP, Rauh, V, Whyatt, RM, Tsai, WY, Bernert, JT, Tu, YH, Andrews, H, Ramirez, J, Qu, L and Tang, D. Molecular evidence of an interaction between prenatal environmental exposures and birth outcomes in a multiethnic population. **Environmental Health Perspectives** 112:626 – 630, 2004 (NCER).

Perlin, S, Sexton, K and Wong, D. An examination of race and poverty for populations living near industrial sources of air pollution. **Journal of Exposure Analysis and Environmental Epidemiology** 9:29-48, 1999.

Perlin, S, Sexton, K and Wong, D. Residential proximity to industrial sources of air pollution: interrelationships among race, poverty and age. **Journal of Air and Waste Management** 51:406-421, 2001.

Perreault, SD, Rubes, J, Robbins, WA, Evenson, DP and Selevan SG. Evaluation of aneuploidy and DNA damage in human spermatozoa: applications in field studies. **Andrologia** 32:247-254, 2000.

Pinnella, KD, Tessari, JD, Cranmer, BK, Cosma, GN and Veeramachaneni, DNR. Gas chromatographic determination of catecholestrogens following isolation by solid-phase extraction. **Journal of Chromatography B** 758:145-152, 2001 (NCER).

Pleil, J.D, Vette, AF and Rappaport, SM. Assaying particle-bound polycyclic aromatic hydrocarbons (PAH) from archived PM_{2.5} filters. **Journal of Chromatography A** 1033:9-17, 2004.

Pleil, JD, Vette, AF, Johnson, BA and Rappaport, SM. Air levels of carcinogenic polycyclic aromatic hydrocarbons. **Proceedings of the National Academy of Sciences USA** 101, 11685-11688, 2004.

Plopper, CG and Fanucchi, MV. Do urban environmental pollutants exacerbate childhood lung diseases? **Environmental Health Perspectives** 108:A252-A253, 2000 (NCER).

Plopper, CG, Buckpitt, A, Evans, M, Van, W, Fanucchi, M, Smiley-Jewell, S, Lakritz, J, West, J, Lawson, G, Paige, R, Miller, L and Hyde, D. Factors modulating the epithelial response to toxicants in tracheobronchial airways. **Toxicology** 160:173-180, 2001 (NCER).

Poet, TS, Wu, H, Kousba, AA and Timchalk, C. In vitro rat hepatic and enterocyte metabolism of the organophosphate pesticides chlorpyrifos and diazinon. **Toxicological Sciences** 72:193-200, 2003 (NCER).

Polifka, J and Faustman, E. Developmental toxicity: web resources for evaluating risk in humans. **Toxicology** 173: 35 – 65, 2002 (NCER).

Quackenboss, JJ, Pellizzari, ED, Shubat P, Whitmore, RW, Adgate, JL, Thomas, KW, Freeman, NC, Stroebel, C, Lioy, PJ, Clayton, AC and Sexton, K. Design strategy for assessing multi-pathway exposure for children: the Minnesota's Children's Pesticide Exposure Study (MNCPPES). **Journal of Exposure Analysis and Environmental Epidemiology** 10:145-158, 2000.

Quinn, TJ, Taylor, S, Wohlford-Lenane, CL and Schwartz, DA. IL-10 reduces grain dust-induced airway inflammation and airway hyperreactivity. **Journal of Applied Physiology** 88:173-179, 2000 (NCER).

Rabinowitz, JR, Little, SB and Gifford, EM. The interactions between chlorinated dioxins and a positively charged molecular probe: A new molecular interaction potential. **Journal of Computational Chemistry** 12:121-134, 1999.

Ramachandran, G, Adgate, JL, Hill, N, Sexton, K, Pratt, GC and Bock, D. Comparison of short-term variations 15-minute averages in outdoor and indoor PM_{2.5} concentrations. **Journal of the Air Waste Management Association** 50: 1157 – 1166, 2000 (NCER).

Rauh, V, Andrews, H and Garfinkel, R. The contribution of maternal age to racial disparities in birthweight: a multi-level perspective. **American Journal of Public Health** 91: 1815 – 1824, 2001 (NCER).

Rauh, V, Chew, G and Garfinkel, R. Deteriorated housing contributes to high cockroach allergen levels in inner-city households. **Environmental Health Perspectives** 110: 323 – 327, 2002 (NCER).

Rauh, VA, Lamb, Parker F, Andrews, H and Garfinkel, R. Community-level effects on school performance of inner-city Head Start children. **Journal of Community Psychology** 31:1–24, 2003 (NCER).

Rauh, VA, Whyatt, RM, Garfinkel, R, Andrews, H, Hoepner, L, Reyes, A, Diaz, D, Camann, D and Perera, FP. Developmental effects of exposure to environmental tobacco smoke and material hardship among inner-city children. **Neurotoxicology and Teratology** 26:373–385, 2004 (NCER).

Regan, MM and Catalano, PJ. Bivariate dose-response modeling and risk estimation in developmental toxicology. **Journal of Agricultural, Biological, and Environmental Statistics** 4:217-237, 1999 (NCER).

Regan, MM and Catalano, PJ. Likelihood models for clustered binary and continuous outcomes: application to developmental toxicology. **Biometrics** 55:760-768, 1999 (NCER).

Rice, DC and Barone, S Jr. Critical Periods of Vulnerability for the Developing Nervous System: Evidence from Humans and Animal Models. **Environmental Health Perspectives** 108(Suppl 3): 511-533, 2000.

Rice, G, Roberts, E, Adeshina, F and Kier, V. Assessing Risks from Incineration and Combustion Sources,” In: Environmental Health Secrets, L.K. Williams, R.L. Langley, Eds. Hanley & Belfus Publishers, Philadelphia, PA. pp.72-78, 2001.

Richter, RJ and Furlong, CE. Determination of paraoxonase (PON1) status requires more than genotyping. **Pharmacogenetics** 9: 745 – 753, 1999 (NCER).

Riediker, M and Koren, H. The importance of environmental exposures to physical, mental and social well-being. **International Journal of Hygiene and Environmental Health** 207:193-201, 2004.

Riediker M, Cascio WE, Griggs TR, Herbst MC, Bromberg PA, Neas L, Williams, RW and Devlin RB. Particulate matter exposure in cars is associated with cardiovascular effects in healthy young men.. **American Journal of Respiratory and Critical Care Medicine** 169:934-40, 2004.

Rigas, ML, Okino, MS and Quackenboss, JJ. Use of a pharmacokinetic model to assess chlorpyrifos exposure and dose in children, based on urinary biomarker measurements. **Toxicological Sciences** 61: 374-381, 2001.

Ris, MD. Causal inference in lead research Introduction to the Special Section on the neurobehavioral effects of environmental lead. **Child Neuropsychology** 9:1-9, 2003 (NCER).

Ris, MD, Dietrich, KN, Succop, PA, Berger, OG and Bornschein, RL. Early exposure to lead and neuropsychological outcome in adolescence. **Journal of the International Neuropsychology Society** 10:261–270, 2004 (NCER).

Robbins, WA, Rubes, J, Selevan ,SG and Perreault. Air pollution and sperm aneuploidy in healthy young men. **Environmental Epidemiology and Toxicology** 1:125–131, 1999.

Rodes, CE, Lawless, PA, Evans, G, Sheldon, LS, Williams, RW, Vette, AF Creason, JP and Walsh, D. The relationships between personal PM exposures for elderly populations and indoor

and outdoor concentrations for three retirement center scenarios. **Journal of Exposure Analysis and Environmental Epidemiology** 11:103-115, 2001.

Roe, JD, Haugland, RA, Vesper, SJ and Wymer, L. Quantification of *Stachybotrys chartarum* Conidia in indoor dust using real time, fluorescent probe-based detection of PCR products. **Journal of Exposure Analysis and Environmental Epidemiology** 11:1-9, 2001.

Rothenberg, SJ, Schnaas, L, Salgado-Valladares, MD, Casanueva, E, Geller, AM, Hudnell, HK and Fox, DA. Increased ERG A- and B-wave amplitude in 7-10 year old children resulting from prenatal lead. **Investigative Ophthalmology and Visual Science** 43: 2036-2044, 2002.

Royster, MO, Lobdell, DT, Mendola, R, Perreault, SD, Selevan, SG, Rothmann, SA and Robbins WA. Evaluation of a container for collections and shipment of semen with potential uses in population-based, clinical, and occupational settings. **Journal of Andrology** 21:478-484, 2000.

Ryan, LK, Neldon, DL, Bishop, L, Gilmour, MI, Daniels, MJ Sailstad, DM and Selgrade, MJK. Exposure to ultraviolet radiation enhances mortality and pathology associated with influenza virus infection in mice. **Photochemistry and Photobiology** 72:497-507, 2000.

Sammel, MD, Lin, LM and Ryan, LM. Multivariate linear mixed models for multiple outcomes. **Statistics In Medicine** 18:2479-2492, 1999 (NCER).

Sandel, M, Phelan, KJ, Wright, R, Hynes, HP and Lanphear, BP. The effects of housing interventions on child health. **Pediatrics Annals** 33:474-481, 2004 (NCER).

Schapiro, M, Cecil, KM, Doescher, J, Kiefer, AM and Jones, BV. MR imaging and spectroscopy in juvenile Huntington disease. **Pediatric Radiology** 34:640-643, 2004 (NCER).

Schreiber, JS, Hudnell, HK, Geller, AM, House, DE, Aldous, KM, Force, ME, Langutth, KW, Prohonic, EJ and Parker, JC. Apartment residents' and day care workers' exposures to tetrachloroethylene (perc) and deficits in visual contrast sensitivity. **Environmental Health Perspectives** 110:655-664, 2002.

Schwartz, DA. The etiology and pathogenesis of airway disease in children and adults from rural communities. **Environmental Health Perspectives** 107:393-401, 1999.

Schwartz, DA, Wohlford-Lenane, CL, Quinn, TJ and Krieg, AM. Bacterial DNA or oligonucleotides containing unmethylated CpG motifs can minimize LPS-induced inflammation in the lower respiratory tract through an IL-12 dependent pathway. **Journal of Immunology** 163:224-231, 1999 (NCER).

Schwartz, J and Neas, LM. Fine particles are more strongly associated than coarse particles with acute respiratory health effects in schoolchildren. **Epidemiology** 11:6-10, 2000.

Selevan ,SG, Kimmel, CA and Mendola, P. Identifying critical windows of exposure for children's health. **Environmental Health Perspectives** 108 (Suppl 3):451-455, 2000.

Selevan, SG, Borkovec, L, Slott VL, Zudová, Z, Rubeš, J, Evenson, DP and Perreault, SD. Semen quality and reproductive health of young Czech men exposed to seasonal air pollution. **Environmental Health Perspectives** 108:887-894, 2000.

Selevan, SG, Rice, DC, Hogan, KA, Euling , SY, Pfahles-Hutchens, A and Bethel, J. Blood lead concentration and delayed puberty in girls. **New England Journal of Medicine** 348:1527-1536, 2003.

Selgrade, MJK, Lambert, AL, Ward, MDW and Gilmour, MI. Animal models to assess the effects of air pollutants on allergic lung disease. **Annals New York Academy of Sciences** 919:230-238, 2000.

Selgrade, MJ, Smith, M, Oberhelman-Bragg, L, LeVee, G, Koren, H and Cooper, K. Dose response for UV-induced immune suppression in people of color: Differences based on erythral reactivity rather than skin pigmentation. **Photochemistry and Photobiology** 74:88-95, 2001.

Sexton, K. Socioeconomic and racial disparities in environmental health: Is risk assessment part of the problem or part of the solution? **Human and Ecological Risk Assessment** 6:561–574. 2000 (NCER).

Sexton, K, Callahan, M, Bryan, E, Saint, C and Wood, W. Informed decisions about protecting and promoting public health: Rationale for a national human exposure assessment survey. **Journal of Exposure Analysis and Environmental Epidemiology** 5:233-256, 2000 (NCER).

Sexton, K, Greaves, IA, Church, TR, Adgate, JL, Ramachandran, G, Tweedie, RL, Fredrickson, A, Geisser, M, Sikorski, M, Fischer, G, Jones, D and Ellringer, P. A school-based strategy to assess children's environmental exposures and related health effects in economically disadvantaged urban neighborhoods. **Journal of Exposure Analysis and Environmental Epidemiology** 10:682–694, 2000 (NCER).

Sexton, K, Adgate, JL, Eberly, LE, Clayton, CA, Whitmore, RW, Pellizzari, ED, Lioy, PJ and Quackenboss, JJ Predicting children's short-term exposure to pesticides results of a questionnaire screening approach. **Environmental Health Perspectives** 111:123–128, 2003 (NCER).

Sexton, K, Adgate, JL, Church, TR, Greaves,IA, Ramachandran, G, Fredrickson, AL, Geisser, MS and Ryan, AD. Recruitment, retention, and compliance results from a probability study of children's environmental health in economically disadvantaged neighborhoods. **Environmental Health Perspectives** 111:731–736, 2003 (NCER).

Sexton, K, Adgate, JL, Church, TR, Hecht, SS, Ramachandran, G, Greaves, IA, Fredrickson, AL, Ryan, AD, Carmella, SG and Geisser, MS. Children's exposure to environmental tobacco smoke: using diverse exposure metrics to document ethnic/racial differences. **Environmental Health Perspectives** 112:392–397, 2004 (NCER).

Shafer, TJ, Meacham, CA and Barone, S Jr. Effects of subacute exposure to nanomolar concentrations of methylmercury on voltage-gated sodium and calcium currents in PC12 cells. **Developmental Brain Research** 136:151-164, 2002.

Sharbaugh, C, Viet, SM, Fraser, A and SB McMaster. Comparable measures of cognitive function in human infants and laboratory animals to identify environmental health risks to children. **Environmental Health Perspectives**: 111:121-134, 2003.

Shaw, GM, Lammer, EJ, Zhu, H, Baker, MW, Neri, E and Finnell, RH. Maternal periconceptional vitamin use, genetic variation of infant reduced folate carrier (A80G) and risk of spina bifida. **American Journal of Medical Genetics** 108:1-6, 2002 (NCER).

Shaw, GM, Zhu, H, Lammer, EJ, Yang, W and Finnell, RH. Genetic variation of infant reduced folate carrier (A80G) and risk of orofacial and conotruncal heart defects. **American Journal of Epidemiology** 158:747-752, 10-15-2003 (NCER).

Shaw, GM, Nelson, V, Iovannisci, DM, Finnell, RH and Lammer, EJ. Maternal occupational chemical exposures and biotransformation genotypes as risk factors for selected congenital anomalies. **American Journal of Epidemiology** 157:475-484, 2003 (NCER).

Shaw, GM, Quach, T, Nelson, V, Carmichael, SL, Schaffer, DM and Selvin, S. Neural tube defects in offspring associated with maternal periconceptional dietary intake of simple sugars and glycemic index. **American Journal of Clinical Nutrition** 78:972-978, 2003 (NCER).

Shore, SA, Abraham, JH, Schwartzman, IN, Krishna Murthy, GG and Laporte, JD. Ventilatory responses to ozone are reduced in immature rats. **Journal of Applied Physiology** 88:2023-2030, 2000 (NCER).

Shore, SA, Schwartzman, IN, LeBlanc, B, Krishna Murthy, GG and Doerschuk, CM. Tumor necrosis factor receptor 2 contributes to ozone-induced airway hyperresponsiveness in mice. **American Journal of Respiratory and Critical Care Medicine** 164:602-607, 2001 (NCER).

Shore, SA, Johnston, RA, Schwartzman, IN, Chism, D and Krishna Murthy, GG. Ozone-induced airway hyperresponsiveness is reduced in immature mice. **Journal of Applied Physiology** 92:1019-1028, 2002 (NCER).

Sing, P, DeMarini, DM, Dick, CAJ, Tabor, D, Ryan, J, Linak, WP, Kobayashi, T and Gilmour, MI. Sample characterization of automobile and forklift diesel exhaust particles and comparative toxicity in mice. **Environmental Health Perspectives** 112:820-25, 2004.

Singh, P, Daniels, M, Winsett, DW, Richards, J, Doerfler, D, Hatch, G, Adler, KB and Gilmour, MI. Phenotypic comparison of allergic airway responses to house dust mite in three rat strains. *American Journal of Physiology: Lung Cellular and Molecular Physiology* 284:L588-98, 2003.

Stephen, GA, McRill, C, Mack, MD, O'Rourke, MK, Flood, TJ and Lebowitz, MD. Assessment of respiratory symptoms and asthma prevalence in a U.S.-Mexico border region. **Archives of Environmental Health** 58:156–162, 2003 (NCER).

Stout II, DM and Leidy, RB. A preliminary examination of the translocation of microencapsulated Cyfluthrin following applications to the perimeter of residential dwellings. **Journal of Environmental Sciences and Health B35:** 477-489, 2000.

Stout II, DM and Mason, MA. The distribution of chloryrifos following a crack and crevice type application in the US EPA Indoor Air Quality Research House. **Atmospheric Science** 37:5539-5549, 2003.

Stroop, M, Dietrich, KN and Hunt, AN. Lead based paint health risk assessment in dependent children living in military housing. **Public Health Reports** 117:446–452, 2002 (NCER).

Strunk, RC, Ford, JG and Taggart, VT. Reducing disparities in asthma care: Priorities for research-National Heart Lung and Blood Institute Workshop Report. **Journal of Allergy and Clinical Immunology** 109:229–237, 2002 (NCER).

Sun, Li, Zidek , JV, Lee, ND and Özkaynak H. Interpolating Vancouver's daily ambient PM₁₀ field. **Environmetrics** 11:651-663, 2000.

Teeguarden, JG and Barton, HA. Computational Modeling of Serum Binding Proteins and Clearance in Extrapolations across Life-Stages and Species for Endocrine Active Compounds. **Risk Analysis** 24, 751-770, 2004.

Thompson, B, Coronado, G and Puschel, K. Identifying constituents to participate in a project to control pesticide exposure in children of farmworkers. **Environmental Health Perspectives** 109:443–448, 2001 (NCER).

Thompson, B, Coronado, GD and Grossman, JE. Pesticide take-home pathway among children of agricultural workers: study design, methods, and baseline findings. **Journal of Occupational Environmental Medicine** 45:42–53, 2003 (NCER).

Timchalk, C, Kousba, A and Poet, TS. Assessing the impact of human PON1 polymorphisms: sensitivity and Monte Carlo analyses using a physiologically based pharmacokinetic/pharmacodynamic (PBPK/PD) model for chlorpyrifos. **Toxicological Sciences** 66:1525, 2002 (NCER).

Timchalk, C, Kousba, A and Poet, TS. Monte Carlo analysis of the human chlorpyrifos-oxonase (PON1) polymorphism using a physiologically based pharmacokinetic and pharmacodynamic (PBPK/PD) model. **Toxicology Letters** 135:51-59, 2002 (NCER).

Timchalk, C, Kousba, A and Poet, TS. Development of a neonatal rat physiologically based pharmacokinetic/pharmacodynamic (PBPK/PD) model for chlorpyrifos. **Toxicological Sciences** 72:1483, 2003 (NCER).

Tonne, CC, Whyatt, RM, Camann, DE, Perera, FP and Kinney, PL. Predictors of personal polycyclic aromatic hydrocarbon exposures among pregnant minority women in New York City. **Environmental Health Perspectives** 112:754-759, 2004 (NCER).

Tulve, NS, Suggs, JC, McCurdy, T, Cohen-Hubal, EA and Moya J. Frequency of mouthing behavior in young children. **Journal of Exposure Analysis and Environmental Epidemiology** 12: 259-264, 2002

Vajanapoom, N, Shy, CM, Neas, LM and Loomis, D. Estimation of particulate matter from visibility in Bangkok, Thailand. **Journal of Exposure Analysis and Environmental Epidemiology** 11:97-102, 2001.

Vajanapoom, N, Shy, CM, Neas, LM and Loomis, D. Associations of particulate matter and daily mortality in Bangkok, Thailand. **Southeast Asian Journal of Tropical Medicine and Public Health** 33:389-399, 2002.

Van Bree, L. and J. Vandenberg. Risk assessment and risk management of ambient air PM. In: Proceedings of the Third Colloquium on Particulate Air Pollution and Human Health, Air Pollution Health Effects Laboratory, Univ. of California, Irvine, CA, 1999.

Van Bree, L, Dormans, J, Koren, H, Devlin, R and Rombout, P. Attenuation and recovery of pulmonary injury in rats following short-term, repeated daily exposure to ozone. **Inhalation Toxicology** 14:101-118, 2002.

Vandenberg, J. Particulate matter: USEPA regulatory, monitoring and research programs. Proceedings: National Conference on Transportation and the Environment for the 21st Century. Transportation Research Board, National Research Council, Transportation Research Circular Number E-C028, April 2001.

Vandenberg, JJ and Boyes, WF. Exposure domains: role of timing, pattern and magnitude of exposure on health risks. Proceedings: Joint WHO-JRC-ECA Workshop on Role of Human Exposure Assessment in Air Quality Management. Bonn, Germany, EUR 21052. M. Krzyanowski, J. Jantunen, A. Bartonova, L. Oglesby, S. Kephapoulos, D. Kotzias (Eds), 2004.

Vandenberg, JJ. The role of air quality management programs in improving public health: a brief synopsis. **Journal of Allergy and Clinical Immunology**, in press.

Van Loveren, HD, Gorelic, **D**, Koren, H, Luster, M, Nolan, Repetto, R, Smith, E, Vos, J and Vogt., R. Advancement of epidemiological studies in assessing the human health effects of immunotoxic agents in the environment and the workplace. **Biomarkers** 4:135-157, 1999.

Vesper, S J and Vesper, MJ. Stachylysin may be a cause of hemorrhaging in humans exposed to *Stachybotrys chartarum*. **Infection and Immunity** 70:2065-2070, 2002.

Vesper, SJ, Dearborn, DG, Yike, I, Sorenson, WG and Haugland, RA. Hemolysis, toxicity and RAPD analysis of *Stachybotrys chartarum* strains. **Applied and Environmental Microbiology** 65:3175-3181, 1999.

Vesper, SJ, Dearborn, DG, Elidemir, O, and Haugland, RA.. Quantification of siderophore and hemolysin from *Stachybotrys chartarum* strains, including a strain isolated from the lung of a child with pulmonary hemorrhage and hemosiderosis. **Applied Environmental Microbiology** 66:2678-2681, 2000.

Vesper, SJ, Magnuson, ML, Dearborn, D, Yike, I and Haugland, RA. Initial characterization of the hemolysin stachylysin from *Stachybotrys chartarum*. **Infection and Immunity** 69:912-916, 2001.

Vesper, SJ, Varma, M, Wymer, LJ, Dearborn, DG, Sobolewski, J and Haugland, RA. Quantitative PCR analysis of fungi in dust from homes of infants who developed idiopathic pulmonary hemorrhaging. **Journal of Occupational and Environmental Medicine** 46:596-601, 2004.

Vette, A, Rea, AW, Lawless, PA, Rodes, CE, Evans, EG, Highsmith, VR, Creason, JP and Sheldon, LS. Characterization of indoor-outdoor aerosol concentration relationships during the Fresno PM exposure studies. **Aerosol Science and Technology** 34:118-126, 2001.

Vette, AF, Landis, MS and Keeler, G. J. Deposition and emission of gaseous mercury to and from Lake Michigan during the Lake Michigan Mass Balance Study (July 1994-October 1995). **Environmental Science and Technology** 36: 4525-4532, 2002.

Vette, A, Gavett, S, Perry, S, Heist, D, Huber, A, Lorber, M, Liroy, P, Georgopoulos, P, Rao, ST, Petersen, W, Hicks, B, Irwin, J and Foley, G. Environmental research in response to 9/11 and Homeland Security. **Environmental Management**, in press.

Vette, A, Seila, R.; Swartz, E, Pleil, J, Webb, L, Landis, M, Huber, A and Vallero, D. Air pollution measurements in the vicinity of the World Trade Center-Summary of measurements conducted by EPA-ORD. **Environmental Management**, in press.

Viana, ME, Coates, NH, Gavett, SH, Selgrade, MJ, Vesper, SJ and Ward, M. An extract of *Stachybotrys chartarum* causes allergic asthma-like response in a BALB/c mouse model.

Toxicological Sciences 70:98-109, 2002.

Von Mutius, E, Schwartz, J, Neas, LM, Dockery, D and Weiss, ST. Relation of body mass index to asthma and atopy in children: the National Health and Nutrition Examination Study III. **Thorax** 56:835-8, 2001.

Wallace, LA, Mitchell, H, O'Connor, GT, Neas, L, Lippmann, M, Kattan, M, Koenig, J, Stout, JW, Vaughn, BJ, Wallace, D, Walter, M, Adams, K and Liu, LJ. Inner-City Asthma Study. Particle concentrations in inner-city homes of children with asthma: the effect of smoking, cooking, and outdoor pollution. **Environmental Health Perspectives** 111:1265-1272, 2003.

Wang, X, Zuckerman, B, Kaufman, G, Wise, P, Hill, M, Niu, T, Ryan, L, Wu, D and Xu, X. Molecular epidemiology of preterm delivery: methodology and challenges. **Pediatric and Prenatal Epidemiology** 15 Suppl 2:63-77, 2001 (NCER).

Wang, XB, Chen, DF, Niu, TH, Wang, ZX, Wang, LH, Ryan, L, Smith, T, Christiani, DC, Zuckerman, B and Xu, XP. Genetic susceptibility to benzene and shortened gestation: evidence of gene-environment interaction. **American Journal of Epidemiology** 152:693-700, 2000 (NCER).

Wang, X, Zuckerman, B, Pearson, C, Kaufman, G, Chen, C, Wang, G, Niu, T, Wise, P, Bauchner, H and Xu, X. Maternal cigarette smoking, metabolic gene polymorphism, and infant birth weight. **New England Journal of Medicine** 287:195-202, 2002 (NCER).

Wessels, D, Barr, D and Mendola, P. Use of biomarkers to indicate exposure of children to organophosphate pesticides: Implications for a longitudinal study of children's environmental health. Online publication September 10, 2003, doi:10.1289/ehp.6179 (available at <http://dx.doi.org/>). **Environmental Health Perspectives** 111:1939-1946, 2003.

Windham, GC, Waller, K, Anderson, M, Fenster, L, Mendola, P and Swan, S. Chlorination byproducts in drinking water and menstrual cycle function. Online publication March 25, 2003, doi:10.1289/ehp.5922 (available at <http://dx.doi.org/>). **Environmental Health Perspectives** 111:935-941, 2003.

White, LD and Barone, S., Jr., Qualitative and quantitative estimates of apoptosis from birth to senescence in the rat brain. **Cell Death and Differentiation** 8: 345-356, 2001.

Whitmore, RW, Byron, MZ, Clayton, CA, Thomas, KW, Zelon, HS, Pellizzari, ED, Liroy, PF and Quackenboss, JJ. Sampling design, response rates, and analysis weights for the National Human Exposure Assessment Survey (NHEXAS) in EPA region 5. **Journal of Exposure Analysis and Environmental Epidemiology** 9:369-380, 1999.

Whitmore RW, Pellizzari ED, Zelon HS, Michael LC, Quackenboss JJ. Population coverage and non-response bias in a large-scale human exposure study. **Journal of Exposure Analysis and Environmental Epidemiology**, in press.

Whyatt, RM, Perera, FP, Jedrychowski, W, Santella, RM, Garte, SJ and Bell, DA. Association between polycyclic aromatic hydrocarbon-DNA adduct levels in maternal and newborn white blood cells and Glutathione S-Transferase P1 and CYP1A1 Polymorphisms. **Cancer Epidemiology, Biomarkers and Prevention** 9:207–212, 2000 (NCER).

Whyatt, RM, Jedrychowski, W, Hemminki, K, Santella, RM, Tsai, WY, Yong, K and Perera, FP. Biomarkers of polycyclic aromatic hydrocarbon-DNA damage and cigarette smoke exposures in paired maternal and newborn blood samples as a measure of differential susceptibility. **Cancer Epidemiology, Biomarkers and Prevention** 10:581–588, 2001 (NCER).

Whyatt, RM and Barr, DB. Measurement of organophosphate metabolites in postpartum meconium as a potential biomarker of prenatal exposure: A validation study. **Environmental Health Perspectives** 109:417–420, 2001 (NCER).

Whyatt, RM, Camann, DE, Kinney, PL, Reyes, A, Ramirez, J, Dietrich, J, Diaz, D, Holmes, D and Perera, FP. Residential pesticide use during pregnancy among a cohort of urban minority women. **Environmental Health Perspectives** 110:507–515, 2002 (NCER).

Whyatt, RM, Barr, DB, Camann, DE, Barr, JR, Andrews, HF, Hoepner, LA, Kinney, PL and Perera, FP. Measurement of contemporary-use pesticides in personal air samples during pregnancy and blood samples at delivery among urban minority mothers and newborns. **Environmental Health Perspectives**. 111:749–756, 2003 (NCER).

Whyatt, RM, Rauh, V, Barr, DB, Camann, DE, Kinney, PL, Andrews, HF, Garfinkel, R, Dietrich, J, Didi, D and Perera, FP. Prenatal insecticide exposure and birth outcomes among an urban minority cohort. **Environmental Health Perspectives** 112:1125– 1132, 2004 (NCER).

Wilke, M and Holland, SK. Variability of gray and white matter during normal development. **Neuroreport** 14:1887–1890, 2003 (NCER).

Wilke, M, Holland, SK and Ball, WS Jr. Language processing during natural sleep in a 6 year old boy, as assessed with functional MR imaging. **American Journal of Neuroradiology** 24:42 – 44, 2003 (NCER).

Wilke, M, Sohn, JH, Byars, AW and Holland, SK. Bright spots correlations of gray matter volume with IQ in a normal pediatric population. **Neuroimage** 20:202–215, 2003 (NCER).

Wilke, M, Holland, SK, Myseros, JS, Schmithorst, VJ and Ball, WS Jr. Functional magnetic resonance imaging in pediatrics. **Neuropediatrics** 34:225–233, 2003 (NCER).

Williams, R, Suggs, J, Rea, A, Leovic, K, Vette, A, Croghan, C, Sheldon, L, Rodes, C, Thornburg, J, Ejire, A, Herbst, M and Sanders, W. The Research Triangle Park particulate matter panel study: PM mass concentration relationships. **Atmos Environment** 37: 5349-5363, 2003.

Wilson, NK, Chuang, JC, Iachan, R, Lyu, C, Gordon, SM, Morgan, MK, Özkaynak, H and Sheldon, LS. Design and sampling methodology for a large study of preschool children's aggregate exposures to persistent organic pollutants in their everyday environments. **Journal of**

Exposure Analysis and Environmental Epidemiology 14:260-274, 2004.

Wohlford-Lenane, CL, Deetz, DC and Schwartz, DA. Cytokine gene expression following inhalation of corn dust. **American Journal of Physiology** 276:L736-L743, 1999 (NCER).

Wolff, MS and Landrigan, PJ. Organochlorine chemicals and children's health. **Journal of Pediatrics** 140:10–13, 2002 (NCER).

Wolff, MS, Berkowitz, GS, Brower, S, Forman, J, Godbold, J, Kase, N, Lapinski, R, Larson, S, Senie, R and Tartter, P. Hormonally active environmental exposures and their relationship to risk for reproductive cancer among women. **Women and Cancer** 1:8-20, 1999 (NCER).

Won, Y, Zheng, Q, Liu, J and Pope, C. Effects of oral chlorpyrifos on cortical and striatal muscarinic autoreceptor function in neonatal, juvenile and adult rats. **Toxicological Sciences** 48:101, 1999 (NCER).

Won, YK, Zheng, Q, Olivier, J, Liu, J and Pope, CN. Age-related effects of chlorpyrifos on acetylcholine release in rat brain. **NeuroToxicology** 22:37-46, 2001 (NCER).

Wong, EY, Shirai, JH and Garlock, TJ. Survey of selected activities relevant to exposures to soils. **Bulletin of Environmental Contamination and Toxicology** 65:443–450, 2000 (NCER).

Wong, EY, Shirai, JH and Garlock, TJ. Adult proxy responses to a survey of children's dermal soil contact activities. **Journal of Exposure Analysis and Environmental Epidemiology** 10: 509–517, 2000 (NCER).

Wong, DW, Yuan, LL and Perlin, SA. Comparison of spatial interpolation methods for the estimation of air quality data. **Journal of Exposure Analysis and Environmental Epidemiology Methods** 14:404-415, 2004.

Wu, D, Wang, X, Chen, D, Niu, T, Ni, J, Liu, X and Xu, X. Metabolic gene polymorphisms and risk of dysmenorrhea. **Epidemiology** 11:648-653, 2000 (NCER).

Wu, H, Timchalk, C, Kousba, A and Poet, TS. Intestinal metabolism of organophosphate insecticides: potential first-pass metabolism. **Toxicological Sciences** 72:440, 2003 (NCER).

Wu, H, Kousba, A, Timchalk, C and Poet, TS. Hepatic and intestinal CYP450 metabolism of chlorpyrifos. **Toxicological Sciences** 66:LB134, 2002 (NCER).

Wu, T, Mendola, P and Buck, G. Secondary sexual characteristics and menses in US girls: Ethnic differences. **Pediatrics** 110:752-757, 2002.

Wu, T, Buck, GM and Mendola, P. Blood lead levels and sexual maturation in US girls: The Third National Health and Nutrition Examination Survey, 1988-1994. **Environmental Health Perspectives** 111:737-741, 2003.

Xue, J, McCurdy, T, Spengler, JD and Özkaynak, H. Understanding variability in time spent in

selected locations for 7-12-year old children. **Journal of Exposure Analysis and Environmental Epidemiology** 14:222-233, 2004.

Yiin, L-M, Millette, JR, Vette, A, Ilacqua, V, Quan, C, Gorczynski, J, Kendall, M, Chen, LC, Weisel, CP, Buckley, B, Yang, I and Lioy, P. Comparisons of the dust/smoke particulate that settled inside the surrounding buildings and outside on the streets of southern New York City after the collapse of the World Trade Center, 11 September 2001. **Journal of Air and Waste Management Association** 54: 515-528, 2004.

Yike, I, Vesper, SJ, Tomashefsky, JF and Dearborn, D. Germination, viability and clearance of *Stachybotrys chartarum* in the lungs of infant rats. **Mycopathologia** 156:67-75, 2003.

Yokel, RA, Allen, DD and Ackley, DC. The distribution of aluminum into and out of the brain. **Journal of Inorganic Biochemistry** 76:127-132, 1999 (NCER).

Yokel, RA, Rhineheimer, SS, Sharma, P, Elmore, D and McNamara, PJ. Entry, half-life, and desferrioxamine-accelerated clearance of brain aluminum after a single (26)Al exposure. **Toxicological Sciences** 64:77-82, 2001 (NCER).

Yokel, RA, Rhineheimer, SS, Brauer, RD, Sharma, P, Elmore, D and McNamara, PJ. Aluminum bioavailability from drinking water is very low and is not appreciably influenced by stomach contents or water hardness. **Toxicology** 161:93-101, 2001 (NCER).

Yolton, K, Dietrich, K, Auinger, P, Lanphear, B and Hornung, R. Exposure to environmental tobacco smoke and cognitive abilities among US children and adolescents. **Environmental Health Perspectives** 113: 98-103, 2005.

Zartarian, VG, Özkaynak, H, Burke, JM, Zufall, MJ, Rigas, ML and Furtaw EJ. A modeling framework for estimating children's residential exposure and dose to chlorpyrifos via dermal residue contact and non-dietary ingestion. **Environmental Health Perspective** 108:589-594, 2000.

Zhang, H, Lindberg, SE, Barnett, MO, Vette, AF and Gustin, MS. Dynamic flux chamber measurement of gaseous mercury emission fluxes over soils. Part 1: simulation of gaseous mercury emissions from soils using a two-resistance exchange interface model. **Atmos Environment** 36: 835-846, 2002

Zheng, Q, Olivier, K, Won, Y and Pope, C. Comparative cholinergic neurotoxicity of oral chlorpyrifos exposures in neonatal and adult rats. **Toxicological Sciences** 48:186, 1999 (NCER).

Zheng, Q, Won, Y, Olivier, K and Pope, C. Comparative cholinergic neurotoxicity of oral chlorpyrifos exposures in preweanling and adult rats. **Toxicological Sciences** 55:124-132, 2000 (NCER).

Zhu, H, Wicker, NJ, Shaw, GM, Lammer, EJ, Hendricks, K, Suarez, L, Canfield, M and Finnell, RH. Homocysteine re-methylation enzyme polymorphisms and increased risks for neural tube defects (NTDs). **Molecular Genetics and Metabolism** 78:216-221, 2003 (NCER).

Zhu, H, Barber, R, Shaw, GM, Lammer, EJ and Finnell, RH. Is Sonic hedgehog (SHH) a candidate gene for spina bifida? **American Journal of Medical Genetics** 117A:87-88, 2003 (NCER).

Zidek, J, Sun, L, Le N and Özkaynak H. Contending with space-time interaction in the spatial prediction of pollution: Vancouver's hourly ambient PM₁₀ field. **Environmetrics** 13:1-19, 2002. Zinaman MJ, Brown CC, Selevan SG and Clegg ED. Semen quality and human fertility: A prospective study with normal couples. **Journal of Andrology** 21:145-53, 2000.

Zinaman ,MJ, Brown, CC, Selevan, SG and Clegg, ED. Semen quality and human fertility: A prospective study with normal couples. **Journal of Andrology** 21:145-53, 2000.

Public Health Outcomes

Abernathy, CO, Thomas, DJ and Calderon RL. Health effects and risk assessment of arsenic. **Journal of Nutrition** (Suppl) 1536S-1538S, 2003.

Calderon ,RL, Thomas, DJ and Abernathy, CO. Consequences of acute and chronic exposure to arsenic. **Annals of Pediatrics** 33:461-466, 2004.

Craun, GF, Frost, FJ, Calderon, RL, Hilborn, E, Fox, KR, Reasoner ,DJ, Poole, C, Rexing, DJ, Hubbs, SA and Dufour AP. Improving Waterborne disease outbreak investigations. **International Journal of Environmental Health** 11:233-247, 2001.

Craun, G, Nwachuku, N, Calderon, RL and Craun MF. Outbreaks in drinking water systems, 1991-98. **Journal of Environmental Health** 65:16-23, 2002.

Frost, FJ, Muller, T, Craun, CF, Calderon, RL and Roefer PA. Paired city *Cryptosporidium* serosurvey in the southwest USA. **Epidemiology and Infection** 126:301-307, 2001.

Frost, FJ, Muller, T, Craun, GF, Lockwood, WB and Calderon, RL. Serological evidence of endemic waterborne *Cryptosporidium* infections. **Annals of Epidemiology** 12:222-227, 2002

Frost, FJ, Kunde, T, Mülle, T, Craun, CF, Calderon, RL, Katz, LM and Hibbard, AJ. Serological responses to cryptosporidium antigens among users of surface versus underground drinking water sources. **Epidemiology and Infection** 131:1131-1138, 2003.

Peterson, CA and Calderon RL. Trends in enteric disease as a cause of death in the United States, 1989-1996. **American Journal of Epidemiology** 57:58-65, 2003.

Zenick, H and Calderon RL Human Health Outcomes and Accountability. **Environmental Policy Report** 10:1-5, 2004.